



Emerald Gazette


Frozen Wilds

31900–31801 BCE

Issue 002 of 340



Compiled & Edited by Gerard J. Hannan BA MBS MA




Emerald Gazette

Frozen Wilds

31900–31801 BCE

Issue 002 of 340

Compiled & Edited by Gerard J. Hannan BA MBS MA



**Emerald Gazette
Frozen Wilds
31900–31801 BCE
Issue 002 of 340**

Compiled & Edited by Gerard J. Hannan BA MBS MA

Gerard J. Hannan BA MBS MA

Copyright © Gerard J. Hannan. All rights reserved.

First Edition

Published 2026

Emerald Gazette

Sources and references for the articles in this issue are available through Emerald Archives.

Historical interpretation may vary as new evidence emerges and scholarship develops. Emerald Gazette presents historical material in good faith, based on the sources and research available at the time of publication.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior permission, except for brief quotations used for review, research, scholarship or citation.

Contents

31900 BCE	1	31861 BCE	153
31899 BCE	5	31860 BCE	157
31898 BCE	9	31859 BCE	161
31897 BCE	13	31858 BCE	165
31896 BCE	17	31857 BCE	169
31895 BCE	21	31856 BCE	173
31894 BCE	25	31855 BCE	177
31893 BCE	28	31854 BCE	180
31892 BCE	32	31853 BCE	184
31891 BCE	36	31852 BCE	188
31890 BCE	40	31851 BCE	192
31889 BCE	44	31850 BCE	196
31888 BCE	48	31849 BCE	200
31887 BCE	52	31848 BCE	204
31886 BCE	56	31847 BCE	208
31885 BCE	60	31846 BCE	212
31884 BCE	64	31845 BCE	216
31883 BCE	67	31844 BCE	220
31882 BCE	70	31843 BCE	224
31881 BCE	74	31842 BCE	228
31880 BCE	78	31841 BCE	232
31879 BCE	82	31840 BCE	236
31878 BCE	86	31839 BCE	240
31877 BCE	90	31838 BCE	244
31876 BCE	94	31837 BCE	248
31875 BCE	98	31836 BCE	252
31874 BCE	102	31835 BCE	256
31873 BCE	106	31834 BCE	260
31872 BCE	110	31833 BCE	264
31871 BCE	114	31832 BCE	268
31870 BCE	118	31831 BCE	272
31869 BCE	122	31830 BCE	276
31868 BCE	126	31829 BCE	280
31867 BCE	130	31828 BCE	284
31866 BCE	134	31827 BCE	288
31865 BCE	138	31826 BCE	292
31864 BCE	142	31825 BCE	296
31863 BCE	145	31824 BCE	300
31862 BCE	149	31823 BCE	304

31822 BCE	308
31821 BCE	312
31820 BCE	316
31819 BCE	320
31818 BCE	324
31817 BCE	328
31816 BCE	332
31815 BCE	336
31814 BCE	340
31813 BCE	344
31812 BCE	348
31811 BCE	352
31810 BCE	356
31809 BCE	360
31808 BCE	362
31807 BCE	366
31806 BCE	370
31805 BCE	374
31804 BCE	378
31803 BCE	382
31802 BCE	386
31801 BCE	390

Introduction

Ireland's history is a long and layered story shaped by people, place, belief, conflict, migration, creativity and change. Across thousands of years, successive generations have left their mark upon the island, creating a historical landscape in which ancient traditions coexist with moments of dramatic transformation. Emerald Gazette was created to explore that story in an accessible, engaging and carefully structured form, allowing readers to move through Ireland's past one period at a time while retaining a sense of the much larger historical journey.

Each issue forms part of a continuing chronological series designed to bring together significant events, personalities, communities and developments from across Irish history. Political change and military conflict are important parts of that story, but they are only part of it. Ireland's history can also be discovered through the lives of ordinary people, the growth of towns and settlements, religious belief, agriculture, trade, education, language, literature, music, folklore, industry, migration and the countless social changes that shaped everyday experience.

The purpose of Emerald Gazette is therefore not simply to present a sequence of dates or isolated historical events. It is to provide context. Events rarely occur independently of what came before them, and their consequences frequently continue long after the people directly involved have disappeared from the historical record. By following the series chronologically, readers can observe how circumstances developed over time, how ideas and institutions evolved, and how decisions made during one generation influenced those that followed.

The material presented throughout the series draws upon the wider research and historical collections of Emerald Archives. Wherever possible, individual articles place events within their broader Irish and international setting while remaining readable for both the general reader and those already familiar with Irish history. References and source information associated with the articles are available through the Emerald Archives website, enabling readers who wish to investigate particular subjects in greater depth to continue their research beyond the pages of each issue.

History is rarely a simple account of agreement and certainty. Surviving evidence may be incomplete, interpretations may change, and different historians may place differing emphasis upon the same events. Emerald Gazette recognises this complexity while seeking to present the available historical record clearly and responsibly. The objective is not to reduce Ireland's past to a single narrative, but to provide readers with a gateway into the people, events and experiences that contributed to its development.

Every issue should therefore be understood both as an individual publication and as another chapter in a much larger project. Read separately, each volume offers a portrait of a particular historical period. Read together, the complete collection becomes an extended chronological journey through the story of Ireland.

We invite you to explore that journey, discover unfamiliar stories, revisit familiar events from new perspectives, and continue through the pages of Emerald Gazette as the remarkable history of Ireland unfolds.

Chapter 001 of 100

31900 BCE

Maguirebridge's Moss-Rich Silt



A Date Without a Diary

“31,900 BCE” is a useful modern label, not a year that can be recovered from Ireland’s prehistoric record. No Irish calendar, written account, ruler, settlement sequence or human life can be assigned to that precise point. In radiocarbon and ice-sheet research, dates are normally expressed as ranges of calibrated years before present (cal BP, where “present” is AD 1950), often with sizeable uncertainty. In that convention, 31,900 BCE is roughly 33,850 years before present. It falls within Marine Isotope Stage 3 (MIS 3), a long and climatically unstable part of the last glacial cycle, and just before the great expansion of the British–Irish Ice Sheet that culminated several millennia later.

The responsible history of Ireland at this time is therefore not a narrative of named people or events. It is an account assembled from thin, uneven archives: freshwater silts caught beneath later glacial deposits in County Fermanagh; bones preserved in limestone caves, especially in north Cork; pollen, mosses, beetles and other small fossils; and the landforms and sediments left by advancing ice. These do not produce a national snapshot. They instead show that parts of Ireland could support cold-adapted life during intervals before the Last Glacial Maximum, while also revealing how fragile that evidence is.

Derryvree’s Cold Wetland

The most directly relevant environmental archive lies at Derryvree near Maguiresbridge in County Fermanagh. Roadworks in 1969 exposed freshwater silts and fine sands enclosed between two thick till sheets in a drumlin. The lower and upper tills record separate episodes when glacier ice moved across the locality; the organic-rich material between them preserves an ice-free interval. Its conventional

radiocarbon determination was 30,500 years BP, with a substantial error range. Later discussion of calibration has placed the deposit broadly within about 36.9–31.7 thousand calibrated years BP. This is a broad window, not an annual date, but it encompasses the chronological neighbourhood of 31,900 BCE.

The Derryvree fossils describe a hard landscape. Pollen was dominated by grasses, sedges and herbs, while plant macrofossils included mosses characteristic of cold, damp ground. Juniper and other low-growing vegetation are part of the wider interpretation. Researchers have described the setting as open, treeless tundra or muskeg: waterlogged ground with pools, sedge-rich patches and sparse vegetation on drier surfaces. The climate was periglacial, meaning cold enough for repeated freezing and thawing, but not necessarily one in which the site itself lay beneath permanent glacier ice. This was not the wooded, rain-fed Ireland familiar today.

That evidence is local. It allows us to say that north-central Ireland had, at some point in the dated interval, an exposed freshwater and tundra environment. It does not prove that every Irish valley, coast or upland looked the same on a day in 31,900 BCE. Pollen can travel, preservation is selective, and the deposits have survived precisely because later sediments sealed them. Yet Derryvree remains exceptionally important because it gives direct Irish evidence for life on land before the ice sheets reached their greatest late-glacial extent.

An Island in Transition

By this stage global sea level was lower than today because much water was held in northern ice sheets. The outlines of Ireland and the surrounding shelf were consequently different, and areas now beneath the Irish and Celtic Seas were dry land or shallow coastal plain at various times. That did not automatically make Ireland a simple extension of Britain or continental Europe. The routes available to animals and people changed with sea level, local ice margins, river systems and climate; the geography was dynamic rather than a single, enduring “land bridge”.

Ice-sheet reconstruction makes the moment especially difficult to portray. Older interpretations sometimes stressed broad ice-free areas in Ireland until relatively late. More recent work shows that the British–Irish Ice Sheet had a longer and more complex history, with glaciation before the Last Glacial Maximum and retreat–advance behaviour during MIS 3. The BRITICE-CHRONO reconstruction places major growth after about 31,000 years BP, while other studies argue for earlier ice-sheet development and regional fluctuation. For approximately 33,850 cal BP, the safe conclusion is neither that Ireland was entirely ice-free nor that it was wholly buried under ice. Conditions varied regionally, and the available dating cannot resolve every advance or retreat to a particular modern calendar year.

The Derryvree and Greenagho records are central to this caution. At Greenagho, also in Fermanagh, organic lacustrine material beneath till has been dated to an earlier part of MIS 3, broadly around 37.2–35.7 thousand cal BP in later syntheses. It demonstrates that ice-free landscapes existed in the north-west before subsequent glacier expansion. Derryvree, with its younger cold-stage freshwater deposit, shows that such exposed environments did not simply disappear in one uniform advance. Ireland’s last glaciation was a sequence of changing margins, not an instant transformation.

Cave Fauna in the South

Far to the south, Castlepook Cave near Doneraile, County Cork, is Ireland’s richest known cave archive for Pleistocene vertebrates. Antiquarian excavations and subsequent research recovered remains attributed to woolly mammoth, giant deer, reindeer, brown bear, wolf, Arctic fox, mountain hare,

lemmings and spotted hyaena. Such a list should not be read as a single herd roaming together across a single season. Cave deposits can accumulate over very long periods; carnivores may drag prey or scavenged carcasses underground; water can redistribute bones; and early excavations did not meet modern stratigraphic standards.

Even so, the range of animals establishes that Ireland was periodically part of a wider north-west European world of cold-stage mammals. Reindeer and lemmings fit open, cold habitats. Mammoth, giant deer and horse-sized prey animals, where securely dated, point towards productive patches within an open mosaic rather than a featureless snow desert. Spotted hyaena is particularly striking: Castlepook has supplied Ireland's strongest evidence for the species, and its presence indicates that large carnivores could exploit the same animal resources as people might have done. A cave was not necessarily anyone's home. At Castlepook it was, at least in part, a carnivore-affected bone trap and den-like refuge.

Direct redating has changed the chronology. Work on southern Irish cave bones found that several earlier measurements had underestimated their age, in some instances by thousands of radiocarbon years, owing to the difficulties of dating old bone and the improvement of pretreatment methods. The redated evidence suggests that some species, including giant deer and spotted hyaena, may have disappeared locally before the Last Glacial Maximum, perhaps around 40,000 cal BP. Thus the fauna illustrates a broad MIS 3 ecological setting, but it cannot tell us precisely which species stood in any particular Irish locality in 31,900 BCE.

The Reindeer Bone and Human Possibility

The most tantalising evidence concerns a reindeer femur fragment from Castlepook. It has been reported as bearing deep marks consistent with cutting or chopping by a stone tool, and public accounts have associated its radiocarbon age with roughly 33,000 years ago. If the marks are confirmed as humanly made and contemporary with the bone, they would indicate that Upper Palaeolithic people reached Ireland far earlier than the formerly accepted late-glacial evidence. A short visit by hunters following reindeer herds across the then altered north-west European landscape is plausible.

But plausibility is not proof of a population. There is no securely associated dwelling floor, hearth, diagnostic lithic assemblage, human burial, human bone, cave art or continuously occupied settlement in Ireland dated to the 32nd millennium BCE. The reindeer bone is a significant research lead, not a licence to imagine tribes, chiefs, territories or a permanent colony. Current excavation and reassessment at Castlepook aim to recover undisturbed deposits, refine dates and test how bones entered the cave. Until such work produces a clearer context, the most defensible wording is that Ireland may have been visited by people during MIS 3, not that it possessed an established human society in 31,900 BCE.

Life Beyond Political History

For this period, political affairs, diplomacy, organised warfare, religion, formal learning and trade networks are all beyond the evidence. There are no kingdoms, ethnic communities, languages, shrines or exchange systems that can responsibly be named. Nor should animal bones be converted into a detailed human economy. If people did reach Ireland, their subsistence would likely have depended on mobile hunting, scavenging and the careful use of animal materials, as among Upper Palaeolithic groups elsewhere in Europe; that is an analogy, not an Irish archaeological fact.


The real story is environmental contingency. Open wetlands at Derryvree, cold-adapted animals in southern caves and the approaching growth of ice show an Ireland repeatedly made accessible, habitable in places and then transformed. Later glaciers eroded or buried many open-air traces, while acidic soils are unfavourable to the preservation of bone. Caves and sediments beneath till are therefore not merely isolated curiosities: they are the surviving fragments of a record that has been heavily destroyed.

At 31,900 BCE, then, Ireland should be envisaged not as an empty stage awaiting conventional history, but as a changing glacial-age landscape. Its most secure inhabitants were plants, insects and animals adapted to exposed cold ground. Whether small groups of humans briefly shared that landscape remains an important, unresolved question. The moss-rich silts of Maguiresbridge and the bone accumulations of Castlepook preserve the evidence; interpretation must remain more modest than the drama of the Ice Age itself.

Chapter 002 of 100

31899 BCE

Fermanagh's Mossy Pools



A Date Beyond Annals

31,899 BCE is a modern calendar label, not a year for which Ireland preserves an event, a ruler, a settlement diary or even an annually resolved archaeological sequence. At this depth of time, the responsible language is approximate. Counted from the conventional radiocarbon “present” of AD 1950, the label falls broadly around 33,800–33,900 calendar years before present (cal BP), within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), conventionally spanning roughly 57,000–29,000 cal BP. It belongs to the Middle Upper Palaeolithic world of north-west Europe, but there is no basis for assigning a particular Irish human action to this single numbered year.

That distinction matters because radiocarbon ages are measurements with uncertainties, not ready-made calendar dates. They must be calibrated against records of changing atmospheric carbon-14. For the period in question, IntCal20 extends the Northern Hemisphere calibration curve to 55,000 cal BP, but its older sections rely on several kinds of archive—such as floating tree-ring sequences, cave deposits, sediments and corals—and calibrated results remain ranges. The exact conversion of a BCE label is therefore less meaningful than the broad horizon: Ireland at about 34,000 years ago, before the Last Glacial Maximum and during a cold, unstable phase of the last ice age.

An Island Not Yet Entombed

Ireland was then at Europe’s north-western edge, exposed to pronounced climatic swings across the North Atlantic. It was not necessarily an island in the modern geographic sense. Global sea level was much lower than today because vast amounts of water were held in northern ice sheets, and the Irish Sea

basin and continental shelves had a very different shape. Connections between Ireland, Britain and the wider European landmass varied through time, controlled by sea level, ice margins and local land movement. Such changing geography made animal movement possible at some stages, but it does not automatically demonstrate a simple, continuous dry route at this precise moment or a regular human crossing.

The full Last Glacial Maximum lay ahead. Research on the British–Irish Ice Sheet places its extensive shelf-edge occupation substantially later, around 27,000–23,000 cal BP in many reconstructions, while individual sectors advanced and retreated in complex ways. Around 34,000 cal BP, evidence from Ireland instead allows for ice-free terrain in at least some regions. This was not a green pre-glacial Ireland awaiting farmers. It was a demanding, largely treeless landscape, vulnerable to frost, wind, seasonal snow and abrupt environmental change. Later ice would scour, bury and rearrange much of the evidence from this earlier interval.

Derryvree’s Environmental Archive

The most informative landscape evidence comes from Derryvree at Maguiresbridge, County Fermanagh. There, excavators found freshwater silts and fine sands trapped between two distinct tills: deposits left by ice before and after the organic sequence. An old radiocarbon determination of $30,500 \pm 1,100$ radiocarbon years BP from the organic beds does not date a single “Derryvree year”, and its calibration is necessarily broad. Nevertheless, the sequence is important evidence that a period of non-glacial conditions intervened between glacial episodes in this part of Ireland during MIS 3.

Pollen, plant remains, mosses and insects from the deposits point to open, treeless ground rather than forest. Grasses, sedges, juniper and herbs occurred around wet, organic-rich ground, while beetle evidence and the sedimentary setting indicate muskeg-like conditions: mossy wetlands with shallow open pools and abundant plant debris. Earlier Irish Quaternary schemes termed this the Derryvree Cold Phase. That label remains useful as a description of a regional deposit and inferred cold interval, but it should not be mistaken for a perfectly uniform climate across the entire island or a precisely bounded event in the global record.

This Fermanagh evidence supplies a valuable corrective to images of a wholly ice-covered Ireland. It demonstrates an environment in which freshwater accumulated, plants grew and insects completed their life cycles. Yet it also speaks of severity. A landscape dominated by low vegetation and saturated ground would have had a short productive season, hard winters and little shelter. The pools and mosses at Derryvree illuminate a particular northern locality; they provide a model for cold open habitats, not a photographic reconstruction of every Irish valley at the same time.

Castlepook and the Animal World

In southern Ireland, Castlepook Cave near Doneraile in north County Cork is central to the animal evidence. The cave’s old collections contain bones of woolly mammoth, reindeer, giant deer, brown bear, wolf, foxes, mountain hare, stoat, collared lemming, Norwegian lemming and spotted hyaena. No one should imagine that every named species stood together outside the cave at one instant. Cave deposits can accumulate over long periods; carnivores, water, sediment movement and nineteenth- and twentieth-century collecting all complicate associations. Still, the assemblage firmly shows that Ireland supported a striking range of cold-stage mammals during parts of MIS 3.

The ecological implications are substantial. Reindeer and lemmings fit an open, cold environment; mammoth and giant deer point to enough vegetation across wider landscapes to sustain large herbivores; wolves and spotted hyaenas indicate predation, scavenging and competition around carcasses. Caves may have been carnivore dens, occasional shelters or traps for remains rather than neutral samples of the animals roaming nearby. Castlepook is especially associated with spotted hyaena in Ireland, and tooth-marked bone makes scavenging a concrete process rather than a romantic embellishment. The evidence supports a dynamic food web, but not precise estimates of animal numbers or a claim that Ireland was continuously occupied by each species.

Modern re-dating has altered this picture. Ruth Carden's reassessment of bone from Castlepook, Foley and Shandon caves found that several older determinations had underestimated antiquity by thousands of radiocarbon years. The revised results place important southern Irish fauna firmly in MIS 3 and suggest that giant deer and spotted hyaena may have disappeared locally before about 40,000 cal BP. Consequently, a broad Castlepook fauna cannot simply be assigned wholesale to c. 34,000 cal BP. Around the horizon represented by 31,899 BCE, the safest conclusion is that southern Irish habitats were capable of supporting cold-adapted animals, while the exact local species mix remained variable through time.

The Question of People

Human presence is the most intriguing and least settled aspect of this Irish horizon. A fragment of reindeer bone from Castlepook has been reported as dating to about 33,000 years ago and as carrying marks consistent with processing by a stone tool. If that interpretation is sustained, it would push evidence of human activity in Ireland dramatically earlier than the previously accepted Late Upper Palaeolithic evidence. It is an important research claim, not evidence for a known village, named group or settled population in 31,899 BCE.

The caution is archaeological rather than dismissive. A bone's date establishes when the animal lived and died, within a statistical range; it does not establish the date, identity or duration of any human encounter with it. Marks must be differentiated from carnivore damage, trampling, excavation damage and other processes. The Castlepook material also comes from historic collections and cave sediments rather than a recently excavated, intact living floor containing hearths, stone tools, food waste and structures together. Researchers have returned to the cave with geophysics and excavation precisely because undisturbed contexts are needed to test the claim properly.

It follows that there is no evidential foundation for political affairs, diplomacy, warfare, institutions, religion, literacy or formal learning in Ireland at this date. Nor can historians responsibly reconstruct households, clothing, languages, kinship rules or ritual from one possible modified bone. If small human parties did reach Ireland, they would have belonged to the mobile hunter-gatherer societies of Upper Palaeolithic Europe and would have depended on expert knowledge of seasonal terrain, animals, fire, stone and hide. That is an inference from the wider European archaeological context, not a documented Irish social history.

Economy Without Markets

There was no economy of fields, livestock, coins, ports or market exchange. Agriculture lay tens of millennia in the future. The only economic activity that can even tentatively be contemplated is subsistence: the acquisition and processing of animal and plant resources by mobile foragers, if people

were present. Reindeer would have offered meat, fat, hide, sinew and bone; large carcasses could have been valuable yet dangerous opportunities in a landscape shared with wolves and hyaenas. But no Irish tool-kit, hearth or repeatedly used butchery site securely demonstrates such practices at this date.

Likewise, “trade” is too strong a word for the available evidence. The lower seas of the Pleistocene changed routes and ranges, and animals evidently colonised Ireland during favourable intervals. Human movement from Britain or continental Europe is conceivable in geographical terms, but there is no Irish artefactual network from which to infer exchange partnerships. The absence of evidence is partly a preservation problem: later glaciation removed or buried surfaces, while acidic soils destroy bone and organic materials. Caves preserve exceptional scraps, not a complete census of life.

What This Horizon Means


The best portrait of Ireland around 31,899 BCE is therefore one of ecological possibility and archaeological restraint. Derryvree offers tangible evidence for cold, open wetlands with mosses, pools and sparse vegetation. Castlepook records an Ice Age animal world that included large herbivores and formidable carnivores. A reindeer bone may indicate that people briefly entered that world and processed an animal, but the case remains under investigation. There are no securely known communities, territories or beliefs to narrate.

Far from making this period empty, that uncertainty is its historical significance. Ireland was not outside the Pleistocene story: it was a changing north-western landscape intermittently available to animals and, perhaps, people before ice-sheet expansion transformed it again. The surviving evidence asks for precision of method rather than false precision of storytelling. Around this modern calendar label, the Irish record is not an annal of one year. It is a thin but remarkable archive of silt, pollen, beetles, caves, bones and questions still being tested.

Chapter 003 of 100

31898 BCE

Castlepook's Reindeer Passage



The label 31,898 BCE cannot identify a documented Irish event, a ruler, or even a single season. At this depth of time, modern calendar-year precision is unavailable. The number lies roughly 33,850 years before AD 1950, the conventional reference point for “before present”, but radiocarbon measurements require calibration and normally produce ranges rather than exact years. The responsible subject is therefore Ireland during the later part of Marine Isotope Stage 3, the unstable climatic interval before the Last Glacial Maximum. Its evidence is sparse, unevenly dated and frequently disturbed by ice, water and early excavations.

That scarcity makes one place unusually important: Castlepook Cave, near Doneraile in north County Cork. The cave’s bone deposits are Ireland’s richest known record of large animals in the long interval leading towards the maximum glaciation. They offer a glimpse of a cold, open country that was very different from modern Ireland, and possibly of a fleeting human visit. They do not, however, demonstrate a settled population, a named community or a continuous Palaeolithic occupation of the island.

A Date Without a Chronicle

“31,898 BCE” is a modern conversion, not a date anyone living then could have recognised. No written records, settlements, graves, hearths, tool assemblages or works of art securely belong to this particular point in Irish prehistory. Even the broad chronology needs care. Radiocarbon ages are measured in radiocarbon years before present and then calibrated against independently dated records, including tree rings and other archives, to estimate calendar ages. At around 34,000 calendar years ago, the calibration curve is less precise than it is for recent millennia. A specimen may be assigned a calibrated probability range, while the event that deposited or altered it may remain less securely dated still.

The appropriate frame is thus not “Ireland in one year”, but Ireland around the later Middle Midlandian or MIS 3 cold stages, perhaps roughly 35,000–32,000 calendar years before present in broad regional terms. Climate did not move steadily towards the deep cold of the Last Glacial Maximum. Greenland ice-core records and North Atlantic evidence show abrupt swings between relatively milder interstadials and severe stadials. Ireland lay at the Atlantic edge of those changes, where shifting sea ice, snowfall, wind and summer warmth could transform habitats over periods far shorter than an archaeological era.

By comparison, the Last Glacial Maximum, when the British–Irish Ice Sheet covered Ireland extensively and reached the continental shelf in several sectors, came later: broadly about 27,000–23,000 calibrated years before present for maximum coverage. Reconstructions suggest that the Irish ice sheet was growing and reorganising in the preceding millennia, but its onset and extent varied strongly from region to region. It is unsafe to picture the whole island either as ice-free grassland or as a single uninterrupted ice cap at the notional date in question.

Castlepook’s Bone Archive

Castlepook Cave is the central Irish archive for this period because its limestone passages preserved more than two thousand Pleistocene animal remains recovered principally during excavations in the early twentieth century. They include woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, mountain hare, lemmings and, most strikingly, spotted hyaena. The latter is known in Ireland with particular confidence from Castlepook. Such a list does not mean every species lived side by side on one day. Cave assemblages commonly accumulate over long intervals and through several processes: animals may die naturally, carnivores may drag prey or scavenged carcasses underground, water may move bones, and later sediment disturbance may mix material.

Even so, the fauna establishes what was possible in southern Ireland during portions of MIS 3. Reindeer and lemmings indicate cold conditions; mammoth and horse-like open-country communities elsewhere in north-west Europe suggest broad, largely treeless landscapes; hyaenas, wolves and bears reveal a food web with large carnivores as well as herbivores. Giant deer, often misleadingly called “Irish elk”, were neither uniquely Irish nor elk. Their later fame comes from Ireland’s abundant fossil finds, but in this earlier setting they belonged to a wider Eurasian species able to exploit suitable open and mixed environments.

The landscape should not be imagined as a featureless snow desert. During milder episodes, grasses, sedges, herbs, dwarf shrubs and patches of willow or birch could have found room in sheltered places. During colder phases, frost-shattered ground, sparse vegetation and strong winds would have dominated more widely. Organic silts preserved beneath glacial deposits at Derryvree, County Fermanagh, provide a separate northern Irish reminder that treeless, wet, tundra-like environments existed during earlier parts of the Midlandian. Yet Derryvree is not a diary of County Cork, and its deposits cannot be used to prescribe the weather of a single year at Castlepook. The value of these sites is comparative: together, they show that Pleistocene Ireland contained changing mosaics rather than a permanent, uniform climate.

The Reindeer Bone and Human Possibility

One Castlepook reindeer bone has become especially significant. Reassessment identified a mark interpreted as having been made with a sharp stone edge while the bone was fresh; public heritage accounts associate the specimen with a date around 33,000 BCE. If that interpretation is accepted, it is

evidence that a person butchered at least part of a reindeer in Ireland far earlier than the securely established Mesolithic settlement record. It would be a remarkable trace: not a village, not a cemetery and not proof that families lived permanently on the island, but a brief act of carcass processing preserved on bone.

Its implications must remain proportionate to its scale. The specimen was recovered from a cave whose deposits were excavated long ago, before modern recovery methods, and the broader cave stratigraphy has been disturbed. The date belongs to the bone, not automatically to a securely excavated human activity floor. A single cut-like mark must also be distinguished from a complete pattern of butchery, such as repeated cut marks, associated stone tools, refitting fragments, hearths or a tightly dated occupation layer. This is why some archaeological summaries rightly describe the evidence as potential or claimed Palaeolithic human activity, while treating Mesolithic communities of the early Holocene as Ireland's first clearly demonstrated colonising population.

Nevertheless, the inference is plausible enough to change the questions historians and archaeologists ask. At periods of lowered sea level, the coastlines around Ireland differed greatly from those of today. Much of the present continental shelf was exposed, although the precise availability of a dry, continuous route between Ireland and Britain remains debated and depended on local ice and sea-level conditions. A small hunting party could have reached south-west Ireland by travelling across exposed terrain, along coastal margins, over ice-related connections, or conceivably by water; the bone itself cannot decide which route was used. Nor can it tell us whether the visitors were local residents, seasonal hunters or people passing through a wider north-west European range.

Life at the Edge of the Ice

If humans did enter Ireland around this period, their economy would have been mobile and opportunistic. Reindeer offered meat, fat, marrow, hide, sinew, antler and bone; a carcass could have supplied far more than a meal. But that practical observation is an interpretation based on well-attested Upper Palaeolithic behaviour elsewhere, not a direct record of an Irish camp. No securely associated Irish stone toolkit currently allows archaeologists to identify the visitors' cultural tradition, their language, kinship arrangements, clothing, shelters or travel plans.

There is equally no evidence for political affairs, diplomacy, territorial lordship or organised warfare in Ireland at this date. Such categories depend on social institutions that leave recognisable traces, and none has survived here. Competition between carnivores and people for large carcasses is conceivable, particularly in a landscape used by hyaenas and wolves, but it should not be romanticised as "conflict". The cave's most securely documented story may be animal use of a refuge or den over repeated episodes, rather than a human drama.

Religion, art and learning are also beyond direct recovery in Ireland for this moment. Contemporary Upper Palaeolithic groups on the European mainland made sophisticated tools, ornaments and cave art, showing that symbolic traditions flourished in the wider world. It does not follow that any person who reached Ireland left art, ritual deposits or a recognised sacred site here. The absence of evidence is partly a product of preservation: later glaciers eroded surfaces, reworked sediments and removed many open-air sites. It is not proof that visitors lacked beliefs or knowledge; it is a limit on what Irish evidence can responsibly say.

A Landscape Soon Remade


The great regional development was environmental, not political. Ireland stood near the threshold of fuller glaciation. Ice expansion later scoured much of its surface, altered drainage, deposited till and helped create the raw physical framework of many modern lowlands, lakes and valleys. This destructive power explains why cave deposits, protected fissures, sub-till organic beds and offshore cores matter so much: they are fragments that escaped total erasure.

Castlepook therefore represents both discovery and caution. Around the notional year 31,898 BCE, Ireland was not an empty backdrop awaiting history. It was a changing Pleistocene environment inhabited, at least intermittently, by formidable mammals and perhaps visited by people capable of processing a reindeer carcass. Yet the evidence is too slight to make that possible visit into a “first settlement” or a national origin story. The honest history of this date is one of cold grasslands, cave-bone archives, advancing ice and a single provocative mark whose meaning remains important precisely because it is so small.

Chapter 004 of 100

31897 BCE

Doneraile's Faunal Corridor



A Date Beyond Annals

“31,897 BCE” is a modern calendar label, not a year that can be recovered from Irish evidence. No annals, settlements, graves, tools in secure context or dated human remains allow events in Ireland to be fixed to a particular calendar year this far back. In archaeological terms, the label falls very approximately around 33,800 calibrated years before present (cal BP), within the later Pleistocene and Marine Isotope Stage 3. Such conversion is only a broad orientation: radiocarbon results require calibration, yield ranges rather than single historical dates, and the curve itself is refined as research advances. The responsible history of this moment is therefore a history of environmental phases, surviving animal remains and the limits of what those remains can show.

Ireland was then part of the wider north-west European Ice Age world, but it was not yet at the maximum of the last British–Irish Ice Sheet. That maximum belongs later, broadly after 27,000 cal BP and particularly to the period around 26,500–19,000 cal BP. At roughly 33,800 cal BP, ice masses were growing and climates were highly variable. It would be misleading to picture one uniform island: glaciers, exposed ground, changing coastlines, rivers and periglacial terrain altered over long intervals and from region to region. The later advance of ice also eroded or buried much older landscape evidence, leaving caves and protected sediment pockets disproportionately important.

Southern Caves, Deep Time

The chief Irish evidence relevant to this period comes from limestone caves, especially Castlepook Cave, also known as Mammoth or Doneraile Cave, near Doneraile in north County Cork. Excavations from 1904 to 1918 recovered a very large assemblage of bones from narrow galleries and chambers. Geological Survey Ireland describes Castlepook as Ireland's richest known source for vertebrate life leading towards the Last Glacial Maximum, with individually dated bones extending across a long span, roughly 45,700 to 19,950 years BP. That exceptional time depth is also the cave's central difficulty: it is a repository accumulated over many millennia, not a sealed camp floor from one visit or one season.

Modern reassessment has made the chronology more demanding rather than simpler. Earlier radiocarbon measurements were re-examined with improved pretreatment and calibration, producing substantially older results for parts of the Castlepook faunal sequence. The revised work places significant southern Irish fauna in Marine Isotope Stage 3 and suggests that some species, notably giant deer and spotted hyaena, may have disappeared locally before the Last Glacial Maximum. This does not establish that every animal represented at Castlepook lived together, nor that each was present in 31,897 BCE. It does establish that southern Ireland intermittently supported substantial Pleistocene mammals during the broad climatic world to which this calendar label belongs.

An Ice-Age Animal Community

Castlepook's fauna includes woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena; later parts of the sequence also include Arctic fox, wolf and lemmings. Other southern Irish caves have yielded pre-Last Glacial Maximum red-deer remains. The mixture indicates that Ireland was not simply an empty white expanse throughout the later Pleistocene. Where suitable ground and vegetation were available, large herbivores and predators could use parts of the island. Yet these are occurrence records, not a census. They cannot tell us the number of animals, the exact area occupied, whether herds were resident or seasonal, or the precise vegetation outside a particular cave.

The likely setting was open, cold and windy, with a patchwork of herb-rich grassland, sedges, dwarf shrubs and sparsely vegetated ground rather than later Irish woodland. Such environments could sustain grazing and browsing animals, while mammoth, deer and reindeer in turn supported carnivores and scavengers. Cave bone collections, however, are filtered records. Hyaenas may have dragged carcass parts into dens; carnivores gnawed bone; water shifted sediments; and early excavators removed material before modern recording standards existed. A bone found in a cave may represent predation, scavenging, natural death, water transport or human handling elsewhere. The cave is a powerful archive precisely because bone survived there, but it must not be mistaken for a straightforward picture of life within its chambers.

The Human Question

The most consequential, and least settled, issue is whether people reached Ireland during this earlier part of the Upper Palaeolithic. A reindeer femur from Castlepook has been publicly reported as carrying a mark interpreted as made by a sharp stone tool and as dating to about 31,000 BCE. If both the

identification of the mark and its association with the dated animal are sustained by full contextual analysis, it would indicate that people processed an animal in Ireland during an Ice Age interval far earlier than the traditionally accepted evidence for human presence.

That conditional matters. No securely stratified stone-tool assemblage, hearth, dwelling, human fossil or unequivocal occupation surface of this age has yet been recovered in Ireland. The cave's deposits were disturbed by natural processes and by the extensive early twentieth-century excavations. The recent Castlepook project has therefore sought surviving deposits, new samples and clearer contextual links between the historic bone collection and the cave itself. Its research report describes modified bones as the strongest evidence so far documented for a Pleistocene hominin presence, but frames excavation as necessary to test that proposition. The National Museum of Ireland continues to state the more cautious conventional position: clear Palaeolithic human presence has not yet been demonstrated.

The better-established Irish evidence for Palaeolithic people is much later. A brown-bear kneecap from Alice and Gwendoline Cave in County Clare has marks interpreted as butchery and has yielded calibrated dates of about 12,810–12,590 cal BP. Even that find is assessed in the light of cave taphonomy and limited original context, but it has a direct dating and published specialist analysis. It is not evidence for people in 31,897 BCE. Rather, it demonstrates the difference between a dated, published late-glacial indication of human activity and the still-investigated earlier possibility at Castlepook.

No Politics, No Settlements

There can be no responsible account of political affairs, diplomacy, named communities or warfare in Ireland for this date. There are no written records and no archaeological evidence for territory, leaders, alliances, formal institutions or conflict. Nor can permanent settlement be inferred. If Upper Palaeolithic people did visit southern Ireland during a milder interval, they may have been highly mobile hunter-gatherers exploiting animal movements and familiar places across a wider north-west European landscape. But that is an interpretation based on comparison with contemporary societies elsewhere, not evidence for a named group, camp or route in Ireland.

The same restraint applies to economy and trade. Animal remains can illuminate food webs and perhaps hunting opportunities; they do not demonstrate exchange networks, ownership or routine provisioning. A cut-marked reindeer bone, if confirmed, would show the use of sharp stone technology in carcass processing, not agriculture, animal husbandry, markets or long-distance trade. There is no basis for describing fields, livestock, boats, villages or a settled economy. Ireland's much later Mesolithic record, beginning after the final retreat of the ice, cannot be projected backwards into this far older and harsher landscape.

Culture Beyond Recovery

Religion, language, stories, music and learning are also beyond direct recovery. Upper Palaeolithic communities elsewhere in Europe made complex stone and bone technologies, ornaments and cave art, but none of that permits an Irish attribution without Irish finds. It would be particularly unsafe to assign continental archaeological cultures, identities or artistic traditions to Castlepook merely because the cave fauna belongs to the same broad climatic age. The absence of evidence is not proof that people lacked symbolic life; it is a warning that Ireland has not preserved, or has not yet yielded, material evidence from which such life can be responsibly reconstructed.

What can be said is that the Irish record was shaped by connection and interruption. Mammals reached the island during parts of the Pleistocene, demonstrating that ecological movement into Ireland was possible under changing glacial and sea-level conditions. Later ice-sheet expansion transformed those possibilities, altered drainage and coastlines, and destroyed or concealed many earlier traces. The survival of bones in karst caves, rather than the survival of villages on open ground, explains why the evidence is so uneven. The apparent prominence of Cork and a few other cave districts reflects preservation and discovery as much as ancient geography.

A Landscape Before History


For Ireland around 31,897 BCE, then, the most important development was not a datable event but a precarious environmental window within the later Ice Age. Southern cave archives indicate that sizeable mammals occupied or visited parts of the island before the Last Glacial Maximum. Castlepook preserves the richest signal: a long, mixed accumulation from which mammoth, deer, reindeer, bears and hyaenas emerge, alongside an unresolved possibility of very early human action. The evidence supports a dynamic, cold landscape connected to wider European ecological processes. It does not support a year-by-year narrative of Irish society.

This is nonetheless Irish history in its deepest sense. The cave deposits preserve the conditions from which Ireland's later human story eventually emerged: shifting ice, temporary habitats, animal dispersal and the fragmentary survival of evidence. Future excavation, dating, micromorphology and biomolecular work may refine the Castlepook sequence and test the human interpretation. Until then, the honest account of this distant point is one of calibrated ranges, cave taphonomy and carefully bounded possibility—not invented certainty.

Chapter 005 of 100

31896 BCE

Maguirebridge's Tundra Lake



“31,896 BCE” is a modern calendar label, not a year that anybody in Ireland could have recorded or to which archaeology can attach an event. It corresponds only approximately to 33,846 calendar years before AD 1950, the reference point used for calibrated archaeological dates. At this depth of time, radiocarbon ages come with substantial ranges, calibration curves are periodically refined, and deposits may have formed over generations or millennia. The responsible historical setting is therefore later Marine Isotope Stage 3 (MIS 3), during the Midlandian glacial cycle and before the Last Glacial Maximum, rather than an imagined occurrence in one particular year.

A Landscape Known in Fragments

Ireland at roughly 33.8 thousand calibrated years ago is known through a thin and difficult archive: fossil bones from caves, plant and insect remains preserved in sediments, layers of glacial debris, and mineral growth in caves. These are not historical records. They cannot reveal a ruler, community name, battle, treaty, shrine, market or spoken language. Indeed, they do not securely demonstrate a settled human population. They instead allow a more fundamental question: what kinds of landscapes and animal communities could exist in Ireland as the last great ice-sheet expansion approached?

The evidence is uneven because later ice repeatedly eroded older surfaces and deposits. Cave deposits in particular are invaluable but troublesome: bones can be washed in, moved by carnivores, mixed by earlier excavation or derived from different episodes. The Irish Quaternary Fauna Project cautioned that many of the cave collections excavated in the nineteenth and early twentieth centuries came from disturbed contexts. Modern re-dating and renewed excavation have therefore changed, and will continue to change, the story.

The Derryvree Evidence

The closest major environmental evidence to this notional date lies at Derryvree, near Maguiresbridge in County Fermanagh. Roadworks there exposed freshwater silts and fine sands enclosed between two thick tills: deposits left by glacier ice. The organic-rich layer contained plant and animal evidence from a cold, open environment. Its conventional radiocarbon determination was 30,500 years BP, with a large uncertainty; later calibration places the deposit broadly between about 36.9 and 31.7 thousand calibrated years BP. The date 31,896 BCE falls within that broad range, but this does not mean the sediment identifies conditions in that individual year.

Derryvree indicates treeless tundra or muskeg: wet, peaty ground, shallow pools, mosses and low vegetation under a periglacial climate. Fossil insects and plant remains suggest a patchwork rather than a featureless white waste. Water persisted locally in summer, plant litter accumulated, and organisms adapted to cold conditions occupied the margins of pools and saturated ground. The winters, however, were severe. This was an exposed northern landscape, likely subject to frozen ground, strong seasonality and a short growing season. It was ecologically productive in restricted places, but not hospitable in the later agricultural sense.

That northern Fermanagh archive also establishes an important regional point. Organic material beneath later glacial deposits proves that at least parts of north-central Ireland were ice-free when the plants grew and the sediments accumulated. It does not prove that every district was ice-free at the same moment. Ireland's ice history was regional and dynamic, involving expanding local ice masses, marine margins and changing connections with ice in Britain. The surviving evidence supports a landscape in transition, not a simple advance of a single uniform ice blanket.

Before the Great Expansion

In broad terms, this point in MIS 3 preceded the maximum extent of the last British–Irish Ice Sheet. A widely used working model places major ice-sheet build-up after about 35–32 thousand years ago and the Last Glacial Maximum itself around 27–21 thousand years ago. More recent BRITICE-CHRONO research likewise shows that ice-sheet growth and retreat varied markedly between sectors. Thus 31,896 BCE belongs near the threshold of worsening glacial conditions, not to the maximum phase when ice later covered much of Ireland.

Crag Cave in County Kerry provides a separate, long-term climatic clue. Uranium-thorium dating of broken and reworked speleothems shows that calcite sometimes formed in the cave during MIS 3. Because such growth required infiltrating liquid water and conditions generally above freezing, the dated phases indicate episodic climatic amelioration linked to Greenland interstadials. This does not supply a local weather report for Maguiresbridge or a precise annual temperature for 31,896 BCE. It does show that the Atlantic edge of south-west Ireland responded sharply to millennial climate swings, alternating between colder phases and intervals capable of sustaining cave-water circulation.

Animals of the Open Country

South of Fermanagh, Castlepook Cave near Doneraile in County Cork preserves Ireland's richest known pre-Last Glacial Maximum vertebrate assemblage. Reassessment of its radiocarbon chronology places significant fauna in MIS 3, while the full cave collection represents a long span rather than a single

living herd or one moment of deposition. Among the animals represented are woolly mammoth, reindeer, giant deer, brown bear and spotted hyaena; the wider cold-stage list includes wolf, Arctic fox, mountain hare and lemmings. Such species make clear that Ireland could support a substantially richer Pleistocene fauna than survives today.

It would nevertheless be misleading to arrange all these animals together in a single scene dated exactly to 31,896 BCE. Some remains may be older or younger than the Derrynvree deposits, and cave accumulation has complex causes. Spotted hyaenas may have carried bones into the cave; water movement and earlier digging disturbed materials; and animals occupied different habitats and seasons. The sound conclusion is modest but powerful: during the middle and later parts of MIS 3, Irish landscapes intermittently accommodated large herbivores and their predators, including species now extinct in Ireland or globally.

Reindeer and mammoth point towards open, cold-adapted grazing landscapes. Giant deer require more caution: their presence demonstrates that this imposing species occurred in Pleistocene Ireland, but does not establish the precise vegetation structure of every locality. Brown bear and hyaena, meanwhile, warn against treating the landscape as biologically simple. Predators, scavengers, herbivores, small mammals and freshwater organisms occupied a mosaic of ground conditions. Their movements would have followed food, shelter, snow cover and seasonal water, not modern county boundaries.

People: An Important Silence

There is no securely established settlement, hearth, stone-tool assemblage, burial or house in Ireland that can responsibly be assigned to 31,896 BCE. Therefore there can be no evidence-based account of political affairs, warfare, diplomacy, religion, trade, social organisation, education or everyday human labour for this year. Nor should the large mammals be casually converted into proof of hunters: animal bones demonstrate animals, not necessarily people.

A claim publicised in 2021 concerned a Castlepook reindeer femur interpreted as bearing marks consistent with butchery and reportedly dating to about 33,000 years ago. It is potentially important, but it is not the same as a published, stratified settlement context, and the cave's disturbed history demands careful assessment. The 2022 excavation report explicitly noted that Castlepook's earlier record had lacked evidence for human occupation, while identifying surviving deposits with potential for further study. For now, the firm peer-reviewed evidence for human presence in Ireland is much later: a butchered brown-bear patella from Alice and Gwendoline Cave, County Clare, directly dated to roughly 12,810–12,590 calibrated years BP.

An Ireland Without a Historical Year

The most meaningful development around 31,896 BCE was environmental, not political: parts of Ireland remained capable of supporting cold-adapted life while the climatic system was moving towards a more extensive glaciation. At Derrynvree, freshwater sediments preserve a northern tundra wetland; in southern caves, bones and speleothems preserve complementary evidence for fauna and climatic fluctuation. These archives show that Ireland was neither timeless nor uniformly frozen. It was a changing Atlantic peninsula-or-island landscape whose exact coastlines, ice margins and ecological zones remain imperfectly known.

Its legacy is written in what survived subsequent ice and erosion. The silts beneath a Fermanagh drumlin, the bones in a Cork cave and the calcite of a Kerry cavern are not substitutes for chronicles. They are more valuable than invented chronicles: hard-won traces from which a cautious history of Ice-Age Ireland can begin.

Chapter 006 of 100

31895 BCE

Derryvree's Arctic Lake



The label 31,895 BCE is useful only as a modern point of reference. It cannot denote a recorded Irish year, season, event or generation. Around this notional date—roughly 33.8 thousand calendar years before AD 1950—there are no written sources, named people, settlements or calendar systems for Ireland. Archaeology instead works with ranges produced by radiocarbon dating, stratigraphy, pollen, insects, animal bone, cave mineral deposits and reconstructions of ancient ice. Those ranges are often broad, and they are revised as techniques improve. The responsible history of Ireland at this depth of time is therefore a history of evidence, not a narrative of happenings on a particular day.

A Landscape Within MIS 3

In global archaeological terminology, Ireland lay in the later part of Marine Isotope Stage 3 (MIS 3), an unstable interval of the Last Glacial Period. It preceded the coldest and most extensive phase of the Last Glacial Maximum, but was not a uniformly mild respite before the ice. North Atlantic climates swung sharply between colder stadials and relatively warmer interstadials. Ice masses, sea level, vegetation and animal routes could alter over periods far shorter than the immense span suggested by a date in BCE.

Recent reconstructions make an important correction to older, simpler pictures of an Ireland either wholly frozen or wholly open. The British–Irish Ice Sheet was dynamic and geographically uneven. Research on raised beaches, offshore deposits, glacial landforms and dating evidence indicates that ice advanced and retreated in different sectors at different times during MIS 3. Some areas may have

supported ice or lain close to an ice margin while other districts retained, or regained, ice-free ground. That does not permit a precise map for 31,895 BCE. It does mean that Ireland should be envisaged as a changing northern landscape, not as a single, static white expanse.

At approximately 33.8 ka cal BP, conditions were generally cold, exposed and highly seasonal. Much of the island's modern surface did not yet exist in its present form: later glaciers would scour, redeposit and conceal older deposits. Sea level was lower globally, exposing more of the continental shelf, but the exact configuration of coasts, sea passages, grounded ice and marine waters around Ireland depended on local ice loading as well as global sea level. It would be unsafe to claim a simple dry-land corridor either to Britain or to continental Europe. Movement of animals, and any people, must be considered against a shifting and poorly resolved physical geography.

Derryvree's Buried Record

The most directly relevant environmental archive is at Derryvree near Maguiresbridge, County Fermanagh. There, organic-rich freshwater sediments were found sandwiched between glacial tills: material laid down during an ice-free interval and later buried beneath renewed glacial deposits. Published radiocarbon evidence from the sequence has been calibrated to a broad range of about 36.9–31.7 thousand calendar years before present. The modern conversion of 31,895 BCE falls within that range, but the range must not be mistaken for exact dating of the deposit to that numbered year.

Derryvree offers unusually tangible evidence of a freshwater environment in northern Ireland during part of MIS 3. Plant remains, pollen and insect evidence have been interpreted as indicating an open, cold landscape with a sparse tundra or tundra-steppe vegetation cover rather than closed woodland. Grasses, sedges, herbs, mosses and low shrubs could exploit sheltered ground, lake margins and seasonally moist soils. Such vegetation supported a food web very different from the later wooded island, and it also helped stabilise only parts of a landscape exposed to frost action, wind and sediment movement.

The site's importance lies as much in its limitations as in its discoveries. Derryvree records a particular waterbody and its catchment, not the entire island. Pollen can travel; insects and plants respond to local habitats; and sediment may have been disturbed before burial beneath ice. Nevertheless, the sequence demonstrates that at least one northern Irish locality held freshwater, vegetation and biological activity during a cold-stage interval broadly overlapping this chronological horizon. It rules out any easy assumption that every part of Ireland was continuously sealed beneath glacier ice.

Animals of the Open Country

Caves in southern Ireland provide the principal evidence for the island's larger Late Pleistocene animals. Castlepook Cave, near Doneraile in north County Cork, produced a remarkable collection during excavations conducted mainly in the early twentieth century. Its recorded fauna includes reindeer, giant deer, woolly mammoth, spotted hyaena, brown bear, wolf, fox, mountain hare and lemmings. These are not a photograph of one moment. A cave assemblage can accumulate over long periods as animals die nearby, predators drag in carcass parts, scavengers disturb bones and water shifts sediments.

Modern redating has made Castlepook more significant and more complicated. Improved pretreatment of bone collagen produced dates substantially older than some earlier results, placing elements of the fauna in MIS 3. The revised work suggests that giant deer and spotted hyaena may have disappeared locally before about 40,000 cal BP, while other material represents later episodes. Thus, the

animal list should not be treated as a guaranteed community living together in 31,895 BCE. It does show, however, that Ireland could support, at different points in this broad interval, a cold-adapted assemblage of grazers, browsers, carnivores and small mammals.

Reindeer are particularly evocative because they indicate landscapes capable of sustaining mobile herbivores across extensive open ground. Mammoth remains point to grass- and herb-rich habitats somewhere within the wider region, while hyaena bones and gnawing illuminate predation and scavenging. A hyaena den is not a hunting camp. Its contents may represent prey transported to shelter, naturally dead animals and material mixed by later processes. This distinction matters: cave bone deposits reveal animal behaviour and palaeoecology more securely than they reveal human activity.

Regional contrast was likely pronounced. Fermanagh's lake sediments preserve a northern freshwater setting. Cork's limestone caves collected bones in a southern landscape whose local topography offered crevices, chambers and shelter. Elsewhere, ice, periglacial ground, bare sediment, coastal margins and patches of vegetation created different opportunities and constraints. Rather than a familiar green island, Ireland was a mosaic of cold environments, constantly affected by climate shifts and ice-sheet behaviour.

The Unsettled Human Question

No securely excavated settlement, hearth, stone-tool assemblage, house floor, burial or artwork can presently be assigned to Ireland around 31,895 BCE. Accordingly, there is no sound basis for describing an Irish population, its language, kinship, dress, beliefs or social rank. There were no states, kingdoms, diplomacy, laws or political institutions detectable in the evidence. There is equally no evidence for farming, domestic animals, fields, trade networks or permanent villages. The appropriate entries for political affairs and economy at this date are not "unknown details", but an absence of evidence sufficient to establish that such institutions existed in Ireland.

There is, however, a serious and closely watched possibility. A reindeer femur from Castlepook, recovered from older excavations and re-examined by Ruth Carden, bears a mark interpreted as having been made by a sharp stone tool during butchery. Dating associated with this find has placed it broadly around 33,000 years ago. If the mark is confirmed as humanly made and securely related to its date, it would push evidence for human activity in Ireland far back into the Upper Palaeolithic, long before the formerly accepted post-glacial horizon.

That conditional language is essential. The bone was not recovered in a modern, intact archaeological context alongside the tool, a hearth or a living surface. Natural damage, trampling, carnivore activity and excavation history must all be excluded through microscopic and contextual study. Recent work at Castlepook has found surviving sediments and renewed the search, but the 2022 excavation reported no cultural artefacts. The claim is therefore promising evidence under investigation, not proof of a settled human presence or a licence to populate Ireland with imagined Ice Age bands.

If people did reach the island during this phase, the most cautious interpretation is of brief, highly mobile visits connected to the pursuit or processing of animals, rather than a demonstrable resident society. This is an inference from the nature of the proposed bone modification and from wider Upper Palaeolithic lifeways in north-west Europe; it is not a fact established for Ireland. The absence of securely associated tools makes even that restrained possibility provisional.

Culture Beyond Recovery

Religion, art and learning leave no identifiable Irish trace at this horizon. European Upper Palaeolithic communities elsewhere created ornaments, images, specialised tools and ritualised deposits, but those achievements cannot responsibly be transferred across the sea to Ireland without Irish evidence. A cave need not be a shrine; a mammoth bone need not signal hunting by people; an old mark on bone need not constitute a cultural tradition. The same caution applies to conflict. Carnivores competed for prey and shelter, but no evidence records warfare or organised violence between human groups in Ireland.

What can be said is that survival in this landscape, for any animal or occasional human visitor, depended upon intimate environmental knowledge: sheltered routes, freshwater, seasonal forage, animal movements, weather and the risks of ice, exposure and predators. Such knowledge is a plausible human capacity, but its Irish expression remains archaeologically invisible. The material record preserves the stage more clearly than the actors.

How This Distant Past Is Dated


The difficulty of writing this article is itself historically important. Radiocarbon measurements are not calendar dates and must be calibrated against changing atmospheric carbon levels. Calibration curves can shift the calendar placement of old results, while improvements in collagen purification can transform the apparent age of cave bone. Stratigraphy adds another relative sequence—one deposit above or below another—but glaciers can erode and rearrange that sequence. U-series dates from cave calcite, optically stimulated luminescence dating of sediments, and palaeoenvironmental proxies each add evidence with their own uncertainties.

For 31,895 BCE, Ireland's history is consequently an account of climate variability, freshwater deposits, animal remains and unresolved archaeological potential. Derryvree shows that cold-stage life endured around a northern lake during a broad interval encompassing this modern date. Castlepook shows that a distinctive Ice Age fauna reached southern Ireland, and possibly that people encountered or processed reindeer there. Neither site yields a named event in a named year. Their real value is greater: they preserve rare traces from an Ireland on the threshold of deeper glaciation, before the later ice erased so much of the island's earliest past.

Chapter 007 of 100

31894 BCE

Derryvree's Treeless Marsh



Modern calendar-year precision is not available for Ireland in 31,894 BCE. The date is a useful point on a modern timeline, not an event recorded by people living then. In archaeological terms it falls in the Late Pleistocene, within Marine Isotope Stage 3 and the Middle Midlandian part of the last cold stage in Irish terminology. The most responsible picture is therefore regional and approximate: calibrated ranges, fossil assemblages, pollen, insect remains, sediments and the evidence of advancing ice illuminate conditions over centuries or millennia, not one particular year.

The closest unusually informative Irish sequence is at Derryvree, near Maguiresbridge in County Fermanagh. Roadworks exposed organic silts and fine sands sealed between two thick till sheets in a drumlin. A conventional radiocarbon determination of 30,500 BP from the deposit has been recalibrated in later discussion to a broad interval of roughly 36,900–31,700 calibrated years BP. Converted approximately from the 1950 ‘present’ used in radiocarbon dating, that span includes 31,894 BCE. It does not prove that every layer formed exactly in that numbered year; it does make Derryvree the best local archive for reconstructing Ireland at about this time.

A Wetland Between Ice Advances

The Derryvree sediments show that this part of Fermanagh was, for a time, free of overriding glacier ice. They also show that the interval lay between glacial episodes: older till beneath the organic deposit records an earlier advance, while younger till above it records ice that later crossed and incorporated the wetland. This is an important corrective to any simple image of an Ireland either wholly frozen or wholly open. The island’s glacial history was uneven, with local ice, ice-free ground, changing margins and environments that could be buried or destroyed by subsequent ice movement.

The deposit has been interpreted as a treeless muskeg or marshy tundra, with pools, waterlogged ground and abundant mosses rather than woodland. Pollen and plant remains indicate grasses, sedges, juniper and other herbs; insect evidence is likewise consistent with cold, open, plant-rich wetland conditions. This was no modern bog, forest or farmed landscape. Long winters, short growing seasons and periglacial processes—repeated freezing and thawing of the ground—would have structured the year. Yet it was biologically productive enough to sustain vegetation, invertebrates and grazing animals. Small pools and wet hollows preserved a record that most exposed ground did not.

Animals in a Changing Country

Fossil caves, especially Castlepook Cave near Doneraile in County Cork, provide the principal evidence for the larger animals of Ice Age Ireland. Radiocarbon dates on individual bones demonstrate that a varied mammal fauna occurred on the island between at least about 45,000 and 20,000 years ago. At Castlepook, remains include woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena; later deposits also include wolf, Arctic fox and lemmings. The list gives a vivid impression of an open, cold-adapted world very different from the present Irish fauna.

Care is essential, however. A cave bone assemblage is not a census taken on a single day, season or even century. Castlepook accumulated remains over a long period, and water disturbance has mixed or obscured parts of the deposits. Hyenas may themselves have carried some bones into the cave. Individual dated animals therefore demonstrate that species were present in Ireland within particular date ranges; they do not establish that mammoths, giant deer, reindeer and hyenas all stood together outside the cave in 31,894 BCE. The strongest conclusion is that suitable open habitats and food webs existed in parts of Ireland during this broad phase.

At Derryvree, the evidence points to a colder wetland habitat rather than a mammoth-steppe scene copied wholesale from continental Europe. At Castlepook, several hundred kilometres to the south-west, caves lay within a different limestone landscape and drew in remains by natural and animal processes. Together, the sites reveal regional variation. Ireland was not environmentally uniform, and the evidence does not warrant assigning one exact temperature, coastline or vegetation map to the modern calendar year.

Ice, Sea and Uncertain Boundaries

31,894 BCE also belongs to a critical, still debated phase in the growth of the British–Irish Ice Sheet. Recent large-scale reconstructions begin at 31,000 years ago because earlier constraints are sparse. They model accumulating ice in Northern Ireland and upland ice masses in southern Ireland by that point, followed by rapid expansion. Other research argues from raised beaches, ice-rafted material and older deposits that substantial ice may have developed and fluctuated earlier in Marine Isotope Stage 3. These are competing reconstructions of a fragmentary record, not a reason to force a false certainty.

For Derryvree's broad dated interval, the directly observed fact remains the organic wetland sealed between tills. The wider inference is that an ice margin had retreated or failed to cover this locality long enough for freshwater sediment, plants and insects to accumulate, before ice returned. Across Ireland, later glaciers eroded many earlier deposits, which is why surviving sites carry disproportionate weight. The ice sheets also reshaped valleys, redistributed rock and sediment, and helped create the physical foundations for many later Irish lakes, lowlands and wetlands.

Sea level was lower than today because considerable water was stored in global ice sheets, but the geography of travel around Ireland cannot be reconstructed in simple terms from that fact alone. Changing sea levels, deep channels, ice fronts and coastal erosion make the former shorelines difficult to recover. Animal populations reached Ireland at various points in the Pleistocene, but the precise routes, duration of habitable corridors and degree of isolation remain subjects for research rather than settled detail.

People: A Possibility, Not a Society

There is no securely documented settlement, house, hearth, tool assemblage, burial or human skeleton from Ireland that can be assigned to 31,894 BCE. Consequently there is no evidence for an Irish polity, leaders, diplomacy, warfare, territory, religion, language, art, trade network or system of learning at this date. There was no writing from which names or events could survive. Agriculture, domestic livestock, pottery and permanent farming settlements lay tens of millennia in the future.

A modified reindeer bone from Castlepook has been proposed as possible evidence of human butchery around 33,000 radiocarbon years ago. If the marks are ultimately accepted as stone-tool cut marks, they would indicate a brief Upper Palaeolithic human visit or activity episode, not a proven resident population. That claim is important precisely because it is exceptional and because natural damage, carnivore action and excavation history can complicate interpretation. It should not be enlarged into an Ice Age Irish community with invented customs. The next substantial evidence for settled human lifeways in Ireland belongs much later, with Mesolithic hunter-gatherers after about 8000 BC.

It is reasonable to say that, if people did enter Ireland during this earlier period, they would have faced formidable practical problems: cold exposure, highly seasonal resources, mobile large game, dangerous predators and a landscape altered by frost and ice. Comparisons with Upper Palaeolithic groups elsewhere may suggest mobile foraging, hunting and the skilled use of organic and stone equipment. They cannot supply direct evidence for the social organisation or beliefs of people in Ireland. At Derrynvree itself, the record is environmental, not archaeological.

What This Date Can Mean

Ireland around 31,894 BCE was not yet a historical society in the usual sense, but it was not an empty stage. Marsh vegetation persisted at Derrynvree during an ice-free interval between glacial advances. Large mammals occupied at least some Irish landscapes during the broader Late Pleistocene, while glaciers and changing sea margins set hard limits on where life could flourish. The principal story is one of environmental resilience and instability: living communities occupied temporary ecological opportunities in a country whose ground, waters and coastlines were being repeatedly remade. That is the evidence-based Ireland to which this modern year label can responsibly point.

Chapter 008 of 100

31893 BCE

The Doneraile Femur



The label 31,893 BCE creates an appearance of precision that the evidence cannot sustain. No people in Ireland then used a calendar, and archaeology cannot isolate an event to this particular modern year. The responsible chronological setting is the Late Pleistocene, within Marine Isotope Stage 3 (MIS 3), a long and climatically volatile interval of the last Ice Age. In calendar terms, this notional year falls broadly around 33,800 years ago, but evidence is normally reported as radiocarbon ages and calibrated ranges rather than as a dated annual narrative.

For Ireland, the period matters because it may contain the island's earliest claimed trace of human activity. That claim rests principally on a reindeer femur from Castlepook Cave, near Doneraile in north County Cork. The bone has been reported as bearing a deep mark interpreted as having been made by a sharp stone tool during butchery, and local heritage publications place it at about 31,000 BCE. It is a consequential find, but also a limited one. The bone is not part of a securely excavated living floor with hearths, stone tools, shelters, burials or human remains. It can support the possibility of a brief human encounter with a carcass; it cannot, by itself, prove a permanent population on the island.

A Date Range, Not an Anniversary

Radiocarbon dating does not translate automatically into a calendar year. A laboratory measures remaining carbon-14 in organic material and produces an age in radiocarbon years before present, where “present” conventionally means 1950. That result must then be calibrated against records of past atmospheric carbon-14. At this antiquity calibration produces ranges, sometimes broad or irregular ones, rather than an annual date. The internationally used IntCal20 curve extends to 55,000 calibrated years before present, but its older section necessarily combines several kinds of environmental archive and retains uncertainty.

There is a further distinction that is essential at Castlepook. A date on bone estimates when an animal died, not when a person handled it. The interpretation of a line or incision as a cut mark depends on its shape, position and microscopic character, as well as whether natural processes could have produced a similar trace. Cave deposits are especially challenging: bones can be carried in by carnivores, moved by water, disturbed by sediment collapse, mixed between layers, or recovered long ago without modern recording methods. Archaeologists must therefore separate a securely dated animal from the more ambitious proposition that people butchered it.

Castlepook's importance has grown precisely because improved ultrafiltration methods have prompted the redating of southern Irish cave fauna. A 2020 reassessment found that some earlier dates from Castlepook were thousands of radiocarbon years too young, placing significant elements of the fauna firmly in MIS 3. This establishes that the cave's animal record spans a far deeper past than once thought. It does not remove the difficulties created by early twentieth-century excavation, when much sediment was cleared and only a fraction of the originally reported bone collection survived in museum care.

The Cave Beneath the Limestone

Castlepook is a maze-like limestone cave system in the Awbeg Valley, north of the Blackwater in County Cork. Between 1904 and 1914, the naturalist Richard J. Ussher and his workers recovered a remarkable concentration of fossil bone there. Later study identified animals including woolly mammoth, giant deer, reindeer, brown bear, wolf, Arctic fox, lemmings and spotted hyaena. The assemblage is not a snapshot of one season, one herd or one human party. It accumulated over a great span of time and in several cave spaces. Yet it shows that southern Ireland was, during portions of MIS 3, accessible to and capable of supporting a varied cold-stage fauna.

Spotted hyaena is especially important for understanding how the deposit formed. Hyaenas commonly use caves as dens and can drag in parts of carcasses, gnaw bones and leave a confusing mixture of prey remains. Wolves and other scavengers could also move bones. Thus, even if the reindeer femur was butchered in the landscape by people, the cave may not have been the place where the animal was killed or processed. County Cork's heritage interpretation cautiously suggests that a discarded butchered fragment could have been brought underground later by scavengers. That is a plausible reconstruction, but it remains interpretation rather than demonstrated fact.

The bone nevertheless deserves attention. A large reindeer supplied more than meat: hide, sinew, marrow and bone were valuable resources to Upper Palaeolithic hunter-gatherers elsewhere in north-west Europe. A sharp lithic edge could be used to detach flesh or work around joints. If the Castlepook mark is confirmed as anthropogenic and contemporary with the animal's death, it would indicate a moment of practical knowledge and skilled carcass processing. It would not identify the people involved by name, language, ethnicity or archaeological culture. Calling them "the Irish" would be an anachronism; there was no Irish people, polity or tradition that can be traced from this single object.

An Open, Severe Landscape

Ireland around this point was not the green, wooded island familiar today. Environmental sequences beneath later glacial deposits in Fermanagh, including those at Derryvree, offer the closest terrestrial evidence for conditions during the broader cold-stage world. Pollen, plant macrofossils and insects indicate open, treeless vegetation: grasses, sedges, juniper, herbs and mosses around wet ground and

pools. Such records cannot be transferred without qualification from Fermanagh to every part of the island or assigned to one exact year. They do, however, provide sound evidence for a landscape of tundra or muskeg-like habitats during cold intervals of MIS 3.

Insects from comparable deposits suggest harsh winters and cool summers, while the presence of Arctic-adapted mammals in southern cave assemblages reinforces the picture of exposed terrain. Low shrubs and herb-rich vegetation could support grazing animals, but it was a demanding environment, shaped by frost, wind, seasonal scarcity and unstable ground. There is no evidence for extensive forest, crop fields, livestock pasture or permanent villages. Rivers, spring-fed wetlands and sheltered limestone valleys may have offered local resources, but they were not landscapes softened by later soils, bogs and woodland.

Climate was not uniformly cold. MIS 3 contained abrupt oscillations, with comparatively milder interstadial phases interrupting severe cold. The exact extent of ice in Ireland at c. 33,800 years ago remains debated in detail, and should not be reconstructed as a simple island-wide white sheet. The later Last Glacial Maximum lay ahead: during Marine Isotope Stage 2, especially from roughly 29,000 years ago onward, the British–Irish Ice Sheet expanded over most of Ireland and adjacent shelves. At the date considered here, the best evidence supports a changing pre-maximum world in which at least some ground, particularly in southern Ireland, could intermittently sustain large mammals.

Movement Across a Different Geography

Sea level was substantially lower than today because enormous quantities of water were held in northern ice sheets. The Irish Sea basin and Celtic Sea shelf consequently had a very different shape, exposing or narrowing routes that are now submerged. But lower seas did not necessarily create one continuous, easy land bridge from Ireland to Britain or continental Europe. The timing and character of connections changed repeatedly with sea level, ice margins and local topography. Animals and any people who reached Ireland may have moved over exposed terrain during favourable phases, crossed narrow waterways, or used a combination of both. The present evidence does not decide between these possibilities.

The faunal record indicates connectivity of some kind. Mammoth, reindeer, giant deer and carnivores did not originate in isolation on an Atlantic island. Their presence implies routes into and out of Ireland during the Pleistocene, although each species had different mobility and ecological needs. Recent work on Irish cave deposits, including sedimentary ancient DNA research, is beginning to investigate those wider faunal connections. Such research may eventually clarify whether populations were short-lived visitors, recurrent migrants or locally established groups. For now, the evidence is strongest for animal movement and much weaker for human movement.

Society Beyond the Evidence

If people briefly reached north Cork, they were almost certainly mobile foragers, travelling in small groups and making decisions around weather, animal movements, shelter and fuel. That description is an inference from the wider Upper Palaeolithic world, not a direct portrait of a Castlepook community. Ireland has yielded no securely associated domestic structure, hearth, lithic assemblage, ornament, art object or burial of this age. It is therefore impossible to reconstruct family life, clothing, diet, seasonal rounds or social leadership specifically for the island.

The same restraint applies still more strongly to politics and conflict. There were no states, kingdoms, chiefs, named territories, diplomatic agreements or written laws evidenced in Ireland in 31,893 BCE. Nor can warfare be inferred from a hunted animal bone. Cooperation within a small travelling group is likely in the broad human sense, and access to game-rich ground may have mattered greatly, but evidence does not allow the mapping of social boundaries or rival groups. A cave full of bones records ecological and taphonomic history, not political history.

There is likewise no Irish evidence at this date for formal religion, monuments, ritual deposition, cave art or systems of learning. Upper Palaeolithic people elsewhere in Europe created powerful images, ornaments and technologies, but those achievements cannot simply be imported into Ireland because they would make an appealing story. The Doneraile femur offers, at most, a possible action: cutting into a reindeer carcass with a stone edge. It does not disclose the beliefs of the cutter, the words they spoke, or whether they returned.

A Fragile Earliest Trace

The economic world that can responsibly be described was one of wild resources rather than farming or trade. Reindeer and other animals were potential sources of food and raw materials; the surrounding landscape offered water, stone, wood or scrub for fuel where available, and sheltered places in which to wait out dangerous weather. There is no evidence for agriculture, animal husbandry, pottery, metalworking, exchange networks or permanent coastal settlements. Even the existence of a human group in Ireland remains less secure than the presence of the animals themselves.

That imbalance is the central fact of Ireland in this remote period. The cave fauna, environmental deposits and later glacial landforms make the Ice Age landscape increasingly intelligible. The possible cut-marked reindeer femur makes human presence a serious question rather than an impossibility. But the honest history of 31,893 BCE is not a story of a known expedition, battle or settlement. It is a history of calibrated ranges, open tundra, shifting access routes and a single contested mark on bone: enough to suggest a human threshold, not enough to claim that it had been decisively crossed.

Chapter 009 of 100

31892 BCE

Maguirebridge Between the Tills



The label 31,892 BCE is a modern chronological convenience, not a date that can be resolved in the archaeological record of Ireland. No community on the island counted years in this fashion, and neither radiocarbon measurement nor glacial stratigraphy can identify events within a single calendar year almost 34,000 years ago. The responsible setting is the later part of Marine Isotope Stage 3, within the last Ice Age but before its most extensive phase. Evidence from Ireland is sparse, locally preserved and often difficult to date precisely. It nevertheless offers an unusually vivid, if fragmentary, view of a cold and changing country.

A Date Within a Range

In radiocarbon terms, 31,892 BCE lies about 33,842 years before AD 1950, the conventional ‘present’ used in radiocarbon dating. That calculation is only a guide. Radiocarbon years are not calendar years: atmospheric carbon levels changed through time, and dates must be calibrated against independently dated records. At this depth in time, calibrated results are broad rather than annual.

The key Irish sequence is at Derrynree, near Maguiresbridge in County Fermanagh. Roadworks in 1969 exposed freshwater silts and fine sands sealed between two thick tills: deposits laid down by ice. Organic material from the intervening sediments returned a radiocarbon age of about $30,500 \pm 1,100$ radiocarbon years BP. Published calibration places it approximately 36,900–31,700 calendar years BP, or roughly 34,950–29,750 BCE. Thus 31,892 BCE falls within the wide calibrated span, but cannot be isolated inside it. The deposit documents conditions during a cold interval of the Middle Midlandian, not an event occurring in a particular named year.

Derryvree's Open Ground

The Derryvree sediments are important because they preserve biological traces from a landscape later overridden and reshaped by ice. Pollen, plant macrofossils, mosses and insects point to open, treeless tundra or muskeg: wet, peaty ground with shallow pools and plant-rich margins, set within a periglacial climate. Grasses, sedges, herbs, juniper and cold-tolerant mosses are more securely supported than any picture of continuous woodland. A few pollen grains from trees need not show local forest; pollen can travel far, and the wider assemblage indicates sparse vegetation and severe conditions.

This was not a land of permanent snow everywhere. During parts of MIS 3, north-central Ireland included ice-free terrain, even though the climate was harsh and the advance of the last Irish Ice Sheet was already part of the longer environmental story. Seasonal freezing, strong winds, short growing seasons and poorly developed soils would have limited plant cover. Water gathered in hollows and shallow basins, while exposed slopes and gravelly ground offered little shelter. The modern drumlin landscape of Fermanagh was not yet the settled, hedged countryside familiar today; the tills enclosing Derryvree show that later glacial movement would transform the terrain profoundly.

Regional conditions cannot simply be copied from Fermanagh to every coast and upland. Ireland's relief, proximity to the Atlantic and shifting ice margins produced local differences in moisture, snow cover and vegetation. Yet Derryvree establishes a crucial point: substantial parts of Ireland could be ice-free around this broad horizon, supporting tundra ecosystems before the major expansion that eventually covered much of the island and adjacent continental shelf.

Animals at the Western Edge

Caves in the south provide a complementary, though more complicated, record. Castlepook Cave near Doneraile, County Cork, is Ireland's richest known source for vertebrate remains from the period before the Last Glacial Maximum. Its collections include woolly mammoth, reindeer, giant deer, brown bear and spotted hyaena, as well as wolf, Arctic fox, hares and lemmings in deposits assigned to different phases of the Ice Age. Re-dating has shown that at least part of the southern Irish fauna belongs in MIS 3; some older measurements were affected by the limitations of early radiocarbon methods and bone preparation.

These animals should not be assembled into a single scene dated to 31,892 BCE. Cave deposits accumulated over long periods, and water disturbance, carnivore activity and antiquarian excavation mixed or obscured some relationships. A hyaena den, for example, can contain prey brought in from beyond the cave, bones gnawed and scattered by carnivores, and material introduced by water. Castlepook is therefore strong evidence that cold-adapted large mammals periodically lived in, or moved through, Ireland. It is weaker evidence for precisely which species shared one valley or one season.

The ecological picture is nonetheless compelling. Reindeer could exploit lichen, sedge and shrub-rich open country; mammoth and giant deer indicate habitats capable of sustaining large herbivores, although their local abundance is unknown. Predators and scavengers, including spotted hyaena, brown bear and wolf, belonged to the same dangerous food web. Caves were shelters and traps in that world, but they were not necessarily quiet refuges. They could be carnivore lairs and repositories of bones rather than homes for people.

The Castlepook Human Question

The most consequential, and most cautious, human question concerns a reindeer femur from Castlepook. The specimen has been reported as bearing deep marks interpreted by zooarchaeologist Ruth Carden as cuts made with a sharp stone tool during carcass processing. It was also reported as dating to about 33,000 years ago. If the marks are confirmed as human-made and contemporary with the animal's death, the bone would indicate that Upper Palaeolithic people reached Ireland far earlier than the previously accepted late-glacial evidence.

That possibility is directly relevant to this horizon, but it is not proof of an Irish population in 31,892 BCE. The dated bone establishes the age of the animal, while the identification of a mark as a tool cut is a separate taphonomic judgement. Carnivore teeth, sediment abrasion, breakage and old excavation damage must be excluded. Furthermore, a butchered carcass would record a short human action, not a permanent settlement. No securely associated hearth, stone-tool assemblage, dwelling floor, burial, human bone, artwork or repeatedly occupied layer has yet demonstrated a settled 32nd-millennium BCE community in Ireland.

The best interpretation is deliberately modest. People may have made brief forays into an ice-age Ireland, perhaps following or intercepting reindeer herds across landscapes and sea basins now altered or submerged. They may have been highly mobile hunter-gatherers whose equipment was portable and whose traces were vulnerable to later glaciation. But the evidence does not identify their language, ancestry, group name or numbers. Nor can they responsibly be described as 'Irish' in an ethnic, national or cultural sense.

No Politics, But Real Constraints

There is no evidence for political affairs, kingship, diplomacy, formal warfare, law or institutions in Ireland at this date. There are no farms, fields, houses, monuments, graves or settlements from which to reconstruct social hierarchy. Agriculture lay many millennia in the future. If people were present, their everyday economy would have depended on hunting, scavenging, gathering and careful movement through a severe seasonal environment. Meat, fat, hides, sinew, antler and bone would have been valuable resources, but their use at Castlepook cannot be assumed without further finds.

Likewise, Irish evidence supplies no basis for describing religion, ritual, art, long-distance trade or formal learning in 31,892 BCE. Upper Palaeolithic societies elsewhere in Europe produced elaborate stone and bone technologies, ornaments and cave art. That wider record makes human capability clear, but it cannot fill Ireland's evidential gaps. Context is not proof. The absence of evidence here partly reflects real scarcity of occupation and partly the destructive power of ice sheets, erosion and changing shorelines.

Approaching the Great Expansion

The broader environmental trajectory matters most. Geological studies suggest that north-central Ireland remained ice-free until at least about 34,000 calendar years ago, while the British–Irish Ice Sheet subsequently grew and advanced unevenly. By roughly 25,000–23,000 years BP it reached a far greater extent, extending towards the continental shelf edge and occupying much of the Irish and Celtic Seas. The exact pattern before that maximum remains debated: new work recognises earlier, dynamic advance and retreat as well as significant regional uncertainty.

For the people and animals who may have crossed this western fringe of Europe, environmental change was the decisive ‘politics’ of the age. Ice affected routes, sea level, freshwater, vegetation and prey; cold shaped every opportunity for survival. Around the modern label 31,892 BCE, Ireland was neither a timeless frozen void nor a recognisably inhabited island. It was a changeable glacial landscape, locally open and biologically active, whose most revealing archives survive in a Fermanagh layer between tills and in the bone-rich passages of a Cork cave.

Chapter 010 of 100

31891 BCE

The Derryvree Drumlin Archive



A Date Beyond Annual History

31,891 BCE is not a year that can be recovered from Ireland's evidence in the way that a medieval annal or an excavated settlement can be. It is a modern calendar label projected deep into the Late Pleistocene. In radiocarbon convention it falls roughly 33,840 years before AD 1950, but neither people nor natural deposits in Ireland can presently be assigned to that individual calendar year. The responsible scale is a range of centuries or millennia. Around this point, Ireland belonged to Marine Isotope Stage 3, a fluctuating cold phase of the last glacial cycle, long before the Last Glacial Maximum reached its greatest extent.

The nearest useful Irish chronological bracket comes from Derryvree near Maguiresbridge, County Fermanagh. Organic freshwater silts, sealed between two bodies of glacial till within a drumlin, yielded a conventional radiocarbon determination of 30,500 $\pm$ 1,170/–1,030 BP. Modern calibration places the deposit broadly within about 36,900–31,700 cal BP. The calendar equivalent of 31,891 BCE lies within that wide interval. That does not mean that the Derryvree sediments were laid down in this particular year; it means that they offer the best local environmental archive for an Irish landscape of approximately this antiquity.

Ice Growing, Not Yet at Its Greatest

Ireland was neither the familiar green island of later prehistory nor uniformly buried beneath an ice sheet. The British–Irish Ice Sheet was expanding unevenly. A major recent reconstruction models a substantial ice cap over the Derryveagh and Sperrin highlands by about 31,000 years ago, with smaller ice

fields or glaciers in several upland regions, including the Wicklows, Mourne, Dartry Mountains, MacGillycuddy's Reeks and Knockmealdown Mountains. That model is an informed reconstruction, not a photograph of the island: direct chronological control for Ireland at this early stage remains sparse.

At roughly 33.8 thousand calendar years ago, therefore, ice probably dominated many mountains and influenced adjoining lowlands, while other ground remained exposed. Over subsequent millennia the separate ice masses grew and coalesced more extensively. The full glacial maximum in the Irish Sea region came much later, around 25,000–23,000 years ago in current syntheses. It would be misleading to place Ireland already at that maximum in 31,891 BCE. The important story is transition: a harsh, unstable world in which advancing ice, permafrost, seasonal thaw and shifting drainage continually altered the areas available to plants and animals.

Sea level was markedly lower than today because vast quantities of water were stored in global ice sheets. Ireland's coasts were consequently farther out in places, and the Irish Sea basin was a different physical setting. Yet low sea level should not be simplified into a claim that Ireland was effortlessly joined to Britain or continental Europe everywhere. Ice, water, exposed shelves, changing shorelines and severe climate formed variable barriers and corridors. The routes taken by large mammals, and any humans who may have followed them, remain among the central unresolved questions of Irish Palaeolithic research.

Derryvree's Cold Wetland

The Derryvree deposits provide unusually tangible evidence. Their pollen, plant macrofossils, mosses and insects describe a treeless, open, periglacial environment rather than forest. Grasses, sedges, herbs and juniper occurred amid wet ground; insect evidence points to a muskeg-like setting with plant-rich pools and mossy margins. The word "muskeg" evokes waterlogged peat-forming terrain, but it should not conjure a modern bog transplanted unchanged into the Ice Age. It is a comparison used to convey a cold, saturated landscape of shallow water, organic sediment and sparse vegetation.

This was a place of strong seasonality. Winters were severe, and the growing season was short, although the persistence of freshwater life and vegetation shows that it was not a featureless frozen desert. The silts accumulated during an ice-free interval after an earlier glacial advance and before later ice deposited the upper till. Thus a modern road cutting through a Fermanagh drumlin exposed evidence for a landscape that had existed briefly between two episodes of glacial occupation. Derryvree is especially valuable because later ice commonly eroded, buried or redeposited the very deposits needed to reconstruct earlier Pleistocene environments.

Correlation with Greenland ice-core climate oscillations is plausible but must be expressed cautiously. The calibrated Derryvree range has been approximately related to Greenland Interstadials 8 to 5, episodes when North Atlantic conditions could improve rapidly before renewed cold. Irish cave calcite records also show that south-west Ireland responded to millennial-scale climatic variability during Marine Isotope Stage 3. Such comparisons help situate Ireland within a North Atlantic system; they do not permit an exact local weather report for 31,891 BCE.

Animals on Open Ground

Cave collections reveal that Late Pleistocene Ireland supported a striking mammal fauna before the most extensive late-glacial ice. Castlepook Cave, near Doneraile in north County Cork, produced remains attributed to woolly mammoth, reindeer, spotted hyaena, wolf, arctic fox, brown bear, lemming and giant deer. Direct dating programmes have shown that a broad range of mammals reached Ireland between at

least about 45,000 and 20,000 years ago. Individual bones need not all be contemporary, and antiquarian excavations disturbed deposits, so a cave species list cannot be treated as a single herd observed on one day. Nevertheless, the assemblage demonstrates that animal populations entered and lived in Ireland during the relevant general period.

For around 31,891 BCE, an open, cold landscape capable of supporting grazing and browsing mammals is a reasonable interpretation. Reindeer are particularly consistent with tundra and open herb-rich country; mammoths imply substantial forage, while hyaenas and wolves were predators or scavengers within the same wider ecological web. Carnivore activity may itself explain some cave bone accumulations. A cave was not necessarily a human dwelling, hunting camp or even a place regularly visited by people. It could be a den, a trap, a shelter used intermittently by animals, or a location into which water and sediment moved bones from elsewhere.

The Human Question

The most provocative evidence concerns a reindeer femur from Castlepook. Public reporting in 2021 described deep marks on the bone as consistent with cutting or chopping by a broad stone tool, and reported a date of about 33,000 years ago. If the marks are confirmed as anthropogenic and securely associated with that date, they would indicate a human visit to Ireland far earlier than the long-accepted Mesolithic settlement record. The possibility matters enormously: hunters could have reached the island during a comparatively favourable interval, exploited a carcass and then left no enduring camp.

It is not, however, evidence for a settled population in 31,891 BCE. No securely stratified Upper Palaeolithic house, hearth, lithic assemblage, burial, artwork or cemetery is known from Ireland for this time. The earlier Castlepook excavation history, the disturbed character of many historic cave collections and the absence of a published contextual assemblage require restraint. A 2022 excavation sought new stratigraphic evidence at the cave, underlining that this is active research rather than a closed case. Even the National Museum of Ireland's general Palaeolithic overview continues to stress how little clear evidence there is for human presence during the period.

No Politics, No Proven Trade

There were no identifiable Irish kingdoms, chiefs, treaties, diplomatic missions or organised wars that can responsibly be placed in this year. Nor is there evidence for farming, permanent villages, metallurgy, writing, formal religion or monuments. Silence here is not a failure of imagination but a fact of scale: the material record has not yielded the kinds of evidence from which institutions or named communities can be inferred. If humans were present, the most that can be proposed is small, mobile hunting groups adapted to a difficult north-west European environment.

Such groups would have depended on knowledge rather than fixed infrastructure: how to move through exposed terrain, find fuel and shelter, track seasonal animal movements, maintain stone tools and share food. These are reasonable general expectations for Upper Palaeolithic hunter-gatherers elsewhere in Europe, not direct observations of an Irish community. There is no demonstrated exchange network for Ireland at this date, and no local artefact assemblage from which to identify technologies, language, kinship or belief. Claims about trade, diplomacy or ritual would go beyond the evidence.

A Landscape Preserved by Accident

The Ireland of about 31,891 BCE is therefore best understood through fragments: wetland silts beneath a drumlin in Fermanagh, cave bones in Cork, calcite growth in south-western caves, glacial landforms on land and seabed, and wider North Atlantic climate records. Each archive records a different process and carries its own uncertainty. Together they show that parts of Ireland could sustain open tundra-like habitats and large mammals during an interval of growing glaciation. They also show why the evidence is rare: later ice sheets reworked landscapes, while rising seas transformed former coastal plains and routes of movement.

For this nominal year, the principal historical development was not an event but an environmental condition. Ireland stood at the edge of an increasingly severe glacial world, intermittently habitable for animals and perhaps briefly visited by people. Derryvree's buried freshwater beds preserve the clearest local reminder that even in the Ice Age, the island's climate, ice cover and living communities were never static.

Chapter 011 of 100

31890 BCE

Maguirebridge Sedge Basin



The label 31,890 BCE gives a useful point of reference, but it cannot identify an Irish event in the way that a medieval annal or modern archive can. There were no written calendars, named polities or dated records on the island. Archaeology cannot isolate a hunt, a season or a settlement to that single year. In scientific terms, it falls at roughly 33,840 years before present (where “present” conventionally means 1950), during the Late Pleistocene and Marine Isotope Stage 3, a long and highly variable part of the last Ice Age. The responsible history of Ireland at this point is therefore a history of ranges, deposits and probabilities rather than of individuals or happenings.

The closest securely relevant chronological anchor is the freshwater sequence uncovered beneath a drumlin at Derryvree, near Maguiresbridge in County Fermanagh. Organic-rich silts and fine sands there produced a radiocarbon determination of 30,500 $\pm$ 1,170/–1,030 radiocarbon years BP. Published calibration places that evidence broadly within about 36,900–31,700 calibrated years BP: a span that encompasses the notional date considered here. The sediments accumulated over time, however, and do not constitute a diary entry for 31,890 BCE. They nevertheless show that at some stage in this broad interval north-central Ireland contained ice-free freshwater ground before later glacier ice buried the deposit beneath till.

A Cold Landscape, Not an Empty One

Derryvree preserves an unusually precious glimpse of an Irish landscape that later glaciation mostly destroyed or concealed. Mosses, sedges, herb pollen and cold-adapted beetles indicate open vegetation and a periglacial climate: ground subject to intense freezing and thawing, rather than a wooded country like modern Ireland. Sparse cover of grasses, sedges and low herbs would have occupied damp margins

and more sheltered ground; exposed surfaces could have been stony, wind-scoured and seasonally frozen. This was tundra-like country, but it should not be pictured as a uniform white wilderness. Lakes, channels, wet hollows and patches of vegetation created local variety in a harsh landscape.

Other Fermanagh deposits, notably at Hollymount near Maguiresbridge and Greenagho near Belcoo, reinforce the wider conclusion that cold, non-glacial phases occurred between episodes of Irish glaciation. Their dating and correlation are less secure than a simplistic timeline suggests, and the Geological Survey warns against treating the separate exposures as neatly contemporary. Yet together they establish an important point: during parts of MIS 3, areas of Ireland were not continuously smothered by ice. At 31,890 BCE, it is more accurate to envisage a changing mosaic of exposed ground, local water bodies and advancing or retreating ice margins than either a wholly ice-covered island or a familiar temperate landscape.

Water, Ice and a Changing Coast

The climate was unstable on a scale beyond any modern Irish experience. Records from Crag Cave in County Kerry show that calcite formed episodically during warmer Greenland-interstadial conditions in the last glacial period. Because such formation required liquid water and temperatures sufficiently mild for it to circulate through the shallow cave system, these deposits demonstrate repeated climatic ameliorations rather than steady, unbroken cold. Their ages do not give a local weather forecast for the numbered year, but they support the picture of abrupt environmental shifts across Ireland during MIS 3.

Sea level was much lower than today because vast quantities of water were locked in northern ice sheets. The shape of the Irish Sea, the extent of coastlines and the practical distances between Ireland, Britain and continental Europe were consequently different. Recent ancient-DNA work from Castlepook Cave argues that fluctuating sea level and glacial corridors allowed recurrent faunal connectivity between Ireland and Eurasia before the Last Glacial Maximum. That is an important inference about animal movement, not proof of a permanently open, easily crossed land bridge at one specified date. Routes could have opened and closed, and movement by large animals need not imply equally easy travel for people.

Castlepook's Animal Archive

In north County Cork, Castlepook Cave near Doneraile is the central southern Irish archive for this deep period. Its old excavations and more recent work have produced remains of reindeer, woolly mammoth, brown bear, wolf, Arctic fox, mountain hare, lemmings and spotted hyaena. Some of these animals were well suited to cold, open terrain; others remind us that the cave record accumulated through changing phases of the Late Pleistocene. They must not all be assembled into one imagined scene in 31,890 BCE. A cave bone deposit is a time-averaged archive, not a census of creatures standing together outside its entrance.

Carnivores make that warning especially necessary. Castlepook was used by hyaenas and other scavengers or predators, which could drag carcass parts underground, gnaw bones and rearrange material. Water, sediment movement, collapse and early twentieth-century excavation added further disturbance. The cave offers compelling evidence that large mammals reached Ireland before the climatic nadir of the Last Glacial Maximum, but it cannot by itself reveal herd sizes, migration routes, population continuity or

a stable local ecosystem in a single year. Newly reported sedimentary ancient DNA strengthens the case for a pre-maximum Irish fauna linked with populations farther east, including mammoths and cave hyaenas, but that study is a 2026 preprint and its interpretations remain open to peer review.

The Reindeer Bone and Human Possibility

The year has particular significance because of one disputedly momentous object: a reindeer femur from Castlepook. Ruth Carden has interpreted a deep mark on it as damage made by a sharp stone tool while fresh bone was being processed. County Cork heritage publications place the bone at about 31,000 BCE and propose that the carcass was probably butchered outside the cave before discarded remains were carried inside by carnivores. If that reading is confirmed, it would indicate that a person or small party handled a reindeer in Ireland during an early Upper Palaeolithic phase, vastly earlier than the once conventional date for Irish settlement.

That proposition must be stated as evidence under examination, not as settled fact. The bone is not from an intact excavated camp floor with stone tools, hearths, animal-processing debris and human remains securely associated together. A radiocarbon result dates the animal's death within a range; it does not itself prove the identity of the agent who marked the bone. Nor do marks on a single specimen demonstrate a resident community, a permanent settlement or continuous occupation of the island. The best cautious conclusion is that Castlepook supplies a potentially very early trace of human activity, while the material evidence for a human population at this date remains exceptionally thin.

No Politics, No Proven Trade

There is no evidence from Ireland around 31,890 BCE for political authority, diplomacy, warfare between communities, territorial kingdoms, formal religion, named languages or learning institutions. Nor can historians responsibly describe an Irish economy or trade network. If people did visit, their social world would have consisted of mobile hunter-gatherers whose decisions were shaped by weather, animal movements, fuel, shelter and safe routes through a dangerous landscape. But even that is an analogy drawn from better-known Upper Palaeolithic societies elsewhere in Europe, not a directly observed Irish social order.

The same restraint applies to culture. No securely dated Irish art, ornament, burial, dwelling, hearth or flint toolkit can presently be assigned to this period. It is tempting to fill that silence with images borrowed from French, Iberian or central European caves, where people demonstrably made art and sophisticated stone implements. Ireland's evidence does not warrant it. The absence may partly reflect later glacial erosion, rising seas and the difficulty of locating short-lived camps, but an explanation for missing evidence is not evidence of what was missing.

Approaching the Ice Maximum

What is clear is that this phase preceded the fullest expansion of the last British–Irish Ice Sheet. Large-scale chronological reconstruction places widespread advance and maximum ice extent later, with a decisive turn towards deglaciation around 22,000 years ago. The following millennia would reshape Ireland profoundly: ice scoured bedrock, redistributed sediment, altered drainage and erased or buried


many older land surfaces. Derryvree survived precisely because organic sediments became sealed between tills. Its sedges and mosses are therefore not minor botanical curiosities; they are rare witnesses to a landscape on the threshold of transformation.

For Ireland in the broad interval represented by 31,890 BCE, the major development was environmental rather than political: exposed, cold ground supported freshwater habitats and an intermittent Ice Age fauna, while climatic instability and expanding ice increasingly constrained that world. Derryvree offers direct evidence for tundra vegetation and periglacial freshwater conditions in Fermanagh. Castlepook offers a richer, but chronologically mixed, record of animals in Cork and a provocative possible sign of human butchery. Together they illuminate a country before recorded history—not an empty stage, but a fragile, shifting northern landscape whose traces survived only by chance.

Chapter 012 of 100

31889 BCE

The Doneraile Reindeer Clue



The label “31,889 BCE” gives a useful point of orientation for a modern chronological series, but it must not be mistaken for an excavated date or a year in which an identifiable Irish event occurred. It corresponds roughly to 33,839 years before AD 1950, the conventional present used in archaeological dating. At this depth of time, radiocarbon measurements require calibration and normally produce ranges rather than single calendar years. The responsible subject is therefore Ireland in the later part of Marine Isotope Stage 3, broadly around 34,000 calibrated years ago, not a precisely dated episode on a particular day.

A Landscape Before the Ice Maximum

Ireland was then in the Late Pleistocene, within a long and unstable cold phase of the last Ice Age. This was not yet the Last Glacial Maximum, the period when the British–Irish Ice Sheet reached its greatest known extent, broadly between 27,000 and 21,000 years ago. Nor was it a stable prelude to that maximum. Climate, sea level, ice extent, vegetation and animal distributions changed repeatedly over millennia. The evidence for the exact position of Irish ice margins before about 31,000 years ago remains sparse; it cannot justify a map showing every coast, valley or upland as either certainly ice-covered or certainly open at this notional date.

The best modern reconstructions indicate growth of the British–Irish Ice Sheet after roughly 35,000–32,000 years ago. At around 31,000 years ago, ice was accumulating over high ground in northern Ireland and in parts of southern Ireland, while the wider ice complex was expanding. That makes 31,889 BCE a time of worsening cold and advancing ice, but not necessarily one when the entire island lay beneath a

single, continuous ice cover. Southern and lowland areas may have retained ice-free ground for a time. Such possibilities matter because the surviving evidence for animals, and perhaps people, comes chiefly from southern Irish caves.

Derryvree and the Open North

One of the clearest environmental archives is Derryvree near Maguiresbridge, County Fermanagh. There, roadworks exposed freshwater silts and fine sands trapped between two sheets of glacial till. The organic deposits produced a radiocarbon determination of 30,500 years BP, with a substantial uncertainty, and must be calibrated before comparison with calendar dates. They are not a record of 31,889 BCE itself. Nevertheless, they illuminate a closely relevant phase of the Middle Midlandian cold period.

Pollen, plant macrofossils, mosses, insects and other remains from Derryvree point to open, treeless tundra or muskeg rather than woodland. Grasses, sedges, herbs and dwarf shrubs could exploit short summers; waterlogged hollows supported specialised moss communities. Periglacial conditions—freeze-thaw, seasonal snow, frozen ground and sparse vegetation—shaped the terrain. This was a demanding setting, but not a lifeless white desert. Its patchwork of wet ground, herb-rich turf, gravelly exposed surfaces and sheltered valleys could sustain grazing animals and the predators that followed them.

Derryvree also demonstrates a central difficulty of Ice Age history. The deposits survive because they were later sealed beneath glacial sediments. Much evidence from exposed landscapes was eroded, reworked or buried as ice advanced. Archaeologists are thus not reading a complete national archive. They are working from rare sediments, cave assemblages and objects removed long ago, often before modern excavation methods existed. Absence of a camp, hearth or tool from Ireland is not proof that no person ever visited; equally, it is not evidence for a settled population.

Castlepook's Animal World

The most important Irish evidence for this broader period comes from Castlepook Cave near Doneraile in north County Cork, historically called Mammoth Cave because of its remarkable animal remains. Antiquarian excavators recovered bones there in the early twentieth century, and later examination and radiocarbon dating have made the collection central to the study of Irish Pleistocene fauna. The cave contains material from more than one period, however, and its sediments have been disturbed by water, scavengers, older digging and natural movement. Individual finds cannot automatically be treated as the remains of one moment or one intact occupation floor.

Even with that caution, the faunal record is powerful. Revised dating has placed some Castlepook mammals in Marine Isotope Stage 3, and wider work on Irish cave assemblages shows that Ireland supported a varied cold-stage fauna before the glacial maximum. Reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, hare, collared lemming and spotted hyaena are among the animals recorded from relevant Irish deposits, though not all need have lived at Castlepook at precisely the same time. “Irish elk”, often used for giant deer, is a traditional name for *Megaloceros giganteus*; it was not an animal confined to Ireland.

The combination suggests a broad northern European grassland-tundra ecology. Reindeer were especially well suited to seasonal open landscapes, while mammoth and giant deer required substantial plant resources. Hyenas and wolves were both predators and scavengers. A cave might therefore be a

carnivore den, a sheltering place, a trap for animal remains, or a destination for bones carried in by water and scavengers. Castlepook tells us decisively that Ice Age animals reached Ireland. It does not, by itself, allow a reconstruction of a permanent human settlement beside the cave.

The Marked Reindeer Femur

A reindeer femur fragment in the Castlepook collection has made this period newly significant. Re-examined by zooarchaeologist Ruth Carden, it bears deep marks interpreted as consistent with cutting or chopping by a stone tool during butchery. Accelerator radiocarbon dating has been reported as placing the bone at about 33,000 years ago, and a County Cork heritage publication gives the find a broad date of about 31,000 BC. These expressions are approximations using different chronological conventions, not a means of placing butchery in the calendar year 31,889 BCE.

If the marks are confirmed as anthropogenic, the femur is evidence that a person processed a reindeer in Ireland during the Upper Palaeolithic, far earlier than the island's previously accepted post-glacial human record. It would imply a brief visit or a small-scale hunting episode, perhaps by people moving through the north-west European world with access to game and seasonal routes. The bone need not mean that the animal was killed inside Castlepook. A plausible interpretation is that a butchered remnant entered the cave later, possibly carried by a carnivore. That distinction is crucial: a modified bone is direct evidence of contact between people and an animal, but indirect evidence for where the encounter occurred.

The interpretation remains important but limited. No securely associated stone tool, hearth, dwelling, human bone, food-preparation area or stratified campsite of this age has yet been recovered at Castlepook. Early cave excavation also weakened the original context. Modern fieldwork has sought intact deposits in previously unexcavated parts of the cave system, precisely because a stratified sequence could test the old collections against their geological setting. Until such work produces corroborating evidence, the most careful conclusion is that Castlepook offers a persuasive but still incomplete clue to transient Palaeolithic activity.

People Without Politics

There is no basis for discussing kingdoms, chiefs, diplomacy, laws, named communities or warfare in Ireland at this date. No writing existed, and the archaeological record does not identify a political institution, a burial tradition, a settlement hierarchy or even a securely demonstrated resident population. Nor can religion be reconstructed from the Castlepook femur or from the Derryvree sediments. Caves acquired ritual importance in some much later Irish societies, but projecting that meaning back more than thirty millennia would turn possibility into fiction.

Society and economy can be described only at the scale of survival. Should the reindeer marks prove to be human-made, they indicate knowledge of sharp stone implements and the practical extraction of meat, marrow or hides from a large animal. Such activity would have depended on mobility, co-operation and intimate knowledge of animal behaviour, weather and safe routes. These are reasonable inferences from Upper Palaeolithic hunting elsewhere in north-west Europe, not demonstrated details of an Irish household. There is no evidence for farming, pottery, metalworking, livestock, permanent villages, formal trade networks or seafaring around Ireland at this point.

Low sea levels exposed far more continental shelf than today, altering the geography between Ireland, Britain and mainland Europe. Yet it is unsafe to picture a simple, permanent dry-land bridge across the Irish Sea in 31,889 BCE. Palaeogeographical models show that connections changed with sea level, crustal movement and the growth of ice, while major ice masses and cold marine waters could themselves obstruct travel. The potential movement of animals or people into Ireland is therefore plausible, but its route and frequency remain unresolved.


A Brief Window of Possibility

The Ireland glimpsed around 31,889 BCE was not an ancestral nation awaiting recorded history. It was a changing Ice Age landscape, increasingly constrained by cold and by the expansion of the British–Irish Ice Sheet. Open tundra wetlands in Fermanagh and the large mammals represented in Cork caves provide tangible evidence for its ecology. Castlepook’s marked reindeer femur raises the striking possibility that hunters also entered that landscape, perhaps only fleetingly. The most important historical fact is not a supposed event in a numbered year, but the scale of uncertainty: Ireland may have been visited by people before the ice maximum, yet the durable, well-documented human occupation of the island belongs to a far later world.

Chapter 013 of 100

31888 BCE

Castlepook's Wandering Herds



31,888 BCE is not a year to which an Irish event can responsibly be assigned. No written record, annual chronology or securely dated settlement sequence survives from this depth of time. It is a modern calendar label. In archaeological terms it corresponds only approximately to 33,800 calendar years before present (where “present” conventionally means 1950), within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), a long and climatically unstable part of the last glacial period. Radiocarbon results from this era require calibration and usually yield ranges rather than a pinpoint date. The responsible question, therefore, is not what happened in Ireland in this numbered year, but what the island’s fragmentary environmental and faunal evidence can illuminate about its condition around the early thirty-fourth millennium years ago.

A Cold Land Before the Ice Peak

Ireland was approaching, but had not yet reached, the fullest expansion of the last British–Irish Ice Sheet. The Last Glacial Maximum is generally placed later, broadly after c. 26,500 calendar years ago, although ice-sheet growth was neither simple nor simultaneous in every region. Reconstructions show that the British–Irish Ice Sheet expanded in phases, with different sectors reaching their greatest extent at different times. Around the chronological neighbourhood of 31,888 BCE, Ireland stood within a changing glacial world: substantial ice existed in the wider north-west European region, but parts of Ireland had at earlier points in MIS 3 remained free of overriding ice long enough for lakes, wetlands, plants and animals to leave traces.

This distinction matters. The familiar Irish landscape of deep soils, woods, fields and bogs did not exist. Later glaciation stripped or buried many older deposits, while acidic soils destroyed much organic material. What remains is biased towards caves, sediments protected beneath glacial deposits, and

scattered bones recovered in nineteenth- and early twentieth-century excavations. Much of the evidence therefore tells historians not of a continuous inhabited country but of episodes: animals entering an accessible landscape, caves receiving bones, waterlogged hollows preserving pollen, and advancing ice repeatedly erasing earlier surfaces.

MIS 3 was not uniformly frozen. Across north-west Europe it contained abrupt climatic shifts, including relatively milder interstadial episodes and harsh stadials. At roughly this date, continental records identify the beginning of the Denekamp Interstadial complex, conventionally placed around c. 32,000–28,000 calendar years ago, but Ireland's local record is too incomplete to translate that broad European label into a particular season, temperature or vegetation map for 31,888 BCE. It is safer to say that Irish conditions were cold, open and highly variable, and that any local improvement would have been precarious.

The Derryvree Window

One of the most important Irish clues comes from Derryvree near Maguiresbridge in County Fermanagh. There, organic-rich freshwater silts were found between glacial tills. Their very existence demonstrates that, before the later ice advance which covered them, a freshwater environment developed in this part of Ulster. Pollen and plant remains have been interpreted as evidence for treeless, wet ground: a muskeg or sedge-rich marshy landscape rather than woodland. Such deposits offer an unusually direct glimpse of an Irish interlude when plants could grow, standing water could accumulate sediment, and the land was not beneath an ice sheet.

The precise age and correlation of the Derryvree sequence have long been debated. Legacy dates are difficult to assess, and the deposits cannot be made to describe one exact calendar year. Yet the evidence remains valuable at the scale appropriate to it. It indicates a cold, open environment in inland northern Ireland during a pre-Last Glacial Maximum interval. Mosses, sedges, grasses and low shrubs are more plausible components of such country than forest. Exposed mineral ground, shallow pools, seasonally frozen soil and strong winds would have shaped the terrain. For people accustomed to modern Ireland's moist green vegetation, this is a reminder that the island's environmental history has included landscapes closer in character to Arctic and sub-Arctic tundra.

These environmental archives also demonstrate why terms such as “Irish wilderness” must be used carefully. The landscape was not empty in an ecological sense. It contained plants, insects, birds and mammals adapted to cold and shifting conditions, even if the record preserves only a portion of them. Nor was it static. Water levels, sediment supply, vegetation and animal movement could change rapidly as climate fluctuated and ice margins altered beyond the immediate horizon.

Castlepook and the Animal World

The richest evidence for Ireland's pre-maximum Ice Age fauna comes from Castlepook Cave, also called Mammoth or Doneraile Cave, near Doneraile in north County Cork. The cave system produced a remarkable assemblage during antiquarian excavations: remains attributed to mammoth, reindeer, giant deer, brown bear, wolf, fox, Arctic fox, mountain hare, spotted hyaena and both Norwegian and Arctic lemmings. Other southern Irish caves, including Shandon Cave in County Waterford and Foley Cave in County Cork, add to the picture. Together they establish that Ireland supported, at different points during MIS 3, a much richer cold-stage mammal community than the island possesses today.

That list should not be mistaken for a single herd or a single moment. Castlepook was excavated before modern standards of recording, and later study has shown that bones from different periods were mixed or lacked secure stratigraphic context. Fresh radiocarbon measurements have revised several specimens substantially older than earlier dates suggested. The result is a stronger case for a long pre-Last Glacial Maximum history of animal presence, but a weaker basis for reconstructing one perfectly contemporaneous ecosystem. A mammoth bone, a reindeer metatarsal and a hyaena remain may each illuminate Ice Age Ireland while belonging to different centuries or millennia.

Even with that caution, the fauna conveys a vivid ecological reality. Reindeer and mammoth point to broad, open country capable of supporting large grazers and browsers. Giant deer required substantial forage but were not necessarily animals of closed forest; their presence should not be used to infer a wooded Ireland. Lemmings and Arctic foxes indicate cold conditions, while hyaenas and wolves were predators and scavengers within a food web that could draw carcasses into caves. Cave accumulations may reflect carnivore activity, natural deaths, water movement or later disturbance as much as deliberate human deposition. A cave full of bones is not automatically a hunting camp.

No Politics, and No Proven Community

There is no evidence for political affairs, diplomacy, named groups, territorial boundaries or organised conflict in Ireland at this date. Nor is there evidence for houses, hearths, graves, tools, art, clothing, ritual places, exchange networks or a settled human community. It would be misleading to manufacture an Irish “tribe” from the presence of reindeer and mammoth. The everyday lives, beliefs, languages and social arrangements of any people who might have reached the island around this time are unknown because their material traces have not been securely identified.

The question of human presence is nevertheless important. Upper Palaeolithic people were living elsewhere in north-west Europe during parts of MIS 3, with sophisticated stone technologies, hunting practices, social networks and symbolic cultures. Low sea levels exposed large areas of what is now sea floor around Britain and Ireland, altering coastlines and possible travel routes. But exposed land does not by itself prove a dry, usable route into Ireland at every date, still less a crossing by people. The form and timing of connections between Ireland, Britain and the continent remain matters of palaeogeographical reconstruction, not a licence to assume migration.

Castlepook has generated particular interest because a reindeer bone from its historic collection has been reported as bearing possible cut marks and has received a late Pleistocene radiocarbon determination. If those marks were conclusively shown to have been made by people, and securely associated with the bone’s age, they would have major implications for the antiquity of human contact with Ireland. At present, however, no securely excavated 32nd-millennium BCE hearth, stone-tool assemblage, occupation floor, human bone or unmistakably butchered animal assemblage establishes people in Ireland. The distinction is fundamental: a possible humanly modified specimen is evidence worth testing, not proof of a resident population.

Approaching Erasure

The most consequential long-term development was environmental rather than political. Ice-sheet growth would eventually transform the island. At its later maximum, the British–Irish Ice Sheet covered Ireland and extended onto surrounding shelves, eroding bedrock, remoulding valleys and depositing till.


The drumlins, moraines, lake basins and scoured surfaces familiar in modern Ireland owe much to this glacial legacy. That same process destroyed or concealed many surfaces on which an earlier human presence might once have been recorded.

Thus Ireland around 31,888 BCE is best understood as a changing northern landscape at the edge of the known human world, inhabited demonstrably by cold-stage animals and poised before more extensive glaciation. Its history is preserved in cave bones and buried wetland sediments, not in annals. The evidence supports wandering herds, predators, marshy treeless ground and climatic uncertainty. It does not support kings, battles, farms, temples or a calendar-date event. Respecting that boundary between evidence and interpretation is what makes this remote Irish past historically meaningful rather than merely imagined.

Chapter 014 of 100

31887 BCE

Fermanagh's Interstadial Mosses



The label 31,887 BCE gives a useful position on a modern timeline, but it must not be mistaken for a year that can be recovered from Irish evidence. No written calendar existed in Ireland, and neither archaeology nor environmental science can isolate a political event, a settlement episode or an individual life to this particular year. In radiocarbon practice, “before present” is counted from 1950; 31,887 BCE lies broadly around 33,800 calendar years before present. At that depth of time, calibrated ranges of centuries or millennia—not a single calendar year—are the responsible measure.

What can be said is that this notional date falls within the Late Pleistocene, during Marine Isotope Stage 3 (MIS 3), a long and climatically unsettled phase of the last Ice Age. Ireland was not yet at the Last Glacial Maximum, conventionally placed later, roughly 26,000–20,000 years ago. Its landscapes were nevertheless already shaped by severe cold, fluctuating ice margins, sparse vegetation and changing sea levels. The most illuminating Irish evidence comes not from a town, graveyard or tool workshop, but from buried sediments, pollen, mosses, insects and animal bones.

A Landscape Known Through Fragments

For this period, Ireland’s archive is exceptionally uneven. Later prehistory is rich in houses, monuments and artefacts; the evidence for the earlier Upper Palaeolithic is sparse, frequently disturbed and difficult to date. Caves preserve bones but can also be used by carnivores, reworked by water, disturbed by digging or mixed by later processes. Sediments beneath glacial deposits preserve environmental snapshots, but only at rare sites exposed by quarrying, road works or research excavation. The resulting history is necessarily regional and provisional.

Derryvree, near Maguiresbridge in County Fermanagh, is especially important because organic silts and fine sands were found sealed between layers of glacial till inside a drumlin. A conventional radiocarbon determination of about 30,500 radiocarbon years before present was obtained from the deposit. That is not the same thing as 30,500 calendar years ago: calibration shifts such results substantially, and its uncertainty must be retained. Yet the sequence securely demonstrates a pre-Last Glacial Maximum interval in which freshwater and wet-ground deposits formed in southern Fermanagh before later ice laid down the overlying till.

The Derryvree material provides no evidence of people, but it gives an unusually tangible setting for Ireland around this broad horizon. Plant remains, pollen and beetles point towards an open, treeless tundra or muskeg environment. Grasses, sedges, herbs, juniper and a notable moss flora are more appropriate comparisons than forest. Open pools held water and plant debris; surrounding ground was wet in places, while exposed mineral soils elsewhere would have supported scattered low vegetation. The evidence indicates cold conditions and harsh winters. It does not justify a claim that every corner of Ireland looked identical, since altitude, drainage, latitude, season and proximity to ice all mattered.

Ice Was Advancing, Not Yet Supreme

The notional year belongs to the long approach towards the maximum spread of the British–Irish Ice Sheet. Modern reconstructions show that this was not a simple, simultaneous freezing of the island. Ice expanded and reorganised across different catchments and offshore basins over thousands of years. Some areas had ice; others retained ice-free ground or water; still others were repeatedly overridden, eroding or burying earlier surfaces. Later glaciation destroyed much of the evidence that might once have recorded plants, animals or visiting people.

That destructive power explains why surviving deposits such as Derryvree have such importance. The drumlins, striated rock, moraines and meltwater forms visible in Ireland today are part of the physical legacy of the Quaternary ice ages, but most cannot be assigned to 31,887 BCE itself. They reveal processes unfolding across long spans, not a dated scene. Similarly, evidence from Greenagho, also in Fermanagh, indicates organic deposits beneath till and supports the conclusion that ice-free or less heavily glaciated conditions occurred in northern Ireland before the later expansion of ice. Such sites warn against imagining an island uniformly buried under ice at every moment of the Late Pleistocene.

Lower global sea levels altered the map, although not in a way that permits easy statements about a permanent land bridge to Britain. The Irish Sea basin, the Celtic Sea shelf and surrounding coastal plains had markedly different outlines from today. Connections and barriers changed with sea level, ice and local topography. Animals could reach Ireland during favourable intervals, but the exact routes, duration and openness of those corridors remain matters for reconstruction rather than direct observation. For any people who might have travelled here, crossing water or moving through changing coastal landscapes may have been an important constraint.

Castlepook and the Animal Record

The best-known southern Irish archive is Castlepook Cave, near Doneraile in north County Cork. Antiquarian excavations there produced a remarkable collection of Pleistocene animal remains, subsequently reassessed through the Irish Quaternary Fauna Project and later dating work. The assemblage includes animals associated with cold and open environments, among them reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, mountain hare, collared lemming and Norwegian

lemming; spotted hyaena is also a striking component. The collection does not show that all these animals lived beside one another in a single season. Cave deposits and old collections may combine material accumulated over long periods.

Even so, radiocarbon reassessment supports the broad conclusion that Ireland carried a more varied terrestrial fauna during MIS 3 than was once accepted. Some Castlepook dates, together with dated remains from caves in Cork and Waterford, fall in calibrated ranges that overlap or approach the millennium represented by 31,887 BCE. They establish the presence of particular species in Ireland across episodes before the Last Glacial Maximum; they do not produce a census of the island in one exact year. The well-known name “Irish elk” can also mislead. *Megaloceros giganteus* was giant deer, a Eurasian species, rather than an animal unique to Ireland.

The cave is valuable precisely because it complicates simple pictures of a barren frozen land. Reindeer and lemmings suggest cold open country, while mammoth, giant deer and carnivores imply food webs extending beyond the cave entrance. Yet the cave itself was not necessarily a human camp. Hyenas and other carnivores could carry carcass parts into caves; scavenging, trampling, water movement and early excavation methods all affect what survives. Animal bones prove the wider presence of fauna more securely than they reveal the behaviour of any one species at the site.

The Human Question

There is no securely excavated dwelling, hearth, tool assemblage, burial or art from Ireland that can be assigned to around 31,887 BCE. Accordingly, there is no responsible basis for describing an Irish tribe, language, leader, territory, religion or political order. There were no states, diplomatic relations or recorded wars in the later historical sense. Claims about “Celtic” Ireland are especially inappropriate: Celtic languages and identities belong to vastly later contexts and cannot be projected back into MIS 3.

One find makes the question more interesting, while also demanding restraint. A reindeer femur from Castlepook has been reported as bearing deep marks interpreted as cuts or chops made during butchery with a stone tool. Its reported age, around 33,000 years ago, would place possible human activity in Ireland much earlier than the previously accepted Late Upper Palaeolithic evidence from Alice and Gwendoline Cave in County Clare, where a butchered brown-bear bone dates to approximately 12,810–12,590 calibrated years before present. At Castlepook, however, the old collection’s incomplete excavation context and the need for further work mean that the marked reindeer bone is best treated as evidence suggestive of a brief human visit, not proof of a settled population or a developed Irish Upper Palaeolithic culture.

If the marks are confirmed as anthropogenic, the most modest inference is that one or more people acquired or processed a reindeer carcass in, or near, the cave’s landscape. That would imply knowledge of stone-working and meat processing familiar across Upper Palaeolithic Europe. It would not tell us whether the animal was hunted, found dead, taken from another predator or processed by a party that remained only briefly. Nor does a single modified bone demonstrate regular seasonal migration, a permanent camp, kinship structures or a particular technology.

Daily Life Beyond the Evidence

For Ireland itself, society and economy at this horizon are mostly unknown. There is no evidence for farming, herding, pottery, metalworking, buildings, long-distance trade goods or formal burial. Agriculture was still many millennia in the future. Any human visitors, if present, would have relied upon

mobile hunter-gatherer practices: knowledge of animals, weather, fuel, shelter and routes would have been essential. This is a comparative inference from Upper Palaeolithic lifeways elsewhere in north-west Europe, not a documented description of an Irish community.


The same limit applies to culture and belief. Upper Palaeolithic peoples elsewhere made sophisticated tools, ornaments and images, but no such objects are known from Ireland at this date. Caves can invite modern assumptions about ritual, yet Castlepook's direct evidence is faunal and geological. There is no Irish cave art, shrine or grave that can responsibly be connected with 31,887 BCE. Learning existed in the practical sense that any successful people possessed accumulated knowledge, but its language, transmission and symbolic forms are beyond recovery here.

Thus the most important development around this point is environmental rather than political: Ireland was a changing Ice Age peninsula or island-edge landscape, intermittently capable of supporting a cold-adapted fauna before later ice expansion transformed it again. Derryvree's mosses and pools, and Castlepook's bones, preserve separate pieces of that world. They reveal real ecological complexity and a tantalising possibility of human contact, while also marking the boundary between evidence and imagination.

Chapter 015 of 100

31886 BCE

Elephant Hall's Pleistocene Ledger



“31,886 BCE” is a modern calendar label, not a date that can be matched to a recorded Irish event. No inhabitants of Ireland used such a calendar, and archaeology cannot isolate a political decision, hunt or seasonal journey to this particular year. The date corresponds broadly to about 33,835 years before AD 1950, but Late Pleistocene chronologies are expressed through radiocarbon determinations and calibrated ranges, not annual precision. The responsible frame is therefore a wider interval around 34,000 calibrated years ago, within Marine Isotope Stage 3 (MIS 3), the long and climatically unstable middle part of the last Ice Age.

For Ireland, this was an age before documentary history, before known farming, monuments, towns, kingdoms or enduring named communities. It is also earlier than any securely established settlement record. Yet it was not an empty chapter in environmental terms. Fossil bones, cave sediments, pollen, beetles, glacial landforms and offshore evidence show that parts of Ireland supported a changing Ice Age fauna before the Last Glacial Maximum. The richest single archive is Castlepook Cave near Doneraile, County Cork, especially a chamber called Elephant Hall. Its accumulated animal remains offer an unusually deep, if imperfect, ledger of Ireland's Pleistocene life.

A Date Within a Range

Radiocarbon years are not identical to calendar years. Atmospheric carbon levels have varied through time, so radiocarbon measurements require calibration against independently dated records. At around 34,000 years ago the resulting calibrated spans can be broad; an apparently exact BCE year should never conceal that uncertainty. Nor should every specimen dated to roughly this era be treated as contemporary with every other. A cave collection may contain bones deposited centuries or millennia apart, while an animal's death date says nothing certain about when a cave was entered by people.

31,886 BCE falls near the later part of MIS 3, conventionally dated from roughly 57,000 to 29,000 years ago. Across the North Atlantic world, this was not a single uniform climate. Warmer Greenland interstadials alternated with colder stadials, and ice sheets, sea level, vegetation and animal ranges responded unevenly. The British–Irish Ice Sheet was growing towards its later maximum, but the reconstruction of its advance shows considerable regional variation. It would be misleading to picture all Ireland as buried beneath one unchanging mass of ice at this point. Equally, it would be misleading to imagine a mild, wooded island. The evidence favours a cold, exposed and shifting environment, with ice-free ground in some places and expanding ice elsewhere.

Castlepook and the Animal Archive

Castlepook Cave is central because it preserves a remarkable concentration of Pleistocene vertebrate remains. Antiquarian investigations in the early twentieth century recovered thousands of bones from passages and chambers with memorable names including Hyaena Hall, the Gallery of Aged Carnivores and Elephant Hall. Modern radiocarbon work has demonstrated that individual bones represent a long sequence rather than one event. Geological Survey Ireland summarises dates from the site ranging from about 45,700 to 19,950 radiocarbon years BP. That long duration is both its strength and its principal warning: Castlepook records changing faunas over many millennia, not a single frozen moment.

Some of the dates are directly relevant to the broad period surrounding this article's nominal year. Earlier research obtained Middle Midlandian, or broadly MIS 3, ages for mammoth, reindeer, brown bear and giant deer remains from the cave. The faunal list also includes spotted hyaena, wolf, red fox, Arctic fox, mountain hare, Norwegian lemming and collared lemming. These finds establish that Ireland, or at least accessible parts of its southern landscape, could sustain large herbivores, small cold-adapted mammals and formidable carnivores before the most severe late-glacial ice expansion.

That does not mean all these species met in Elephant Hall on the same day, season or even millennium. Nor can a cave assemblage straightforwardly measure the abundance of animals beyond its entrance. Carnivores may drag prey into a den; flowing water may move bones; scavenging, trampling and excavation can alter surfaces and positions. Castlepook's old excavations also left incomplete contextual records, and some deposits were disturbed. The site is compelling precisely because it contains so much evidence, but its complexity rules out simple stories.

An Open, Cold Landscape

Environmental sequences from northern Ireland help to fill out the landscape beyond Cork's caves, although they cannot provide a weather report for 31,886 BCE. Organic deposits beneath later glacial sediments in Fermanagh, including at Derryvree, Hollymount, Aghnadarragh and Greenagho, preserve pollen and insect evidence for cold phases during the Midlandian. Their signals point towards largely treeless or very sparsely wooded country: grasses and sedges, dwarf birch and willow, heaths, crowberry, herbs and other plants suited to open ground. Insect evidence includes species whose modern distributions are far to the north.

This was not a landscape of the familiar Irish green, enclosed fields or oak woodland. It was a mosaic shaped by short growing seasons, wind, frost action, exposed soils, wetlands and local topography. Where vegetation was sufficient, it could feed grazing and browsing animals; where it was sparse, large mammals would have ranged widely between more favourable patches. Mammoth, reindeer and giant

deer should not be imagined as proof of a single uniform “mammoth steppe” across the island. Their bones show presence at particular times. The wider palaeoecological evidence suggests a patchwork of herb-rich tundra, marshy ground, scrub and bare mineral surfaces.

Water and ice determined regional change. Lower global sea levels altered the form of the surrounding shelves, but whether a continuously dry, easily traversed land route linked Ireland to Britain at every relevant point remains uncertain and depends on the timing, ice geometry and local relative sea level being reconstructed. Mammals evidently reached Ireland during parts of the Pleistocene. That fact alone does not demonstrate an open migration corridor at 31,886 BCE, and it certainly cannot establish a particular human route. The sea, ice margins and exposed coastal plains were changing features rather than fixed borders.

The Human Question

The most consequential but least settled evidence concerns a reindeer femur from the Castlepook collection. Public reporting in 2021 described the bone as roughly 33,000 years old and bearing deep marks interpreted as compatible with butchery by a sharp stone tool. If the date, the identification of the marks and their association are confirmed through full contextual study, it would indicate that people handled a reindeer in Ireland during the Upper Palaeolithic—many millennia before the island’s well-attested Mesolithic settlement.

That possibility deserves attention, not embellishment. A modified bone is not a campsite. There is no securely dated hearth, dwelling, human burial, lithic assemblage or stratified occupation surface in Ireland that permits historians to describe a resident community in 31,886 BCE. Nor is there evidence for continuous occupation from this period into the later Stone Age. The National Museum of Ireland accordingly continues to state that clear evidence of Palaeolithic human presence has not yet emerged. Its caution reflects a genuine archaeological problem: marks made by stone tools must be distinguished from carnivore damage, sediment abrasion, trampling, excavation damage and later handling, while old collections rarely retain ideal provenance.

Thus the Castlepook femur is best understood as an important research question, not as a licence to invent Ireland’s first village, tribal territory or named hunting party. At most, the proposed interpretation would support a brief human visit or episode of carcass processing. A visitor might have crossed a changing maritime or icy landscape from Britain or farther afield, but neither origin nor route is known. The technologies, language, kinship and beliefs of any such people cannot be recovered from this single disputed indication.

Society Without States

Because human presence is unproven or at best fleeting, there were no demonstrable political affairs, diplomacy, warfare, taxation or institutions in Ireland at this date. It would be anachronistic to project later Celtic peoples, Irish kingdoms, Christianity or even the familiar social world of Mesolithic hunter-gatherers backwards into MIS 3. There are no Irish artefacts from this horizon that reveal domestic routines, clothing, artistic traditions, ceremonial practice, exchange networks or learning.

If people did reach the island, their likely priorities can only be inferred from the wider Upper Palaeolithic world: movement through seasonal landscapes, shelter, fuel, food, tool maintenance and close knowledge of animal behaviour. Such inference is not direct evidence for Ireland. A cave could have been

used by animals rather than people; indeed, spotted hyaena may have been an important agent in accumulating the Castlepook bones. The safest conclusion is that the island's observable history at this depth is primarily ecological, not political.

Approaching a Break in the Record


The importance of this period lies partly in what came next. Over the following millennia, the British–Irish Ice Sheet expanded and reshaped much of the island. Glacial erosion, deposition and later sea-level change removed, buried or disturbed many possible traces of earlier life. That destructive history helps explain why the Irish Palaeolithic record is so sparse and why protected cave deposits carry exceptional weight. Absence of evidence is not proof that no person ever arrived; it is, however, a firm reason not to claim a settled population where none has been demonstrated.

Around the modern label 31,886 BCE, then, Ireland was an Ice Age landscape in transition. Caves near Doneraile preserve evidence of reindeer, mammoth, deer, bears, hyaenas and cold-adapted smaller mammals across a long span of time. Northern pollen and insect records show open, harsh environments rather than later woodland. A single reported cut-marked reindeer bone raises the possibility of a very early human encounter with this world, but does not yet reveal a society. Elephant Hall's true historical value is its restraint: it gives Ireland a deep Pleistocene past while reminding us how much of that past remains unresolved.

Chapter 016 of 100

31885 BCE

Elephant Hall's Bone Archive



The label “31,885 BCE” should not be mistaken for a dated Irish event. No written record, political chronology or archaeological sequence can resolve a single calendar year this far back. It is a modern calendar conversion, placing the inquiry roughly 33.8 thousand calendar years before the radiocarbon convention’s present of AD 1950. The responsible frame is therefore a span of centuries and millennia within the Late Pleistocene, specifically Marine Isotope Stage 3 (MIS 3), rather than a claim about one year.

For Ireland, this is a period illuminated by a sparse and difficult body of evidence: cave bone assemblages, redeposited sediments, pollen and plant remains preserved between glacial layers, glacial landforms, and scientific dates with substantial uncertainty. The central question is not which kingdom or community held power, but whether people reached Ireland at all during one of the severe cold phases before the Last Glacial Maximum. The answer remains intriguing but provisional.

A Landscape Approaching Greater Cold

At around this point in time, Ireland lay in a changing north Atlantic world of rapid climatic oscillations. The great Last Glacial Maximum, when the British–Irish Ice Sheet reached its fullest late-glacial extent, lay ahead, with maximum ice volume now placed at about 23,000 years before present. Yet cold conditions and expanding glaciers were already reshaping the region. Reconstructions of ice growth between 31,000 and 30,000 years before present show how quickly the British–Irish Ice Sheet could advance, while also recognising wide uncertainty about the exact position of ice margins in particular Irish regions at particular moments.

That uncertainty matters. It is no longer responsible to present all Ireland at c. 31,885 BCE as either a single unbroken ice cap or a wholly open tundra landscape. Ice centres, upland glaciers, coastal margins and ice-free ground changed over time, and the evidence does not yield a precise island-wide map for this calendar equivalent. Southern and western areas may at times have contained exposed terrain, while other districts were affected by advancing ice or lay close to glacial margins. The physical geography inherited by later Ireland—scoured rock, drumlins, lake basins and reworked sediments—was being formed or prepared by these processes.

Sea level was far lower than today because so much water was locked in continental ice sheets. Broad parts of the continental shelf were exposed in north-west Europe, but this does not demonstrate an easy, continuous land route from continental Europe to Ireland. The geography of the Irish Sea basin, changing coastlines, local ice and the absence of securely contemporary human camps all mean that a particular route into Ireland cannot be reconstructed. Any people who did arrive would have entered a landscape that was seasonal, exposed and environmentally hazardous.

Castlepook and the Faunal Record

The most important Irish locality for this remote period is Castlepook Cave near Doneraile in north County Cork. Excavations there, especially in the early twentieth century and renewed investigations in the twenty-first, produced a remarkable collection of Late Pleistocene animal remains. The cave's evocatively named chambers, including Elephant Hall and Hyaena Hall, have yielded bones of reindeer, mammoth, giant deer, brown bear, wolf, fox, Arctic fox, spotted hyaena, hare and lemmings. This is powerful evidence that cold-adapted and open-country animals reached southern Ireland during phases of the last glacial cycle.

It is not, however, a photograph of one living ecosystem. Much of the old material was recovered before modern excavation standards, and cave sediments can be disturbed by water, frost, collapse, scavengers and earlier digging. Bones of different dates may have been mixed, moved or introduced into the cave after death. Modern reassessment has shown why direct dating and careful attention to context are indispensable: some earlier radiocarbon results from Irish cave material have proved unreliable when retested with improved pretreatment methods.

Even so, the Castlepook evidence places substantial fauna in the broad time-depth relevant here. Earlier radiocarbon work dated a mammoth rib from Elephant Hall to $34,100 \pm 840$ radiocarbon years before present and a reindeer metacarpal to $35,200 \pm 950$ radiocarbon years before present; other bones from the cave produced different late-Pleistocene results. These are radiocarbon determinations, not calendar dates, and their calibrated equivalents are broader and older. They should demonstrate a long and complex history of animal use of the cave, not be compressed into a claim that mammoths, reindeer, hyaenas and people all stood there together in 31,885 BCE.

The animal list nevertheless permits cautious environmental interpretation. Reindeer, Arctic fox and lemmings point towards cold, open habitats, while mammoth and giant deer require productive vegetation on at least some ground. The likely landscape was a mosaic of herb-rich tundra, grassland, sedge-rich wet ground, exposed mineral soil and sheltered patches of shrubs, varying with season, altitude and proximity to ice. It was not the familiar green, wooded Ireland of later millennia. Nor was it necessarily a uniform white wilderness: short summers could support plant growth sufficient for large grazing animals, even while winters were long and severe.

The Reindeer Femur Question

A reindeer femur from Castlepook has given this era exceptional historical importance. Publicly reported work identifies marks on the bone as possible evidence of cutting or chopping with a stone tool, and a modern date obtained for the specimen has been presented as indicating activity around 33,000 years ago. If the modifications are confirmed as humanly made on fresh bone, the find would push evidence for human activity in Ireland dramatically earlier than the established post-glacial settlement record.

That conditional language is essential. The bone is not a house floor, hearth or undisturbed kill-site. No securely associated stone-tool assemblage, human burial, built shelter or repeated occupation surface has yet been demonstrated for this time at Castlepook. Carnivores also modified the cave assemblage: spotted hyaenas could drag in carcass parts, break bone and leave tooth damage; natural abrasion and old excavation histories complicate microscopic diagnosis. A mark may be suggestive, but it must be assessed against those alternatives and against the bone's depositional history.

The most defensible conclusion for c. 31,885 BCE is consequently modest but significant. Ireland may have been visited by very small numbers of Upper Palaeolithic hunter-gatherers during a favourable interval or season, perhaps following animal movements or exploiting a carcass. It is not yet possible to demonstrate a permanent population, a named culture or a continuous ancestry connecting such visitors to later inhabitants. The evidence supports the possibility of brief human presence, not a settled Ice Age Ireland.

Life Without a Political Record

There can be no meaningful account of Irish government, diplomacy or warfare for this date. No inscriptions, settlements, weapons caches, boundaries or graves establish political institutions or conflict. Equally, it would be misleading to fill the silence with projected tribes, chiefs or clans. The social scale most compatible with the evidence, if humans were present, is a mobile hunting party rather than a village community: people able to move through exposed country, read animal tracks and use portable equipment. This is an inference from environmental conditions and wider Upper Palaeolithic lifeways, not a fact directly recovered from an Irish camp.

Economy, in the later sense of farming, livestock ownership, markets and long-distance trade, did not exist in demonstrable form in Ireland. There is no evidence of crops, domestic animals, pottery, metalworking or exchange networks on the island at this date. A possible worked reindeer bone would instead concern subsistence: obtaining meat, marrow, fat, hide or sinew from a large animal. Whether the animal was hunted, scavenged or encountered already dead cannot be inferred from a single bone. Reindeer could have offered a mobile food resource; mammoth and giant deer, if exploited at all, would have provided exceptional quantities of material, but no Irish evidence proves organised hunting of either species.

Religion, art, language and learning are likewise beyond recovery here. European Upper Palaeolithic societies elsewhere made sophisticated tools, ornaments and images, but Ireland has yielded no securely contemporary art, ornament or symbolic object. It is reasonable to recognise that any human visitors were fully capable people with knowledge, communication and social traditions; it is not reasonable to assign them Irish rituals, myths or artistic practices. The absence of evidence is especially acute because advancing ice, erosion, sea-level change and later disturbance have destroyed or buried much of the landscape in which camps might once have stood.

What the Evidence Can Say


The most important development around this notional year was environmental, not political: Ireland stood near the threshold of greater glaciation, with habitable ground and ice margins shifting across a cold-stage landscape. The Castlepook archive shows that Ice Age mammals occupied or passed through southern Ireland over a lengthy interval. Its reindeer femur raises the serious possibility that humans also made a short-lived visit. But the cave's mixed deposits make it a research problem rather than a final answer.

Future work—new excavation in intact deposits, direct ultrafiltered radiocarbon dating, sediment micromorphology, ancient DNA, stable-isotope analysis and detailed study of surface modifications—may sharpen the picture. For now, 31,885 BCE belongs not to the history of Irish states, but to the deeper prehistory of changing ice, mobile animals and a tantalising human trace at the western edge of Upper Palaeolithic Europe.

Chapter 017 of 100

31884 BCE

Shandon Cave's Bear Horizon



31,884 BCE is not a date that can be isolated in the Irish archaeological record. It is a modern calendar conversion, roughly 33,834 years before AD 1950, rather than a year that any contemporary person could have named or recorded. For this deep period, radiocarbon measurements carry substantial uncertainty and must be calibrated; a single result commonly produces a range of possible calendar ages, not a pinpoint. The responsible subject is therefore Ireland in the later part of the Late Pleistocene, before the Last Glacial Maximum, rather than an invented event in one numbered year. The evidence is sparse, fragmented and concentrated in caves, sediments and the bones of animals rather than in settlements, graves, buildings or written testimony.

A Date Within a Longer Cold Age

At this point Ireland lay within Marine Isotope Stage 3, a long and climatically unstable interval of the last Ice Age. It was colder than the present, but it was not yet the moment when the last British–Irish Ice Sheet reached its fullest known extent. Major reconstructions place that maximum principally around 27,000–25,000 years before present in north-western sectors and about 25,000–23,000 years before present in the Irish Sea and Celtic Sea regions. Thus 31,884 BCE belongs to the preceding build-up: an age of pronounced cold shifts, expanding ice and exposed continental shelves, but not one in which a simple map can safely label all Ireland as either wholly frozen or wholly ice-free.

The older Irish terminology of the Midlandian glaciation remains useful as a broad label, but it can conceal important local variation. Ice sheets advanced and retreated over long spans; their margins, thickness and flow changed across the island and adjoining seas. Evidence from southern Ireland has revised older ideas that the last ice sheet stopped far to the north and east: research instead supports a

more extensive Late Midlandian ice cover at its later maximum. That later conclusion must not be projected carelessly back onto 31,884 BCE. The safest picture is of a landscape approaching harsher glacial conditions, with ice, periglacial ground and habitable ice-free tracts varying by region and through time.

Shandon's Dated Animal Evidence

The closest securely dated Irish evidence relevant to this calendar label comes from cave faunas. At Shandon Cave, County Waterford, a brown-bear bone produced an older radiocarbon determination of $32,430 \pm 670$ radiocarbon years before present, calibrated in published tabulations to approximately 37,146–33,635 calibrated years before present. Expressed as BCE, that broad range extends roughly from 35,196 to 31,685 BCE and therefore overlaps 31,884 BCE. This does *not* establish that a particular bear lived in that exact year. It does show that brown bear formed part of Ireland's late-Pleistocene fauna during the interval in which this date falls.

Shandon is especially valuable because it reminds us that Ireland was not merely an empty expanse of ice in every phase of the last glacial cycle. The cave record, however, is not a census of a complete ecosystem. Animal remains may have entered caves through carnivore activity, water movement, collapse, natural deaths or human collection; nineteenth- and early twentieth-century excavations also removed much of the original stratigraphic context. Modern scholars consequently treat old cave collections as important but difficult archives, requiring direct redating and taphonomic reassessment rather than unquestioning repetition of inherited identifications. The material illuminates animal presence far more securely than it reconstructs a day-to-day landscape.

Animals, Open Ground and Seasonal Risk

Other Irish cave assemblages demonstrate that sizeable mammals reached the island in the broad period between at least about 45,000 and 20,000 years ago. Castlepook Cave near Doneraile in north County Cork is the most famous of these deposits, yielding remains attributed to mammoth, reindeer, horse, brown bear, wolf and spotted hyaena, among other animals. Such a list should not be compressed into an imagined single herd grazing together in 31,884 BCE: individual bones have different ages, and the assemblage accumulated over a long period. Nevertheless, it supports the conclusion that episodes of open, cold-country habitat in Ireland could sustain, or at least be visited by, large herbivores and their predators.

The likely vegetation was not the later familiar Ireland of broadleaf woodland, enclosed pasture and peat bog. In cold phases, exposed ground would have favoured low, sparse and locally variable plant cover: grasses, sedges, herbs, mosses and dwarf shrubs, with woodland greatly restricted or absent in the harshest districts. Older organic deposits at Derryvree, County Fermanagh, have been interpreted as recording a treeless muskeg environment in an earlier cold-phase framework. They do not date precisely to 31,884 BCE and must not be presented as a weather report for Shandon or Cork. They do, however, show why pollen, plant remains and insects are essential alongside animal bones when archaeologists attempt to understand Irish Ice Age environments.

For animals and any people moving through such country, seasonality would have been decisive. Winter forage, snow cover, wind exposure, frozen water and the shifting availability of shelter mattered more than later agricultural rhythms. Brown bears, reindeer and horses did not occupy identical ecological niches, while hyaenas and wolves could alter the survival prospects of carcasses and bone deposits. The

presence of a species proves neither abundance nor a resident breeding population. It is better understood as evidence that a route into Ireland, and at least some suitable habitat, existed during particular windows of the Late Pleistocene.

The Human Question

There is no excavated house, hearth, stone-tool assemblage, human skeleton or cemetery from Ireland that can responsibly be assigned to 31,884 BCE. Accordingly, there is no basis for describing Irish political authority, diplomacy, tribes, warfare, religion, artistic traditions, formal learning, farming or trade in this year. Those are not missing chapters awaiting colourful reconstruction; they are subjects for which the evidence is presently absent. The National Museum of Ireland continues to state that no clear evidence has emerged for a Palaeolithic human presence in Ireland, a useful warning against converting possibility into certainty.

There is, however, a significant and unsettled clue from Castlepook. A reindeer femur from the cave has been interpreted as bearing a sharp stone-tool mark consistent with butchery, and a direct date on the bone falls broadly in the mid-to-late 30th millennium calibrated years before present. If the mark is human-made and contemporary with the animal's death, it could indicate a brief Upper Palaeolithic visit to Ireland, perhaps to process a carcass. It would not demonstrate a village, a permanent population, a named people or continuous settlement. A bone's radiocarbon age dates the animal, while identifying a surface mark as a human cut is a separate taphonomic judgement; the cave's disturbed history makes that distinction especially important.

Island, Peninsula or Passage?


Lower global sea levels changed the outline of north-west Europe, exposing areas now beneath the Irish and Celtic Seas. Yet lowered water did not automatically make Ireland an uncomplicated walk from Britain or the Continent. Ice margins, meltwater, rivers, sea channels, coastal topography and the changing configuration of the British–Irish Ice Sheet all affected access. The archaeological evidence is too thin to identify a particular migration route around 31,884 BCE. What can be said is that the animal record indicates intermittent connectivity sufficient for large mammals, while the possible Castlepook butchery trace raises, but does not settle, the question of human movement across the same wider landscape.

The most important development around this notional year was therefore environmental rather than political: Ireland stood within a changing Ice Age world in which habitable ground and routes of access could be temporary. Shandon Cave's bear and the wider cave fauna make that world tangible, while their limitations impose discipline. Ireland around 31,884 BCE may have supported mobile animals across cold open terrain and may conceivably have received short human incursions. It has not yet yielded evidence for a settled society. The historical task is to preserve that difference between what the bones demonstrate, what the landscapes suggest and what remains unknown.

Chapter 018 of 100

31883 BCE

Derryvree's Buried Lakebed



The label 31,883 BCE offers a useful point on a modern timeline, but it cannot identify an event in Ireland in the way that a medieval annal or a state paper can. There were no local written records, named communities or calendars that can be correlated to a particular year. In simple calendar arithmetic, it lies about 33,832 years before the conventional radiocarbon reference year of AD 1950. Archaeology at this depth works differently: it uses deposits, bones and scientific date ranges, not annual narratives. The most responsible account is therefore of Ireland during the later part of Marine Isotope Stage 3 (MIS 3), a volatile phase of the last Ice Age.

The strongest evidence relevant to this notional year comes not from a human settlement but from a buried freshwater deposit at Derryvree, near Maguiresbridge in County Fermanagh. Organic silts and fine sands, sealed below later glacial deposits, produced a radiocarbon determination of about 30,500 years BP. A published calibration placed it broadly between about 36,900 and 31,700 calendar years BP. That range includes the modern chronological position of 31,883 BCE, but it does not mean that the Derryvree sediments formed in that exact year. The deposit accumulated over time, its samples have statistical uncertainty, and a single locality cannot stand for every district of Ireland.

An Ice-Free Inland Landscape

Even with those cautions, Derryvree is exceptionally important. It shows that north-central Ireland was ice-free during a part of MIS 3 before the main expansion of the last Irish ice sheet. Plant and animal traces in the silts point to an open, treeless or almost treeless tundra landscape under periglacial conditions. Mosses and sparse herbaceous pollen survived where later ice would bury the old ground

beneath till. The evidence does not provide a picturesque, complete view of the countryside: pollen was poorly preserved, and the proportions of plants in a deposit do not translate simply into a map. Yet it firmly rules out a wooded, temperate Ireland.

The environment was cold, exposed and changeable rather than uniformly frozen. Ireland lay on the Atlantic edge of north-west Europe, where the position of sea ice, ocean circulation and the polar front could alter conditions markedly over centuries or millennia. Speleothems in Crag Cave, County Kerry, show that some warmer episodes during the last glacial period permitted liquid water to circulate through shallow caves and calcite to grow. Their episodic formation records the sharp climatic swings associated with Greenland interstadials and stadials. Thus the world represented by Derryvree was a tundra world, but not an unchanging one: relatively milder phases could briefly make particular valleys, springs and grazing grounds more hospitable.

Animals Before the Main Ice Advance

South-western and southern cave deposits provide another fragmentary archive. Castlepook Cave, near Doneraile in north County Cork, is the richest known Irish source for vertebrate life before the Last Glacial Maximum. Its collections include remains of reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, mountain hare, collared lemming, Norwegian lemming and spotted hyaena. Together, these animals demonstrate that parts of the island could sustain, or at least be reached by, a varied cold-stage fauna over a long interval. They should not, however, be treated as a single herd or a single community living together in 31,883 BCE.

That distinction is central to the evidence. Castlepook's bones accumulated in a complicated cave system across many thousands of years, and early excavations removed much material before modern recording standards existed. Carnivores carried prey and scavenged carcasses into caves; water, sediment movement and later digging could disturb remains. Subsequent accelerator mass spectrometry dating has shown that several old bone dates needed substantial revision, in some cases becoming thousands of radiocarbon years older. The secure conclusion is not that every animal listed shared one moment, but that Ice Age Ireland possessed changing faunal communities between at least about 45,000 and 20,000 years ago.

For a period around 33,800 years ago, reindeer are especially plausible inhabitants of open country, where seasonal grasses, sedges, herbs and dwarf shrubs offered grazing. Large herbivores would in turn have supported predators and scavengers. Hyaena bones and gnawing provide an important warning against imagining caves as human homes by default: caves were also animal dens, traps and repositories for naturally accumulated remains. Mammoth and giant deer are known from the wider MIS 3 record, but their dated bones do not licence a claim that either stood beside the Derryvree lakebed in this specified year. Fossils establish presence within ranges, not a census on a particular day.

A Possible Human Trace

The most provocative Irish evidence for people at this depth of time is a reindeer femur from Castlepook reported to bear a mark consistent with cutting by a sharp stone tool. The bone has been presented as dating to about 33,000 years ago and, if the mark is genuinely anthropogenic, it indicates that a person or small party processed an animal in Ireland far earlier than the island's long-accepted Mesolithic settlement history. It would be an important sign that Upper Palaeolithic hunter-gatherers could reach this western edge of Europe during a favourable interval.

But it is not evidence for a permanent population, a village, a burial ground or an Irish “first people” who can be named or culturally identified. No securely associated hearth, stone-tool assemblage, dwelling floor or human remains of this age has been recovered from Ireland. Nor does the bone establish where an animal was killed, how many people were involved, or whether they returned. The careful interpretation is that it may record a fleeting episode of human presence or butchery. It cannot responsibly be expanded into a year-specific hunt, migration or settlement.

Routes, Shores and Limits

Sea level was substantially lower than today because much water was held in continental ice sheets, altering the outlines of the Irish Sea basin and exposing broad shelves. That did not necessarily create an easy, continuous route from continental Europe to Ireland. The geography was shaped by channels, estuaries, marine inlets, local ice and changing coastlines; the precise availability of crossings remains debated. Animal movement and any human arrival may have involved temporary land connections, ice, coastal routes or watercraft. No evidence presently allows one route to be chosen with confidence for a visit represented by the Castlepook bone.

Nor can political affairs, diplomacy or warfare be recovered for Ireland at this date. There is no evidence for kingdoms, tribal territories, leaders, alliances or organised conflict. In a social sense, any people who reached the island were likely mobile hunter-gatherers, as were contemporary Upper Palaeolithic populations elsewhere in north-west Europe, but Ireland has not yielded the camps and artefacts needed to describe local group size, kinship, clothing, language or gender roles. That comparison is interpretation, not direct Irish proof.

Culture Without a Record

Religion, ceremony and learning are equally beyond the available evidence. No cave art, carved object, grave, ritual deposit or musical instrument from this period is securely known in Ireland. A stone-cut mark, if accepted, implies practical knowledge of sharp-edged lithic technology; it does not reveal beliefs. Likewise, the likely economy was one of obtaining wild animal and plant resources rather than farming, but there is no Irish evidence from around this date for cultivation, domesticated stock, stored grain, trade networks or exchange goods. Absence of proof should not be confused with proof that nothing happened; it defines the narrow limits of what can currently be said.


The great historical development visible from 31,883 BCE is environmental rather than political. Derrynree preserves a rare interval when a cold, open landscape existed before a major ice-sheet advance. Reconstructions of the British-Irish Ice Sheet indicate that ice growth accelerated later, with Ireland and its surrounding shelves transformed as ice masses expanded. The old lake silts, mosses and animal bones survived largely because they were later sealed beneath glacial sediments. They are not merely evidence of a lost landscape: they also explain why its human record is so thin, repeatedly eroded, buried or carried away by ice.

For Ireland at this time, the past is best approached with disciplined imagination. There may have been tundra pools and sedge-rich ground in Fermanagh, roaming cold-adapted animals in several regions, and perhaps a brief human encounter with a reindeer in Cork. There were not yet documented Irish peoples, politics or monuments. The buried lakebed at Derrynree is valuable precisely because it preserves enough to illuminate a world before history, while reminding us how much remains unknown.

Chapter 019 of 100

31882 BCE

Shandon's Red-Deer World



The label 31,882 BCE should not be treated as a year in which Irish archaeology can identify an event, ruler, battle or settlement. It is a modern calendar conversion, approximately 33,800 calendar years before AD 1950, and evidence at this depth of time comes with probability ranges rather than annual precision. The responsible setting is the Late Pleistocene, within Marine Isotope Stage 3 and the Irish Middle Midlandian sequence: a long, climatically unstable phase of the last Ice Age, well before the Last Glacial Maximum. Ireland was not the permanently inhabited island of later prehistory. It was a changing north-western landscape whose animal life, vegetation, coastlines and ice margins shifted over millennia.

For a date around this point, the most directly relevant Irish evidence is not a human camp but animal bone and environmental sediment. A red-deer specimen from Shandon Cave in County Waterford has been assigned a calibrated range of about 34,524–32,713 cal BP, a broad interval that overlaps the modern label 31,882 BCE. Such a range does not tell us what happened in a particular season or generation. It does, however, establish that red deer were present in south-eastern Ireland during part of this period. Together with cave remains from Cork, Waterford, Clare and elsewhere, it shows that Ireland supported substantial mammals during intervals before the great late-glacial ice expansion.

A Date With No Annals

There are no written sources, named communities or datable political institutions for Ireland at this time. Nor is there evidence for kingdoms, diplomacy, formal warfare, farming, permanent villages, monuments or organised religion. It would be misleading to fill these silences with familiar prehistoric imagery. The Gaelic language, Irish place-names, megalithic tombs, metalwork and the social structures known from later archaeology all lay tens of thousands of years in the future.

Even the word “Ireland” needs care. The modern island was part of a wider physical zone shaped by lower global sea levels, changing ice and exposed continental shelves. Connections to Britain and onward to mainland Europe may at times have been easier than today, but the exact geography changed repeatedly and remains a subject of reconstruction rather than certainty. Animal movement into and out of the island is strong evidence that barriers were periodically permeable; it is not, by itself, proof of a particular continuous land bridge, nor of human migration along one.

Radiocarbon science adds a further warning against false exactitude. A laboratory result is usually expressed in radiocarbon years before present, where “present” is conventionally AD 1950. Atmospheric carbon levels have varied through time, so those results must be calibrated against independently dated records. At around 34,000 calendar years ago the resulting ranges can be broad, and revised treatment of samples can materially alter an age estimate. A calendar-year heading is therefore best understood as a point within a longer archaeological window, not as an anniversary in the modern sense.

Open Ground and Cold Water

The environmental record from Derryvree near Maguiresbridge, County Fermanagh, provides an important northern comparison. Organic silts and fine sands, later covered by glacial deposits, produced a radiocarbon age of roughly 30,500 BP with a sizeable uncertainty. Their pollen, mosses and small fauna indicate open tundra or muskeg vegetation under periglacial conditions. Herbs predominated; woody cover, if present locally, was sparse. The few tree-pollen grains recovered are not sound evidence for a forest. This was a landscape of sedges, mosses, low herbs, wet ground and exposed mineral soils, with a strongly seasonal climate.

Derryvree cannot be read as a photograph of every part of Ireland in 31,882 BCE. It is a regional deposit of a different age measure, and the island’s weather, ice limits and habitats varied across time and place. Yet it provides a defensible model for the type of country available during cold Middle Midlandian intervals: treeless, windy and locally waterlogged, but not necessarily lifeless or wholly ice-covered. In the south and east, limestone caves and fissures accumulated bones; in the north, lake and wetland sediments preserved plant traces. Together these fragmentary archives illuminate an Irish environment otherwise heavily damaged or removed by later glaciation.

The approaching climatic danger was real. The British–Irish Ice Sheet had not yet reached its later maximum configuration, but ice growth was becoming an increasingly important force in the region. Later advances eroded older soils, reworked sediments and buried or destroyed many possible occupation surfaces. That destructive history helps explain why the record is so uneven. A cave can retain a few bones while whole landscapes of paths, hearths, campsites and lake margins disappear. Absence of such evidence cannot prove that nobody ever crossed the land; equally, it cannot be used to manufacture a settled Palaeolithic population.

The Cave Fauna

Shandon’s red deer belongs to a wider Irish Pleistocene faunal story. Cave collections, especially those from Castlepook near Doneraile in north County Cork, include remains attributed to reindeer, mammoth, giant deer, brown bear, wolf, Arctic fox, hare, lemmings and spotted hyaena. They were not all necessarily contemporaries. Many were recovered in nineteenth- and early twentieth-century excavations, when recording standards were inconsistent and deposits were often disturbed. Modern direct dating has

shown that bones once grouped together in a cave may derive from very different episodes. The correct picture is therefore not a single, crowded Ice Age scene, but a succession of animal communities using or being carried into caves over long spans of time.

Nevertheless, the animals reveal much. Red deer imply viable grazing and browsing opportunities; reindeer and lemmings indicate colder, open habitats; mammoth and giant deer point to a broader mosaic capable of sustaining large herbivores; and hyaenas and wolves show that carnivores ranged through the same food webs. Caves were not simply shelters. Hyaenas may have dragged carcasses and bones underground, bears may have used them for hibernation, and water, frost and later excavation could move remains again. Tooth marks, breakage patterns, sediment position and microscopic surface study are consequently as important as species identification.

For everyday life, the fauna offers stronger evidence for animal ecology than for people. A reindeer femur from Castlepook has been publicised as bearing a mark consistent with cutting by a stone tool, and its reported antiquity has made it significant in debates over the earliest possible human activity in Ireland. This is an intriguing claim, not a licence to describe a resident hunting band in a precise year. The age of a bone, the age of its sedimentary context and the origin of a surface mark are separate questions. The National Museum of Ireland still notes that clear Palaeolithic evidence for humankind in Ireland has not emerged. That institutional caution reflects the extraordinary evidential burden imposed by such an early claim.

Possible Visitors, Not a Proven Society

If people did reach Ireland in this general period, they would have been highly mobile Upper Palaeolithic hunter-gatherers, dependent on detailed environmental knowledge and portable technologies of stone, bone, hide and wood. This is an inference from better documented communities in north-west Europe, not a demonstrated description of an Irish group. No securely excavated dwelling, hearth, tool assemblage, burial, artwork or human bone has yet established their presence in Ireland around 31,882 BCE. Nor can hunting, food-sharing, kinship, ritual or language be reconstructed specifically for the island.

What can be said is more modest and more interesting. Ireland lay at the edge of a larger Ice Age world in which animals evidently moved across changing routes, while climate repeatedly rearranged the opportunities for both prey and predators. A small human party could have left little behind even if it visited; later ice could have erased still more. But sporadic access is different from continuous occupation. The best-established early human evidence in Ireland remains much later, including the butchered brown-bear bone from Alice and Gwendoline Cave in County Clare, dated to the terminal Pleistocene. The deep antiquity claimed for Castlepook should therefore be treated as an important research frontier rather than settled historical fact.

Meaning at the Margin

There was no Irish economy in the later sense: no agriculture, coinage, market, port or long-distance trade documented here. The material economy visible in the evidence was ecological. Grazers converted tundra plants into meat; predators followed them; caves became accidental archives. If human visitors were present, animal carcasses and skins would have been vital resources, but the record does not permit


claims about regular hunting territories or exchange networks. Likewise, there is no evidence from Ireland at this date for shrines, sacred places or formal learning. The caves are scientifically invaluable, but their later archaeological importance must not be mistaken for proof of Palaeolithic ritual.

The enduring significance of this date is thus not a single event but a threshold of knowledge. Shandon Cave, Derryvree and Castlepook show that the island's prehistory reaches into a far older, colder and more complicated world than older textbook narratives allowed. They also show why archaeological restraint matters. Around 31,882 BCE, Ireland can be approached through calibrated ranges, fossil assemblages, pollen, mosses, sediment and changing ice—not through annual chronicle. Its history at this depth is the history of a landscape intermittently hospitable to Ice Age life, and of a record that survives only in scattered, hard-won traces.

Chapter 020 of 100

31881 BCE

Greenagho's Tundra Basin



The label 31,881 BCE is a modern way of locating a point far beyond written history, not a date that anybody then living in Ireland could have named or recorded. At this depth of time, calendar-year precision is not archaeologically available. In conventional terms, the number corresponds roughly to 33,830 years before AD 1950, but the evidence is dated in radiocarbon and calibrated ranges, often with margins of centuries or millennia. The most responsible account is therefore of Ireland during part of Marine Isotope Stage 3 (MIS 3), before the Last Glacial Maximum, rather than an invented story of one particular year.

A Cold Interval, Not a Recorded Year

For Ireland, this was the Middle Midlandian phase of the last glacial cycle: a long, unevenly cold era in which climate, ice cover, sea level and animal ranges repeatedly changed. The island's later historical map is of little use here. There were no counties, settlements, peoples or political territories in the documentary sense. Even whether Ireland was continuously inhabited at this point cannot be demonstrated. What survives instead are deposits beneath later glacial sediments, cave-bone collections, pollen and plant remains, landforms, and laboratory dates. Each is a fragment with its own strengths and limitations.

The closest securely relevant environmental archives lie in County Fermanagh. At Derryvree, near Maguiresbridge, roadworks exposed freshwater silts and fine sands preserved between two thick tills within a drumlin. A radiocarbon determination of 30,500, with a substantial statistical error, was obtained from the organic material. Later discussion translates this into a broad calibrated interval of about 36,900–31,700 calendar years before present. That range encompasses the notional date used here, but it cannot identify conditions in a single season, generation or calendar year.

Greenagho, near Belcoo in the same county, provides another important limiting date. Organic lake deposits later overridden by ice produced an age of $32,500 \pm 300$ radiocarbon years ago, calibrated in subsequent syntheses to roughly 37,200–35,700 calendar years before present. Taken together, the Fermanagh records demonstrate that north-central Ireland had ice-free ground during at least parts of this earlier glacial interval. They do not prove that every part of the island was simultaneously open, nor that the two places shared exactly the same weather or vegetation.

Ground Between Ice Advances

The stratigraphy matters because the organic layers lie beneath later till: sediment deposited directly by glacier ice. The sequence shows that a freshwater basin and its surrounding vegetation existed before a subsequent ice advance reshaped and buried the landscape. Today's drumlin country in Fermanagh is thus not simply a timeless natural backdrop. It is the result of several episodes: water and sediment accumulated in a cold, open setting; later glacier action compressed, eroded and redeposited material; post-glacial weathering and farming then altered the surface again.

At the scale of the whole island, reconstruction remains difficult. Recent work on the British–Irish Ice Sheet indicates prolonged, asynchronous growth rather than one simple moment when Ireland froze over. Evidence from Fermanagh suggests that its north-central interior remained ice-free until at least about 34,000 calendar years ago. Ice expanded greatly afterwards, with major Irish sectors advancing during the following millennia and Ireland becoming almost entirely ice-covered by around 28,000 years ago in one widely used reconstruction. These are modelled and evidence-led time slices, not sharply bounded events: local ice margins could advance, stagnate or retreat while conditions elsewhere differed.

For around 31,881 BCE, the defensible picture is consequently transitional. Some Irish ground, particularly in the north-central record, could sustain freshwater wetlands and tundra vegetation. Elsewhere, mountain ice, small ice caps, expanding glaciers or sea-facing ice margins may have made conditions harsher and less stable. The landscape was not a uniform white sheet, but neither was it a wooded, temperate island. It was a high-latitude world on the threshold of much more extensive glaciation.

Mosses, Sedges and Open Water

Derryvree's biological remains provide the clearest local impression. Its pollen was poorly preserved, yet the surviving assemblage is dominated by herbaceous taxa associated with tundra. Moss macrofossils were especially informative. Researchers interpreted the deposit as a treeless, wet, muskeg-like environment: waterlogged ground, shallow pools and sedge-rich vegetation, with sparse plant cover on drier surfaces. The term 'muskeg' is an ecological comparison, not a claim that Fermanagh replicated any modern place exactly. It helps convey a cold, saturated landscape where permafrost, seasonal freezing and poor drainage constrained soils.

There is no basis for imagining dense oak woods, cereal fields, enclosed pasture or a familiar Irish hedgerow landscape. Trees, if present at all locally, were insignificant beside low herbs, grasses, sedges and mosses. Wind exposure would have been severe; freezing and thawing could disturb soil and fracture exposed rock. Short growing seasons limited plant production, while wet hollows and freshwater bodies offered concentrated resources for insects, waterfowl and grazing animals. The evidence supports open tundra and periglacial conditions in the Fermanagh basin. Extending that exact vegetation mosaic to every Irish valley would go beyond it.

Sea level was also lower than today because enormous quantities of water were stored in northern ice sheets. The present coastline therefore did not define the available land in the same way. Continental shelves around Ireland were more exposed, and connections with Britain could periodically be easier than under modern sea levels, although the precise routes depended on ice, rivers, coastlines and changing marine basins. Such connectivity is strongly supported for fauna; a permanent, simple 'land bridge' should not be assumed for every phase.

The Cave-Fauna Record

South-west Ireland adds a different class of evidence. Castlepook Cave near Doneraile, County Cork, has yielded a remarkable but complicated collection of Late Pleistocene animal remains. Revised radiocarbon work places parts of its MIS 3 fauna considerably earlier than previously thought. Across the pre-Last Glacial Maximum record, Irish cave remains include reindeer, woolly mammoth, giant deer, horse, brown bear, wolf, Arctic fox, mountain hare, stoat, collared and Norwegian lemmings, and spotted hyaena. Not every species was necessarily alive in Cork—or Ireland generally—at the same instant. Cave deposits accumulated over long periods, and older excavations frequently disturbed their layers.

Nevertheless, the assemblage establishes that Ireland was periodically part of a wider north-west European animal world. Reindeer and lemmings point towards cold, open habitats; mammoth and horse towards productive grass-herb country; large predators and scavengers towards food webs capable of supporting substantial herbivores. Spotted hyaena is particularly striking. A hyaena's presence signals neither an African climate nor a permanent Irish population, but a Pleistocene species adapted to Ice Age Europe and able to exploit animal carcasses. Caves could serve as dens, scavenging sites, traps, shelters or places where bones were washed and moved; the context of each bone has to be assessed rather than assumed.

New sedimentary ancient-DNA research at Castlepook has detected genetic traces of twelve taxa and links Irish hyaenas and mammoths with wider Eurasian populations. It is valuable corroboration for the cave's role as a faunal archive, but it is presently a preprint rather than a final peer-reviewed study. More securely, radiocarbon dating and zooarchaeological reappraisal have already shown why old museum collections remain important: specimens collected long before modern excavation standards can still answer new questions when directly dated or genetically sampled.

People: A Possibility Under Examination

The most consequential archaeological claim for this period concerns a reindeer femur from Castlepook. Microscopic examination identified marks interpreted by Ruth Carden as damage made by a sharp stone tool during butchery. The bone has been reported as dating to around 33,000 years ago, close enough to the broad chronological neighbourhood of 31,881 BCE to make it directly relevant. If the diagnosis and association are sustained, it would indicate that Upper Palaeolithic hunter-gatherers reached Ireland far earlier than the formerly accepted late-glacial evidence.

That conclusion must remain carefully qualified. No securely stratified stone-tool assemblage, hearth, dwelling, human bone or repeated occupation surface of this age has yet been recovered in Ireland. Castlepook's deposits were excavated in the early twentieth century and include material affected by disturbance, animal activity and complex cave processes. A marked bone can demonstrate an episode of carcass processing more readily than it can reveal the size, origin, language, beliefs or duration of a human group. It certainly cannot support a claim of a settled Irish population.

The prudent interpretation is modest but important: people may have made brief, mobile incursions into an intermittently accessible Ice Age Ireland, perhaps tracking game or exploiting a carcass, during a comparatively favourable window within MIS 3. The evidence does not yet tell us whether they camped nearby, crossed from Britain in a single expedition, returned seasonally, or left descendants. Future re-excavation, direct dating, microscopic replication and the discovery of tools in undisturbed context are needed.

No Kingdoms, No Diplomacy

Political affairs, diplomacy, organised warfare, formal religion, trade institutions and learning cannot responsibly be reconstructed for Ireland at this date. There are no texts, monuments, burials or settlement plans from which to infer them. If people were present, their social world would have been that of small, highly mobile Upper Palaeolithic foraging groups, as known more fully elsewhere in north-west Europe. This is a comparative possibility, not direct Irish evidence. Ireland offers no basis for naming a group, defining a territory, or assigning a political structure.

Likewise, economy can only be discussed at the level of subsistence opportunity. Open ground supported herbivores; freshwater basins concentrated plant and animal resources; caves accumulated bones; lower seas and fluctuating ice could facilitate or obstruct movement. There is no evidence for farming, permanent villages, metalwork, pottery, long-distance commercial exchange or constructed ritual monuments. The cultural achievement visible here is instead scientific: the ability of modern palaeoecology, geochronology, zooarchaeology and ancient DNA to recover a cautious history from material buried by later ice.


A Landscape Poised to Disappear

The central development appropriate to this date is not a battle, ruler or foundation, but environmental change. Around the broad span represented by 31,881 BCE, Ireland retained pockets of life and open landscape during an unstable cold phase. Fermanagh's buried lake beds record tundra plants and freshwater conditions; Castlepook preserves evidence of animals moving through a connected European fringe and a debated hint of human butchery. Over the ensuing millennia, expanding ice would erase, cover and fragment many such landscapes. What remains is necessarily partial, but it is enough to replace the old image of an entirely empty, featureless frozen island with a more dynamic and more compelling Ice Age Ireland.

Chapter 021 of 100

31880 BCE

North Cork's Single Incision



“31,880 BCE” is a modern label, not a date that anyone living in prehistoric Ireland could have recognised. At this depth of time, calendar-year precision is not available. The figure corresponds only nominally to about 33,830 calendar years before AD 1950, and the evidence for Ireland is dated in broad radiocarbon and calibrated ranges rather than to a particular year. The responsible question is therefore not what happened on the island in one named year, but what archaeology, palaeontology and glacial science can say about Ireland in the later part of Marine Isotope Stage 3, before the Last Glacial Maximum.

This was not yet the familiar island of later Irish history. Nor was it a settled country with rulers, territories, farms or monuments. Ireland lay at the north-western edge of Upper Palaeolithic Europe, in a world shaped by sharp climatic fluctuations, low sea levels and expanding ice. The most important evidence comes from caves, old museum collections, animal bones, sediments and the landforms left by ice. It offers a vivid but incomplete picture: a cold landscape used by large mammals and predators, with a contested possibility of very brief human activity.

A Date Beyond Annual History

Archaeologists employ several clocks for this period. Radiocarbon results are conventionally reported in years before present, where “present” means AD 1950; because atmospheric carbon has varied through time, those results must be calibrated against independently dated records. Even calibrated dates are ranges of probability, not single moments. Deposits may also have been disturbed by water, frost, scavengers, excavation and later collecting. A bone can date the death of an animal, but it does not necessarily date the formation of a whole cave layer or the arrival of every other object beside it.

That caution matters especially at Castlepook Cave near Doneraile in north County Cork. Its chambers were explored in the late nineteenth and early twentieth centuries, before modern excavation methods could record every find in its original position. The cave nevertheless preserves Ireland's richest known assemblage of vertebrate remains from the long interval approaching the Last Glacial Maximum. More than 2,000 bones recovered there represent a span of activity extending, on published radiocarbon evidence, from roughly 45,700 to 19,950 years before present. It is a repository assembled over many millennia, not a frozen snapshot of one season.

Castlepook's Animal World

The faunal record makes one conclusion secure: parts of Ireland supported substantial Ice Age animal communities before the glacial maximum. Castlepook has yielded woolly mammoth, giant deer, reindeer, brown bear and spotted hyena, while later cold-stage material includes Arctic fox, wolf, Norwegian lemming and collared lemming. Such animals did not all necessarily live together at precisely the same moment, and a cave assemblage is never a straightforward census of the surrounding countryside. Yet their presence demonstrates that, over this broad phase, habitats existed in southern Ireland capable of sustaining large herbivores, carnivores and small cold-adapted mammals.

Reindeer are especially appropriate to the notional horizon of 31,880 BCE. They point towards open, treeless or sparsely wooded country in which seasonal grazing could be productive. Mammoth and giant deer add to the impression of a varied Pleistocene landscape rather than a uniform, lifeless ice desert. Brown bears and spotted hyenas reveal a food web in which caves could be dens, temporary shelters, scavenging sites and traps for bone accumulations. Hyenas are particularly significant because their teeth, droppings, transport of carcass parts and disturbance of deposits can all help explain how bones entered a cave. Their presence is also a warning against assuming that every marked bone records people.

The vegetation cannot be reconstructed for every Irish district at this exact point. Nonetheless, the broader north-west European setting was one of cold, wind-exposed environments, with grasses, sedges, herbs, mosses and low shrubs providing patches of forage. Local topography, shelter, drainage and distance from ice would have created contrasts between exposed uplands, valley floors, limestone country and coastal plains. Much land now beneath the Atlantic and Irish Sea was dry or shallower than today because global sea level was lower, but this did not automatically provide a simple walkable route into Ireland. The changing geometry of sea, ice and land was complex, and later palaeogeographic research has challenged older, uncomplicated ideas of a lasting Irish land bridge.

Ice Was Advancing, Not Yet at Its Peak

In the long view, 31,880 BCE belonged to the approach towards the Last Glacial Maximum, not to its fullest expression. The maximum is generally placed at about 26,500–19,000 calibrated years before present, although different sectors of the British–Irish Ice Sheet advanced and reached their greatest extent at different times. Recent reconstructions describe a dynamic ice sheet whose margins and flow patterns altered markedly between about 31,000 and 15,000 years ago. At the article's horizon, therefore, it would be misleading to imagine a single, stable ice front or to state that every part of Ireland was buried beneath ice.

The safest interpretation is regional and conditional. Ice was becoming an increasingly powerful force in Ireland's environment; it would later scour bedrock, redirect drainage, deposit till and create many of the drumlins, moraines and meltwater features that shape the modern landscape. But the pre-maximum

cave fauna shows that at least some southern areas had earlier supported animals in ice-age habitats. Exactly how much ground was ice-free at any one moment around 33,830 calendar years before present remains uncertain. The record is far better at showing long phases of environmental change than drawing a precise map for one imagined year.

The Reindeer Femur Question

Castlepook also raises the most provocative question about this period: were people present? A reindeer femur from the old cave collection has been reported as bearing marks consistent with butchery by a sharp stone tool and as dating to about 33,000 BCE in public accounts. If the marks are confirmed as anthropogenic and the date accurately represents the specimen, the find would indicate a human visit to Ireland during the Upper Palaeolithic, more than 20,000 years before the long-established evidence for post-glacial settlement.

It is an important possibility, but not a licence for invention. The National Museum of Ireland continues to state that clear evidence for Palaeolithic human presence in Ireland has not yet emerged. No securely associated stone-tool assemblage, hearth, dwelling, burial, artwork or repeatedly occupied surface has been published from Castlepook for this early horizon. The relevant bone came from historically excavated material with limited contextual information, while caves are environments in which carnivore damage, trampling, sediment movement, excavation damage and later handling must be excluded before a cut mark can be accepted. Improved accelerator mass spectrometry and bone pretreatment have also led scholars to revisit older Irish cave chronologies.

The evidence can therefore support only a modest proposition. Small, mobile hunter-gatherer groups may have reached, passed through or briefly exploited parts of Ireland during a favourable interval before the glacial maximum. A cut-marked reindeer bone, if ultimately accepted, would imply carcass processing: perhaps the dismembering of a hunted animal, perhaps the recovery of meat from an animal killed by another cause. It would not demonstrate a permanent population, a village, a named culture, a language or uninterrupted descent into later Irish communities. The people themselves, their number, their route and the length of any visit remain unknown.

Society Without Institutions

For that reason, conventional headings such as politics, diplomacy and religion must be handled honestly. There is no evidence for chiefs, kingdoms, warfare between communities, treaties, formal trade or cult places in Ireland at this date. Nor can archaeology identify household organisation, marriage rules, language or beliefs from a single possible butchery trace. The wider European Upper Palaeolithic demonstrates that *Homo sapiens* possessed sophisticated technologies, social networks, symbolic practices and ways of managing fire, hides and stone tools. But those wider comparisons are context, not proof that the same practices occurred in Ireland.

Likewise, no Irish economy can be described beyond the ecological opportunities suggested by the bones. Reindeer, mammoth and other large animals would have supplied meat, fat, hides, sinew and bone to any hunters able to obtain them. Yet there is no direct evidence here for routine hunting territories, exchange routes, storage, fishing or seasonal camps. The cave's principal historical value is not that it supplies a fully formed Palaeolithic society, but that it keeps open the question of whether Ireland was intermittently visited at all during this earlier phase.

An Archive of Absence and Possibility


The lasting significance of Ireland around 31,880 BCE lies in that combination of environmental richness and human uncertainty. North Cork's caves preserve proof that a formidable animal world existed before the greatest expansion of the last ice sheet. They also preserve one disputed incision on reindeer bone that may eventually alter the starting point of Irish human history. Future work in undisturbed cave deposits, alongside microscopic analysis, direct dating, palaeogenetics and better reconstructions of ancient coasts and ice margins, may clarify the case.

For now, the honest account is more compelling than a fabricated annual chronicle. Ireland was a cold, changing north-western landscape, inhabited at different times by reindeer, mammoth, bears, hyenas and other Ice Age animals. It was entering a period in which ice would transform much of its surface. Whether a small group of Upper Palaeolithic people briefly stood in that landscape remains a live archaeological question, not an established chapter of continuous settlement.

Chapter 022 of 100

31879 BCE

Derryvree's Buried Fen



The label 31,879 BCE is a modern way of marking a point about 33,828 years before the 1950 reference point used in 'BP' dating. It must not be mistaken for a year that anyone then living could have named, nor for a moment archaeology can isolate to twelve months. For Ireland, the responsible scale is the Late Pleistocene's Marine Isotope Stage 3 (MIS 3), a long and climatically volatile interval of the last Ice Age. The closest useful evidence is expressed in calibrated ranges of centuries or millennia. This particular nominal year falls within the calibrated span of an exceptional deposit at Derryvree, County Fermanagh: c. 36.9–31.7 thousand calendar years BP.

A Fen Beneath Later Ice

Derryvree was revealed in a road cutting near Maguiresbridge in 1969. Beneath the material that forms a drumlin lay freshwater silts and fine sands, rich enough in organic matter to preserve traces of plants and small animals. Above and below were tills: dense deposits made or reworked by glaciers. The sequence is therefore an unusually direct piece of evidence that, before a later advance of the Irish Ice Sheet, this part of Fermanagh contained open ground and freshwater rather than permanent ice.

The original radiocarbon measurement on the Derryvree organic deposit was 30,500 radiocarbon years BP, with a substantial uncertainty. When calibrated, it has been presented as approximately 36.9–31.7 cal ka BP. The target year belongs inside that range, but this does *not* date the whole fen precisely to 31,879 BCE. It establishes that the deposit belongs to a cold-stage interval overlapping that broad period. Radiocarbon years and calendar years are not interchangeable: atmospheric carbon-14 varied through time, so scientific calibration curves are needed, and the resulting calendar ranges remain wide at this antiquity.

That distinction matters. Derrynree provides evidence for an environment, not a diary of an event. It cannot tell us who stood on a particular shore, whether a herd passed on a particular day, or whether people were present. Yet it offers something more valuable than a forced annual narrative: a securely relevant glimpse of northern Irish ground conditions before the much fuller glacial expansion of the Last Glacial Maximum.

Open Ground, Cold Water

The plants and invertebrates recovered from Derrynree indicate an open, treeless tundra landscape under periglacial conditions. Pollen was poorly preserved, but it was overwhelmingly herbaceous; moss macrofossils were especially important. A few grains attributed to trees such as pine and hazel are not evidence for local woodland. They may have travelled long distances, been redeposited, or otherwise entered the deposit after the plants themselves had disappeared. The cautious conclusion is stark: this was a country of low vegetation, exposed soils, wet hollows and cold freshwater, not the wooded island familiar today.

‘Tundra’ should not conjure a uniform white wilderness. The Irish climate was unstable on both long and short timescales. Mossy wetland, sedges, herbs and sparse dwarf-shrub communities could occupy protected or damp ground, while wind and frost acted strongly on more exposed slopes. Seasonal thaw fed pools and shallow lakes; winter freezing, snow cover and permafrost-like ground processes shaped the terrain. Crag Cave in south-west Ireland preserves speleothems whose interrupted growth records repeated MIS 3 climatic shifts, reinforcing the wider picture of sharp alternations between relatively milder interstadials and harsher stadials.

The island’s outlines were also unlike modern ones. Global sea level was lower during the Ice Age, exposing areas of continental shelf. But it would be unsafe to draw a simple land bridge between Ireland and Britain for this particular interval. Changing ice margins, rivers, marine channels and local topography determined possible routes; no evidence shows a settled corridor or a regular human crossing at 31,879 BCE. Ireland was part of a wider north-west European environmental zone, but its exact accessibility changed through time.

Animals in the Southern Caves

Irish caves supply a complementary, if geographically distant and often more difficult, record. Castlepook Cave near Doneraile in north Cork has produced an extraordinary Late Pleistocene assemblage: woolly mammoth, reindeer, giant deer, brown bear, spotted hyaena, wolf, foxes, hares and lemmings among the identified fauna. Revised radiocarbon work places the MIS 3 animal material from southern Irish caves within a broad interval roughly between 54.9 and 23.3 thousand years ago. That span comfortably includes the date under discussion, but it does not prove that every listed species lived together at one instant or in one local habitat.

The assemblage nevertheless makes the Irish landscape intelligible. Reindeer and mammoth imply cold-adapted grazing country; lemmings and Arctic fox point in the same direction. Spotted hyaena is an equally important corrective to sentimental pictures of Ice-Age nature. Caves could be carnivore dens and bone accumulators, not merely shelters. Tooth marks, breakage, scavenging and water movement complicate the journey from living animal to museum specimen. A bone in a cave may testify to a predator’s behaviour rather than a human hunt, and may have been carried there from elsewhere.

In Fermanagh, Derryvree's pollen, mosses and freshwater fauna cannot be matched species-for-species with Castlepook's cave bones. The sites are far apart and their individual dates are ranges, not snapshots. Their value lies in convergence: both indicate that parts of Ireland supported cold-stage terrestrial ecosystems during MIS 3, well before the ice sheet reached its later maximum extent.

The Human Question

The most provocative evidence is a reindeer femur from Castlepook, excavated in the early twentieth century and held in the National Museum of Ireland. Ruth Carden's examination identified a deep incision interpreted as a cut made by a sharp stone tool during butchery. County Cork heritage publications associate the bone with about 31,000 BC. If that interpretation is confirmed, it would indicate that a person used a stone edge on a reindeer carcass in Ireland during MIS 3—far earlier than the island's previously accepted late-glacial evidence for people.

It is an important possibility, not a licence for certainty. No associated stone tool, hearth, dwelling floor, human bone or securely excavated camp of this age has yet been found in Ireland. Castlepook was explored long before modern excavation standards, and the cave's deposits have been disturbed by carnivores, sediment movement and earlier digging. The cut-mark claim is best treated as evidence for a possible act of carcass processing, not proof of a permanent population, a named archaeological culture or a 'first settlement' in the modern sense.

If people did visit, the most defensible interpretation is of small, highly mobile hunter-gatherer parties entering a demanding landscape intermittently. Reindeer offered meat, fat, marrow, hide, sinew and bone; a single processed limb could reflect the selective transport of useful portions rather than a kill beside the cave. This remains inference from a limited record. It should not be expanded into confident claims about population numbers, campsites, hunting weapons or seasonal routines in Ireland itself.

No Kingdoms, No Trade Network

Political affairs, diplomacy and organised warfare are beyond the evidence. There were no Irish kingdoms, borders, chiefs or institutions that can be recovered from Derryvree's silts or Castlepook's bones. Nor can archaeology at this date demonstrate religion, formal learning, visual art, language or burial custom in Ireland. The absence of evidence does not establish that Ice-Age visitors had no beliefs, knowledge or social rules; it means that none can responsibly be described as Irish historical fact.

The same restraint applies to economy and trade. A cut-marked reindeer bone, if humanly modified, indicates practical use of animal resources. It does not demonstrate exchange routes, domestication, herding or commerce. Reindeer were wild; farming lay tens of millennia in the future. People elsewhere in Europe made sophisticated stone and organic technologies and maintained social connections across wide territories, but direct evidence is needed before those patterns can be projected onto Ireland.

Before the Ice Peak

The larger regional change was climatic. Derryvree and comparable pre-Last Glacial Maximum evidence show that Ireland was not simply sealed beneath ice throughout the last glacial cycle. At around this point in MIS 3, some areas were ice-free, though cold and environmentally severe; modelling and

geological evidence suggest glaciers and ice caps were developing in upland and north-western sectors. The British–Irish Ice Sheet would later expand dramatically, reaching its greatest overall volume around 23 ka BP and transforming both land and sea.

Thus the historical reality of 31,879 BCE is not an event but a threshold. In the north, a buried fen preserves mosses and freshwater sediments from exposed tundra. In the south, cave deposits preserve an animal world of reindeer, hyaenas and mammoths, alongside a debated hint of human butchery. Together they show an Ireland intermittently habitable for cold-adapted wildlife, perhaps occasionally entered by people, but still far from continuous human settlement. The record is fragmentary, its dates broad and its interpretations open to revision; that honesty is central to the story.

Chapter 023 of 100

31878 BCE

The Awbeg Faunal Window



31,878 BCE is a modern calendar label, not a year that can be isolated in the Irish archaeological record. It falls roughly 33,828 years before AD 1950, within Marine Isotope Stage 3 (MIS 3), a long, cold and climatically unstable part of the Last Glacial Period. Neither written records nor archaeological deposits permit a narrative of events in one particular year. The responsible approach is to use evidence dated across calibrated ranges and to ask what it can reveal about Ireland at approximately this depth of time.

The nearest especially valuable Irish evidence comes from Derryvree, near Maguiresbridge in County Fermanagh, and from Castlepook Cave near Doneraile in County Cork. Their evidence is very different: Derryvree preserves an ancient freshwater environment beneath later glacial deposits; Castlepook produced a remarkable assemblage of animal bones from a limestone cave. Together they illuminate a country that was not yet wholly overwhelmed by the last great ice-sheet advance, but was already an exacting, treeless and changeable northern landscape.

A Date Within Ranges

Radiocarbon years are not calendar years. The quantity of carbon-14 in the atmosphere has varied through time, so a laboratory measurement must be calibrated against an internationally maintained curve. At about 34,000 years ago, the conversion may produce broad intervals rather than a precise answer, and the dated material itself may represent only one moment within a longer-lived deposit. A nominal date such as 31,878 BCE must therefore not be treated as the anniversary of a hunt, a migration or a climatic episode.

Derryvree provides the closest dated environmental framework. Road works in 1969 cut through a drumlin and exposed freshwater silts and fine sands sealed between two separate tills: layers left by ice at different times. Organic material within the freshwater deposit returned a conventional radiocarbon age of 30,500 years BP, with an uncertainty of more than a thousand years. A published calibrated range places it at roughly 36,900–31,700 calendar years BP. The modern year in question lies within that wide range, but it cannot be pinned to a particular layer, season or generation.

That stratigraphic position matters as much as the measurement. The organic sediments accumulated after an earlier glaciation and before a later ice advance. They demonstrate that this part of north-central Ireland was ice-free during an interval of the Midlandian glaciation, the Irish name for the last glacial cycle. Comparable lacustrine organic deposits at Greenagho, near Belcoo in County Fermanagh, have an older radiocarbon determination calibrated to about 37,200–35,700 years BP. Taken together, such sites show that the spread of the last Irish ice sheet was neither simple nor instantaneous.

Open Ground and Sedge Water

Derryvree does not give us a landscape photograph, but its pollen, plant remains, mosses and insects offer unusually direct testimony. The deposit has been interpreted as a treeless muskeg or wet tundra: waterlogged ground with shallow pools, abundant mosses and decaying plant matter, set within open vegetation. Grasses, sedges, juniper and herbs point away from woodland and towards a sparse, low-growing flora capable of enduring short summers, hard winters and exposed conditions.

This was not an empty white wilderness. Open tundra can support varied plant communities, insects and grazing animals, especially in sheltered hollows and beside freshwater. But productivity would have been seasonal and uneven. Permafrost or intensely frozen ground, wind, fluctuating snow cover and brief growing seasons shaped the opportunities available to every living thing. The evidence supports a periglacial climate—one dominated by freezing and thawing near an ice-sheet world—not a claim that every part of Ireland looked identical. County Fermanagh is a powerful local archive, not a complete map of the island.

Regional contrast is essential. The island's relief, western maritime exposure, rivers, caves and lowlands could create different conditions over relatively short distances. Offshore evidence and later geomorphological reconstruction indicate that much of the major expansion of the British–Irish Ice Sheet occurred after this broad interval. By its maximum extent, approximately 27,000–23,000 calendar years BP, ice covered Ireland and reached far onto the continental shelf. Around the Derryvree interval, however, the geological record still preserves windows onto exposed land and freshwater habitats before that maximum.

The Awbeg Cave Record

Castlepook Cave, in the Awbeg Valley of north County Cork, is the principal faunal counterpart to Derryvree. Excavated mainly in the early twentieth century by Richard J. Ussher, it yielded a large but now much reduced collection of bones. Identified animals include reindeer, woolly mammoth, giant deer, brown bear, wolf, arctic fox, wild horse, lemmings and spotted hyaena. No one of these animals should be imagined as necessarily living together on a single day. Cave assemblages can accumulate through repeated visits by animals, carnivore activity, water movement and changes at the cave entrance over long periods.

Even so, the collection establishes an important fact: parts of Ireland supported a characteristic late Pleistocene fauna before the Last Glacial Maximum. Reindeer suit open, cold country and are especially compatible with the tundra conditions suggested by Derryvree. Mammoth, horse and giant deer imply substantial grazing landscapes at some points within the wider sequence. Hyaenas and wolves were competitors and scavengers as well as predators. A cave can preserve their remains not because it was a human dwelling, but because it functioned intermittently as a den, trap, shelter or place where bones were carried and reworked.

Recent redating has made the Castlepook archive more significant and more complicated. Improved pretreatment of bone samples has produced dates substantially older than some earlier results, with implications for the timing of Irish MIS 3 fauna and for when species such as spotted hyaena and giant deer may have disappeared locally before the ice maximum. This is a reminder that scientific dating is cumulative rather than final: a date is evidence produced by a method and sample, not an unchallengeable label attached to a whole site.

People: A Possibility, Not a Population

The most arresting question is whether Upper Palaeolithic people reached Ireland in this period. A reindeer bone from the Castlepook collections has been reported as bearing modifications consistent with butchery, and researchers have identified other potentially modified bones from different phases of the last glacial cycle. If those marks prove to be human-made and contemporary with the animals' deaths, they would be exceptionally early evidence for hominin activity on the island.

That conditional language is indispensable. Castlepook was excavated before modern standards of recording and much original sediment was removed. The bone collection is not a securely excavated camp assemblage. No stone-tool industry, hearth, dwelling surface, burial, human skeleton, artwork or coherent scatter of food refuse has yet demonstrated a resident community in Ireland at approximately 31,878 BCE. Excavation undertaken in 2022 located surviving cave sediments, but did not establish an in-situ Palaeolithic occupation horizon. The question remains open, not settled.

It follows that political affairs, diplomacy, named leaders, territorial boundaries and organised warfare cannot responsibly be written for this year. Nor can religion be reconstructed as a system of beliefs, or culture and learning as traditions traceable to a particular Irish group. The animal record may suggest that people could have found prey and raw materials if they reached Ireland; it does not show how many came, whether they stayed, what language they used, or whether they returned. A single modified bone, even if confirmed, would document an encounter rather than a society.

Movement, Coast and Economy

At lower global sea levels, the outlines of surrounding coasts differed from those of today, but this does not automatically mean that Ireland had an easy land connection to Britain or continental Europe. Relative sea level around Ireland was shaped not only by global ice volume but also by the loading and flexure of the Earth's crust beneath nearby ice sheets. The geography is still modelled with uncertainty. Any human arrival in this interval may have involved changing coastal routes, short water crossings or landscapes now submerged; none can presently be demonstrated for Ireland.

There is equally no evidence for farming, herding, permanent villages, long-distance trade networks or monuments. If hunters visited, their economy would have depended on mobile foraging: reading animal movements, finding freshwater, securing fuel and shelter, and making portable tools from stone,

bone or wood. That is an informed comparison with contemporary Upper Palaeolithic lifeways elsewhere in Europe, not a direct description of an Irish camp. Ireland's evidence presently cannot distinguish a brief foray from repeated seasonal visits, still less permanent occupation.

What This Horizon Means


The central development around this remote horizon was environmental, not political: Ireland stood in a precarious interval before the last ice sheet reached its greatest extent. Derryvree's wet tundra and Castlepook's fauna show that portions of the island retained ice-free habitats, freshwater and animal life during MIS 3. They also show why later glaciation has made the human story so difficult to recover. Ice eroded older surfaces, redeposited material and buried rare organic deposits beneath till; rising seas later removed or concealed parts of former coastal landscapes.

For 31,878 BCE, then, the best Irish history is necessarily cautious. Evidence supports an open, cold, largely treeless environment in Fermanagh, and a wider Ice Age animal world documented dramatically in Cork. It permits the possibility of human contact with that world, especially through the contested Castlepook bone modifications. It does not permit a named settlement, a people, a battle or an exact event. The value of this year lies precisely in that restraint: it marks a narrow archaeological window onto Ireland before the ice-sheet maximum closed much of the landscape again.

Chapter 024 of 100

31877 BCE

Awbeg Valley Reindeer



The label “31,877 BCE” is a modern way of placing a very remote point in time, not a year that can be recovered from Irish archaeology. No calendar, written record or excavated sequence can isolate events in Ireland to that single year. In calibrated terms, it indicates roughly 33,800 calendar years before present, within the later part of the Pleistocene and broadly within Marine Isotope Stage 3. Dates at this depth carry ranges and depend on laboratory methods and calibration curves. The responsible subject, therefore, is not an imagined Irish year but the changing Ice Age world that can be glimpsed around this broad interval.

A Landscape Before the Ice Maximum

This was long before the Last Glacial Maximum, the coldest and most extensive phase of the last glaciation in Ireland. Recent reconstructions of the British–Irish Ice Sheet indicate major growth from about 31,000 calibrated years before present, with different sectors advancing at different times; the ice sheet’s greatest volume came much later, around 23,000 years ago. Around the notional date represented by 31,877 BCE, Ireland should not be pictured simply as a single white mass of permanent ice. Conditions, ice margins and habitable ground varied sharply by region and through time.

Even so, this was an austere northern landscape. Temperatures were generally low, winters severe and vegetation unlike the wooded island familiar today. The best direct Irish environmental evidence comes from deposits that bracket broad intervals rather than a precise year. At Derryvree near Maguiresbridge in County Fermanagh, freshwater silts and sands were preserved between two tills: deposits of an ice-influenced landscape. Their fossil pollen, mosses, insects and other remains indicate open, treeless tundra or muskeg, with wet pools, sedges, grasses, herbs and moss-rich ground under periglacial conditions. A

radiocarbon determination from the deposit, $30,500 \pm$ roughly 1,100 radiocarbon years BP, is not a date for one moment and must not be converted into a claim about 31,877 BCE. It nevertheless provides an important regional picture of cold-stage Ireland during the wider Middle Midlandian period.

Such evidence also corrects a tempting misconception. “Ice Age” did not mean an unchanging frozen wilderness. Northern Atlantic climates fluctuated markedly over centuries and millennia. Open ground could support plants, insects and grazing animals; wetlands and sheltered valleys could differ greatly from exposed uplands. Yet the very processes that shaped this terrain—glacial advance, freeze-thaw, running water and later erosion—also destroyed or buried much of the evidence that archaeologists would most like to find.

The Cave Archive at Castlepook

The most important Irish evidence for this broad period lies far to the south, at Castlepook Cave near Doneraile in north County Cork, above the Awbeg valley. The cave is Ireland’s richest known archive for Pleistocene vertebrate remains. Antiquarian excavators removed very large quantities of bone from its chambers in the early twentieth century, and later work has re-examined surviving collections with radiocarbon dating and zooarchaeology. The resulting record shows that animals occupied, visited or were carried into the cave over a long span of time before and near the Last Glacial Maximum.

The Castlepook assemblage includes mammoth, reindeer, giant deer, wolf, brown bear, spotted hyaena, foxes, hare and lemmings. It is an extraordinary list, but it must not be treated as a census taken on a single day or in a single season. Caves are time-averaging traps and dens. Carnivores drag in prey; animals die in shelter; bones are gnawed, moved and mixed; water and excavation disturb their contexts. Different specimens have different ages. The fauna demonstrates that parts of Ireland could sustain, or at least be reached by, large herbivores and predators during favourable phases. It does not prove that every listed species shared the Awbeg valley at precisely 31,877 BCE.

Reindeer are especially evocative because they fit the open, cold-adapted environments suggested at Derrynree. Their presence points towards forage such as grasses, sedges, herbs, lichens and low vegetation rather than dense forest. Mammoth and giant deer add weight to the picture of substantial grazing animals in parts of pre-maximum-glacial Ireland, while hyaena, wolves and bears indicate a food web with predators, scavengers and competition for carcasses and cave shelter. But ecology is not politics: these bones reveal animal communities and changing habitats, not a humanly organised landscape.

A Possible Human Trace

Castlepook has also become central to a more difficult question: whether people reached Ireland during this earlier phase of the Upper Palaeolithic. A reindeer femur from the historic collection has been reported as bearing marks consistent with cutting by a sharp stone tool. It was publicised after radiocarbon dating placed the animal at about 33,000 years ago, broadly close to the timescale represented by this article. If the mark is confirmed as human-made and contemporary with the animal’s death, it would be evidence that people processed a reindeer in Ireland far earlier than had once been accepted.

That conditional wording is essential. The bone did not come from a newly excavated, sealed occupation surface with an associated hearth, stone-tool assemblage or dwelling. Castlepook’s old collections and disturbed deposits make the original context difficult to reconstruct. Cut marks have to be distinguished from carnivore damage, trampling, breakage, excavation damage and other alterations.

Continuing cave survey, excavation, dating and microscopic study may strengthen, refine or challenge the interpretation. At present, the specimen is a significant possible sign of human activity, not proof of a permanent colony.

No securely identified Irish settlement, burial, built shelter, hearth, art panel or diagnostic stone-tool industry has been published for this date. Nor can any inhabitants, if present, be given a personal name, language, tribe or ethnic identity. It would be anachronistic to call them “Irish” in the later cultural sense. The most that can responsibly be inferred is that a small and mobile Upper Palaeolithic hunting party may have entered or passed through part of the island during a period when game was available. Their stay could have been brief; their route, numbers and relationship to groups in Britain or continental Europe remain unknown.

Everyday Life: Evidence and Inference

If people did butcher reindeer at Castlepook, the act implies practical knowledge: how to dismember a carcass and how to use sharp-edged tools. Meat, fat, marrow, hide, sinew and bone would all have been valuable resources in cold country. Comparable hunter-gatherers elsewhere in Upper Palaeolithic Europe depended on co-operation, portable equipment, warm clothing and temporary shelter. Those are sensible human necessities, but they are not excavated Irish possessions. The distinction matters. Ireland has no evidence from this interval for tents, garments, lamps, carved objects or communal camps, and comparison with better-preserved European sites cannot fill that gap.

The same restraint applies to travel and exchange. Global sea level was much lower than today because water was locked in ice sheets, and the outlines of the Irish Sea, Atlantic shelf and coastal plains differed greatly from modern maps. Yet low sea level does not automatically mean a simple dry-land bridge to Ireland. Ice cover, local relative sea level, channels, islands and shifting shorelines complicate every proposed route. The available evidence does not establish whether any hypothetical visitors crossed water, moved via temporary land connections, travelled over ice-influenced terrain, or reached Ireland by another sequence of journeys.

What Cannot Be Written

There is no evidence for political authority, diplomacy, organised warfare, law, chiefs, territories or named communities in Ireland at this date. Equally, there is no Irish evidence for farming, herding, fixed villages, trade networks, formal religion, monuments, literacy or teaching institutions. Later prehistoric Ireland supplies abundant evidence for many of these subjects, but it lies tens of millennia in the future. To project them back into the Awbeg valley would turn a sparse Pleistocene record into fiction.

Religion and culture are particularly resistant to recovery. Upper Palaeolithic people elsewhere made art, ornaments and carefully fashioned tools, but no corresponding Irish material can presently be assigned to around 31,877 BCE. A cave is not automatically a sanctuary, and an animal bone is not automatically a ritual object. Castlepook’s significance is more fundamental: it preserves a fragmentary biological and environmental archive from an Ireland whose landscapes, coastlines and animal inhabitants were profoundly different from those of later human history.


Thus the most important development around this notional date is neither a battle nor a royal accession. It is the existence of a cold, open and ecologically varied Irish landscape before the greatest advance of the last ice sheet, documented by deposits in Fermanagh and by cave fauna in Cork. Alongside

it stands a challenging possibility: that one marked reindeer bone may eventually show that small human groups reached this far-western environment. For now, the evidence supports a cautious conclusion—Ice Age Ireland was not empty of life, but the story of people within it remains tantalisingly incomplete.

Chapter 025 of 100

31876 BCE

The Castlepook Reindeer Question



The date conventionally written as 31,876 BCE creates an impression of precision that the evidence cannot sustain. No Irish event can be assigned to this individual calendar year, and no contemporary people left a written record, named place, monument, or securely dated settlement horizon. In archaeological terms, it falls roughly 33,825 calibrated years before present, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3). Such conversions are useful orientation points, not anniversaries. Radiocarbon measurements come with statistical uncertainty and are converted to calendar ranges through calibration; deposits may also contain material accumulated across generations or millennia. The responsible history of Ireland at this point is therefore a history of changing ice, water, animals and landscapes, with only a cautious question mark over human presence.

A Landscape Before the Ice Peak

Ireland had not yet reached the Last Glacial Maximum, the later phase when a greatly enlarged British–Irish Ice Sheet covered much of the island and reshaped its terrain. The best current reconstructions describe the ice sheet as building between about 31,000 and 26,000 years ago, before its maximum extent and volume in the following millennia. Around the period represented by 31,876 BCE, conditions were cold and unstable, but the available evidence indicates that at least some areas of Ireland remained ice-free. This was not a green, familiar island waiting to be settled. It was a high-latitude landscape repeatedly affected by severe climatic shifts, frost action, sparse vegetation and the approach of expanding ice.

The island's later physical appearance was already being prepared by that process. Glaciers and ice sheets would scour rock, deepen basins, redistribute sediment and leave drumlin fields, eskers and moraines that still structure Irish geography. Yet it is important not to project the maximum glacial ice cover backwards into this earlier moment. The chronology of ice-sheet growth is uneven from region to region, and evidence from beneath later tills shows that parts of the country retained lakes, wetlands and animal habitat before the final advance.

Sea level was much lower than today because vast quantities of water were held in northern ice sheets. The outlines of coasts and shallow seas were consequently different, with wider exposed shelves around Ireland. That does not entitle us to picture a certain, continuous land bridge to Britain or continental Europe at this date. Routes across the Irish Sea changed with sea level, local topography and ice conditions, and remain a subject for reconstruction rather than certainty. The presence of large mammals proves that Ireland was ecologically accessible at intervals; it does not, by itself, reveal exactly how every species arrived, nor demonstrate an easy route for people.

Derryvree and Greenagho

The most direct environmental windows onto this broad period lie not in excavated camps but in buried sediments. At Derryvree near Maguiresbridge in County Fermanagh, organic-rich freshwater silts were found between deposits of glacial till. Their radiocarbon age has been calibrated to approximately 36,900–31,700 years before present. The range spans the notional year considered here. It demonstrates that, before a later ice advance buried the sequence, freshwater conditions and organic accumulation existed in north-central Ireland.

The Derryvree deposits do not provide a photograph of one year. Rather, they preserve a sequence of environmental signals: sediments, plant material and biological remains from a wetland or shallow-water setting. Their significance is geographical as well as climatic. A lake or marsh cannot form beneath an overriding ice sheet, so the deposits show that this part of Fermanagh was ice-free during the period represented by their formation. Insect evidence from the broader Derryvree sequence has been interpreted as consistent with open pools and muskeg-like wet ground, rather than a closed forest landscape.

Greenagho, also in County Fermanagh, supplies a neighbouring but somewhat earlier bracket. Organic material from a lacustrine deposit beneath till has produced a calibrated range of about 37,200–35,700 years before present. It belongs near the opening part of the environmental world relevant to 31,876 BCE, rather than precisely to the notional year itself. Together, Greenagho and Derryvree support a careful conclusion: northern Ireland included ice-free freshwater environments during portions of MIS 3, before later glaciation covered and preserved them. They do not establish that conditions were uniform across the island, or that every locality was habitable for animals throughout the interval.

Open Ground and Mobile Fauna

Southern Irish caves provide another archive, chiefly of animals. Castlepook Cave, near Doneraile in north County Cork and also known as Mammoth Cave or Doneraile Cave, is the richest known Irish locality for vertebrate remains from the long period before and around the Last Glacial Maximum. Antiquarian excavations recovered an enormous collection, but they also disturbed parts of the deposit. Later water movement, animal activity and the mixing of material from different layers add further complications. Castlepook is immensely important, but it is not a neatly sealed snapshot of a single season.

Its Ice Age fauna includes woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena, as well as foxes, hares and lemmings in deposits of different ages. These animals indicate a landscape very unlike modern Ireland. Reindeer and lemmings point towards cold, open habitats; mammoth and giant deer evoke a mosaic of grass-rich ground, herbs, sedges and scattered shrub cover often compared with the mammoth-steppe environments of northern Eurasia. Brown bears and hyaenas remind us that caves could be occupied, scavenged or used as dens by carnivores, not merely visited by herbivores or humans.

That faunal list should not be converted into an overconfident scene in which every species stands together at one Irish watering place in 31,876 BCE. Direct radiocarbon redating has shown that some older cave dates needed revision, while the fauna itself represents more than one episode of deposition. The reasonable inference is that cold-stage animal communities repeatedly used or reached parts of Ireland during MIS 3. It is less secure to specify the size of herds, the precise extent of woodland, or the exact season in which any particular animal entered Castlepook Cave.

There was no agricultural countryside. No crops, domestic livestock, field boundaries, villages, roads, metalwork or pottery belong to this world. The fundamental economy visible in the environmental evidence was ecological: grazing, browsing, predation, scavenging and seasonal movement through a demanding landscape. Reindeer may have travelled in groups, as their modern relatives commonly do, but the Irish bones cannot on their own reconstruct migrations. Mammoth, deer and smaller mammals would have been governed by vegetation, snow cover, water and predators. For any humans who may have entered Ireland, these animals would have represented potential food, raw material and danger rather than objects of organised farming or trade.

The Reindeer Bone and Its Limits

The most provocative possible human clue is a reindeer femur from Castlepook. It has been reported as bearing an incision consistent with cutting by a sharp stone tool, and a direct date of roughly 33,000 years ago has been associated with it. If the mark is confirmed as anthropogenic, it would push evidence for human activity in Ireland far back into MIS 3, long before the better-established Late Upper Palaeolithic evidence from County Clare around 12,800–12,600 calibrated years before present.

But this is a question, not a licence to invent an Irish population. The object is not a hearth with stone tools in their original positions, a house floor, a cemetery, or a stratified hunting camp. A date on a bone dates the animal's death within a measured range; it does not date a named hunter, prove that the animal was killed where it was found, or show how many people were present. Cave bones can also be marked by carnivore teeth, trampling, sediment abrasion, excavation damage and other processes. Specialists therefore distinguish a cut mark that is plausible or suggestive from an interpretation settled beyond dispute.

At most, the reindeer femur permits a restrained possibility: a brief episode of human handling or butchery may have occurred in Ireland during the wider MIS 3 period. If so, the people concerned were almost certainly mobile hunter-gatherers, part of the Upper Palaeolithic populations known elsewhere in north-west Europe. Their visit might have been short, seasonal or exceptional. It cannot responsibly be expanded into a permanent settlement, a tribe with a known territory, or a continuous ancestry leading to later Irish communities. There are no identifiable political affairs, leaders, alliances, wars or diplomatic exchanges for Ireland at this depth of time.

Society Beyond Recovery

The same limits apply to religion, culture and learning. Humans elsewhere in Upper Palaeolithic Europe made sophisticated stone and bone tools, ornaments, images and ritualised deposits. Those broader comparisons show what was possible among contemporary hunter-gatherers; they are not evidence that people in Ireland made cave art, wore particular ornaments or followed a particular belief at this date. No securely attributable Irish art, burial, ceremonial site or symbolic object is known from around 31,876 BCE.

Nor can archaeology yet identify an Irish language, ethnic name, kin group or political community. Modern Ireland is used here as a geographical frame, not as a nation that existed in the Pleistocene. The most meaningful regional distinction is between places that preserve different kinds of evidence: Fermanagh's buried freshwater deposits record environments later sealed by ice, while Cork's caves preserve fragments of an animal world and a disputed trace of possible human action. Much of the island's contemporary surface record was subsequently eroded, buried or rearranged by glaciation, which helps explain why the evidence is so fragmentary.

What This Date Can Mean


For Ireland, 31,876 BCE should be understood not as a year of recorded happenings but as a point within a changing Late Pleistocene interval. The strongest evidence concerns environment: ice-free patches existed in at least parts of the island; freshwater wetlands formed in Fermanagh; and cold-adapted mammals, including reindeer and mammoth, were present in southern cave records during the wider pre-maximum period. The most dramatic human claim is the possible stone-tool modification of the Castlepook reindeer bone, but it remains too limited to demonstrate a settled population.

That uncertainty is not a failure of history. It is the history. Ireland at this time was shaped by climatic volatility, exposed ground and the impending expansion of ice. Its archive survives in silts beneath tills and bones in limestone caves, not in annals. Future excavation of undisturbed Castlepook deposits, improved radiocarbon pretreatment, ancient DNA, sediment analysis and refined ice-sheet modelling may alter the picture. For now, the evidence supports an Ireland inhabited certainly by Ice Age fauna, potentially visited by people, and on the threshold of the glacial transformation that would erase or conceal so much of what came before.

Chapter 026 of 100

31875 BCE

A Femur in North Cork



The number 31,875 BCE gives an impression of precision that the evidence cannot sustain. No document, settlement layer or dated event allows Ireland to be described year by year at this depth of time. In archaeological terms, the point is best understood as approximately 33,824 years before 1950, the conventional “present” used in radiocarbon dating, and as part of Marine Isotope Stage 3, a fluctuating cold phase within the Late Pleistocene. Calibrated chronologies for this period are expressed as ranges, not anniversaries. The responsible question is therefore not what happened in Ireland in one modern calendar year, but what the island’s thin geological and faunal record can reveal about conditions around the later thirty-fourth millennium before present.

A Landscape Approaching Ice

Ireland lay on the north-western edge of Europe during a long cold age. The British–Irish Ice Sheet was not a fixed white blanket that appeared everywhere at once: it grew, shifted and responded to regional conditions. Major syntheses place its broad build-up after roughly 35,000–32,000 years ago, with maximum extent reached at different times in different sectors, broadly between c. 27,000 and 21,000 years ago. Around the notional date represented by 31,875 BCE, Ireland was thus moving towards, rather than sitting at the peak of, the Last Glacial Maximum.

That distinction matters. Later ice was powerful enough to erode, rearrange and bury much of the earlier land surface. The scarcity of surviving traces from this era is therefore not proof that nothing occurred; it is partly a consequence of what happened afterwards. Glacial erosion removed archaeological deposits, while advancing ice and meltwater redeposited sediments over large areas. The drumlins, tills, streamlined ridges and meltwater channels visible in Ireland today are a legacy of these successive episodes, but they are not a detailed map of conditions in any single century around 31,875 BCE.

Some upland evidence nevertheless shows that the ice sheet was spatially complex. Work in western and southern Ireland has used glacial trimlines, summit blockfields and cosmogenic exposure dating to reconstruct differences between erosive, warm-based ice lower down and cold-based ice or exposed high ground above it. Those studies chiefly illuminate the later maximum and retreat, not the exact date here. Yet they underline a larger point: “Ireland under ice” is too blunt a phrase for a landscape whose glaciers changed in thickness, extent and behaviour through time.

Cold Country and Changing Shores

The Irish Sea, North Channel and Atlantic margins also looked unlike their modern equivalents. With immense volumes of water locked in continental ice, global sea level was substantially lower. The continental shelf around Ireland was correspondingly more extensive, although changing coastlines cannot be drawn with false confidence for one exact date. As ice expanded, the sea-facing margins of the British–Irish Ice Sheet would become as important as mountain accumulation zones. Later evidence from the Irish Sea and west of Galway demonstrates ice streams, grounding-zone deposits and oscillating marine margins; it warns against imagining a simple, uniform advance.

On ground not covered by ice, the environment was cold, open and highly seasonal. Pollen, plant macrofossils, insect remains and organic sediments from Irish interstadial and cold-stage deposits provide the closest environmental analogies, though many cannot be pinned directly to 31,875 BCE. They indicate landscapes without closed forest: mosaics of herb-rich grassland, sedges, mossy wet ground, dwarf shrubs and exposed mineral soils, varying with drainage, elevation and proximity to ice. Wind, frost action and permafrost processes shaped the surface. Such country could support large grazing mammals in favourable areas, but it was not a benign or stable habitat.

Faunal remains from Irish caves are particularly important because caves sometimes protected bone from the destructive effects that erased open-air evidence. Their assemblages record a Pleistocene fauna including reindeer, horse, mammoth, giant deer, brown bear, wolf, fox and spotted hyaena at differing times. Presence in a cave, however, does not automatically mean that every animal lived beside it at the same moment. Carnivores carried prey underground; water, sediment movement and earlier excavation could disturb remains. A bone is evidence of an animal’s death or deposition, not a complete census of a vanished landscape.

The Castlepook Problem

The most arresting evidence relevant to this period comes from Castlepook Cave near Doneraile in north County Cork. The cave was excavated in the early twentieth century, when methods of recording layers and find positions were much less exact than modern standards require. Its rich animal collection was retained, however, allowing later specialists to revisit material with improved identification and dating techniques. Reassessment has shown both the value and the difficulty of such old collections: some bones formerly identified as red deer proved genetically to be reindeer, and improved radiocarbon pretreatment has substantially revised dates for some cave specimens.

A reindeer femur from Castlepook has been publicly reported as about 33,000 years old and as bearing deep marks consistent with fresh-bone processing by a stone tool. If the marks are confirmed as anthropogenic and demonstrably relate to the dated animal, the implication would be profound: people reached Ireland before the Last Glacial Maximum, perhaps briefly, and handled or butchered reindeer. The

notional year in this article falls close enough to that reported age to make the find directly relevant, but not close enough to convert it into an event dated to 31,875 BCE. A radiocarbon result dates the animal's death within a statistical interval; it does not itself date a particular human action to a calendar year.

Nor does one modified bone establish a permanent population. There is not yet a securely excavated Irish habitation floor of this age with a coherent stone-tool assemblage, hearth, dwelling, burial or human remains. Castlepook's historical excavation and complicated cave deposits make contextual control especially important. Recent fieldwork has reopened investigation of the cave system precisely because undisturbed sediments and newly documented material may test the older claims. Until that work produces a securely stratified and fully published record, the sound conclusion is deliberately modest: a short-lived human visit or episode of carcass processing is possible, perhaps likely, but settled occupation of Ireland at this date remains unproven.

People Without a Recorded Society

If people did reach the island around this broad period, they were hunter-gatherers living in a demanding Upper Palaeolithic world. The reindeer femur, if humanly modified, suggests practical knowledge of carcass reduction. Meat, marrow, fat, hide, sinew and bone were all potentially valuable resources, although the mark itself cannot tell us which was sought, whether the animal was killed locally, or how many people took part. Reindeer need not have been the only attraction: the wider cave fauna points to a varied animal community, while coasts and rivers may have offered seasonally useful resources. These are possibilities rooted in ecology, not a recovered menu or a mapped subsistence territory.

It would be anachronistic to describe political affairs, diplomacy or warfare in Ireland at this date. There are no named communities, leaders, boundaries, alliances or conflicts in the evidence. Equally, there is no Irish proof from c. 33,800 years ago for agriculture, herding, permanent villages, metalworking, monuments, writing, formal learning or organised trade. The island's later prehistoric richness must not be projected backwards across more than twenty millennia.

Religion and culture must be treated with the same restraint. Upper Palaeolithic peoples elsewhere in Europe made sophisticated stone and organic tools, ornaments, images and cave art. Their existence demonstrates the creative capacities of contemporary human groups on the continent and in Britain, but it does not demonstrate an equivalent artistic or ritual tradition in Ireland. No securely dated Irish cave art, grave, ceremonial deposit or personal ornament belongs to this horizon. Absence of evidence is not proof of absence, especially in a glacially damaged record, but it is a firm limit on what can responsibly be claimed.

Connection, Not a Nation

Any human presence would have depended on movement across water or ice-fringed seas from neighbouring lands. Ireland was not a political unit, ethnic homeland or cultural isolate in the modern sense. The appropriate frame is a changing north-west European zone in which people and animals could disperse when climate, sea level, ice margins and available food made journeys possible. Connections with Britain or the continental shelf are reasonable geographical inferences; a specific route, migration episode or named cultural group is not established by the Irish record.

The economy, if there was a human episode at Castlepook, was one of mobility and immediate material needs rather than recognisable trade. A stone tool capable of leaving a butchery mark would imply access to workable stone and technical knowledge, but no associated tool has yet identified a source, technology or exchange network. Similarly, a cave may have served as a refuge, a carnivore den, a place where bones accumulated naturally, or a location briefly used by people. It cannot yet be called a home.

What This Date Can Mean

The historical importance of 31,875 BCE lies in its uncertainty. It directs attention to an Ireland nearing profound glacial transformation and to the small survivals that escaped it: cave bones, organic deposits beneath tills, landforms and the chemical clocks of radiocarbon and cosmogenic dating. These sources establish a cold, open and environmentally volatile island connected to wider Pleistocene processes. They establish reindeer and other large mammals in Irish faunal histories. They also raise, through Castlepook, the serious possibility of a much earlier human arrival than was once accepted.

But the evidence does not permit a year-specific narrative. Around this point in the Late Pleistocene, Ireland has landscapes and animals more securely than it has people; it has a contested clue to human action rather than a known community. That is not a deficiency to conceal. It is the real historical condition of the evidence, and the reason the reindeer femur from a north Cork cave remains so consequential.

Chapter 027 of 100

31874 BCE

Fermanagh's Freshwater Silts



The numbered year 31,874 BCE cannot be treated as a date in the ordinary historical sense. No written record, settlement sequence or securely dated event permits a view of one particular year in Ireland this far back. It belongs to the Late Pleistocene, within Marine Isotope Stage 3 and the Irish regional sequence often termed the Midlandian. The responsible approach is therefore to set the nominal year against wider, calibrated ranges of evidence. In round terms, 31,874 BCE falls about 33,800 calendar years before AD 1950, the conventional reference point for archaeological “BP” dating. It sits within a long cold-age interval when Ireland’s environments were changing sharply, but before the fullest expansion of the last British–Irish Ice Sheet.

Dating an Undated Year

Radiocarbon dates are not calendar dates. A laboratory measurement records the remaining radioactive carbon in a sample and is conventionally expressed in radiocarbon years BP; it must then be calibrated against independently dated records of changing atmospheric carbon. At the depths of time involved here, calibration can produce broad and sometimes discontinuous probability ranges. A date such as 31,874 BCE is consequently useful only as a modern reference marker: it cannot identify a season, a generation, or even a discrete archaeological horizon. The relevant evidence comes instead from deposits whose ranges overlap that point in time.

The most important Irish comparison is Derryvree, near Maguiresbridge in County Fermanagh. Road works exposed organic freshwater silts and fine sands preserved between two thick till sheets in a drumlin. The organic deposit returned a conventional radiocarbon age of about 30,500 BP, with a sizeable uncertainty; published calibration places it broadly at c. 36,900–31,700 calendar years BP. The nominal

year considered here falls within that wide span. This does *not* mean that the silts were laid down in 31,874 BCE, or that every plant and insect recovered from them was living then. It means they are the closest securely relevant environmental archive for Ireland around this part of the last glacial cycle.

A Basin Between Ice Advances

Derryvree's significance lies in its position between glacial deposits. Beneath the freshwater beds was an earlier till, laid down by ice; above them lay a later till, evidence of a subsequent advance. During the intervening interval, the locality was not overridden by glacier ice. Water collected in a shallow freshwater setting and trapped fine sediment, mosses, sedges and insect remains. The published biological evidence indicates open, treeless ground and a periglacial regime: land subject to severe cold, seasonal thaw and freeze, rather than an ice cap occupying every valley and lowland.

This was no benign countryside awaiting later settlement. The vegetation reconstructed from such deposits points to low, sparse cover rather than woodland: moss-rich wet ground, sedges around pools and open tundra-like surfaces exposed to wind. Insects of cold northern aspect reinforce that picture. Permafrost or seasonally frozen ground would have affected drainage, vegetation and movement. Pools and marshy hollows could form where thaw-water was impeded above frozen substrates, while exposed ridges and slopes may have been dry, stony and vulnerable to frost action. The precise mixture varied locally and through time; the evidence supports a harsh, open landscape, not a uniform blanket of snow or lifeless ice.

Before the Greatest Ice

At this stage the last ice sheet was building towards, rather than already occupying, its maximum extent. Reconstructions differ in detail because ice margins advanced unevenly and evidence is fragmentary, but a widely used model places major British–Irish Ice Sheet growth after about 35–32 thousand years ago, with maximum extent later, around 27–21 thousand years ago. Other work on southern Ireland likewise indicates that the large final expansion was later than the interval represented at Derryvree. Thus the appropriate image for 31,874 BCE is not necessarily an Ireland buried beneath its eventual maximum ice cover. It is an Ireland experiencing intense cold and climatic instability, with at least parts of the island remaining ice-free.

That qualification matters because “the Ice Age” compresses many different landscapes into one phrase. Ireland's glaciers did not simply advance once, stop, and retreat once. Ice flowed from changing centres, crossed some districts, left deposits, and later reworked or buried earlier ground surfaces. The freshwater archive at Derryvree is valuable precisely because it survived this destructive history. Yet it is a local survival, not a map of the whole island. It cannot settle whether every coast, upland or inland basin was ice-free in the nominal year, and it should not be used to claim a single island-wide climate or ice margin.

Animals in a Changing Land

Ireland's cave collections show that a recognisably Ice-Age fauna reached the island during the Late Pleistocene. Castlepook Cave in County Cork is especially important, with remains attributed to woolly mammoth, giant deer, reindeer, brown bear, spotted hyaena, foxes, hares and small cold-adapted mammals. The Irish Quaternary Fauna Project concluded that a broad range of mammals colonised

Ireland between at least about 45,000 and 20,000 years ago. These finds demonstrate that the island was not biologically isolated in the way it is today and that large animals could move through the wider Irish Sea world during suitable phases of low sea level and altered coastal geography.

However, cave bones must be handled carefully. Many Irish assemblages were excavated in the nineteenth and early twentieth centuries, often from disturbed deposits; animals represented in one cave did not necessarily live together, and a species dated from the broad late-Pleistocene interval cannot automatically be placed at Derryvree or in 31,874 BCE. The safest conclusion is limited but important: cold-adapted and large grazing or browsing animals, alongside predators and scavengers, formed part of Ireland's changing Pleistocene fauna. Their presence is evidence for intermittent ecological connections and habitable patches, not proof of a stable, fully known animal community in every district.

The Human Question

There is no secure evidence for a settled human population in Ireland at this time. More strongly, there is no securely excavated human campsite, hearth, house, tool-making floor or burial that can be assigned to c. 31,874 BCE. The National Museum of Ireland continues to describe the Palaeolithic human record as lacking clear proof, while recognising that finds from Irish caves have reopened the question. The conventional starting point for substantial, unambiguous human evidence remains much later, in the Mesolithic after the final retreat of the ice.

Castlepook has made the earlier question more interesting, not settled it. A reindeer bone fragment from the cave has been reported with a possible humanly made incision and a date in the broad neighbourhood of 33,000 BP. If future work proves that the mark is a stone-tool cut and securely ties it to the dated bone and an undisturbed context, it could indicate very early human activity in Ireland. At present, that is a hypothesis under investigation rather than a licence to narrate a hunting party in County Cork in a particular year. The distinction is fundamental: modified bone may signal brief contact; it would not by itself demonstrate colonisation, residence, a community or a route of arrival.

No Kingdoms, No Diplomacy

Political affairs, diplomacy, warfare, religion, learning and trade cannot responsibly be reconstructed for Ireland in 31,874 BCE. There are no identifiable peoples, leaders, languages, territories, ritual sites, exchange systems or social institutions in the evidence. Even if small groups of Upper Palaeolithic people occasionally reached the island, their movements, beliefs and relationships remain unknown. It would be misleading to fill this silence with imagined clans, shamanic ceremonies, mammoth hunts or conflicts. Archaeology can identify possibilities and environmental constraints; it cannot supply a political history where no such record survives.

Everyday human life is equally beyond recovery for this nominal year. If people did visit, they would have required extraordinary practical knowledge of cold, animal behaviour, stone technology, shelter and travel. But that is a general inference from Upper Palaeolithic societies elsewhere in north-west Europe, not direct Irish evidence. Ireland has not produced the contemporary domestic debris that would allow historians to discuss food preparation, kinship, clothing, craft or teaching with confidence. The article's central subject is therefore not a hidden Irish society, but the physical setting in which any human visit would have had to occur.

Climate on a Human Scale

The Irish record also belongs to a North Atlantic climate system capable of abrupt shifts. Greenland ice cores reveal repeated transitions between colder stadials and relatively milder interstadials during the last glacial period, sometimes occurring over decades rather than millennia. In south-west Ireland, uranium-thorium dates from speleothems in Crag Cave show episodic calcite growth during Marine Isotope Stage 3; because growth required liquid water, this provides independent evidence that milder intervals punctuated the glacial climate. It does not yield a weather report for 31,874 BCE, but it cautions against treating the age as climatically static.

For Ireland, regional change was therefore the great development. Freshwater could persist at Derryvree between episodes of glaciation. Cold-ground vegetation and insects occupied northern basins. Pleistocene animals entered and disappeared across a changing seascape. In caves and protected sediment traps, bones and organic layers accumulated; elsewhere, advancing ice eroded, transported and buried much of the evidence. The landscape that later generations would know as Ireland was being reshaped physically long before there were monuments, farms, ports or kingdoms to record its history.

What This Date Can Mean

31,874 BCE is best understood as a point within an evidence range, not an anniversary. Around this time, the Derryvree freshwater sequence demonstrates that at least part of Fermanagh experienced cold, treeless, periglacial conditions between glacial advances. Ireland was entering the build-up to the greatest ice expansion of the last glacial cycle, while its cave record preserves traces of a wider Pleistocene fauna and an unresolved possibility of very early human contact. The uncertainty is not a defect to be concealed. It is the historical fact: at this depth of time, Ireland's past is recovered not from chronicles, but from silts, bones, insects, caves and ice-shaped ground.

Chapter 028 of 100

31873 BCE

Crag Cave's Interstadial Drips



Modern calendar-year precision is not available for Ireland in 31,873 BCE. The label is a present-day convention, not a date that any contemporary person could have known, and no archaeological deposit can be assigned responsibly to that single year. In calibrated terms it corresponds roughly to 33,823 years before 1950, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), a long, unstable cold phase of the last Ice Age. The appropriate history is therefore one of ranges, landscapes and fragmentary evidence rather than an annual chronicle.

A useful comparison comes from Derryvree, near Maguiresbridge in County Fermanagh. Organic-rich freshwater sediments there produced a radiocarbon result of about 30,500 radiocarbon years before present; calibration gives a broad calendar range extending approximately from 36,900 to 31,700 years before present. The nominal year considered here falls within that wide span, but it cannot be equated with a particular layer, season or event at Derryvree. What the site can show is that, during at least one interval in this part of the Ice Age, freshwater mosses, sedges and cold-adapted insects occupied an unglaciated landscape later buried beneath ice deposits.

A Date Within a Moving Ice Age

At this distance in time, Ireland was not a fixed physical stage. Ice sheets expanded and contracted, sea level changed, river systems altered course, and vegetation responded rapidly to shifts in temperature and moisture. MIS 3 was colder than the present but was not one uninterrupted freeze. Greenland ice-core records, cave mineral deposits and sediments across north-west Europe reveal abrupt alternations between comparatively milder interstadials and harsher stadials. Irish evidence preserves parts of that changing pattern, although rarely with enough resolution to reconstruct a particular decade, let alone a year.

The year 31,873 BCE preceded the Last Glacial Maximum, when ice later covered most or all of Ireland. Reconstructions of the British–Irish Ice Sheet suggest that, by about 31,000 years ago, ice was already growing rapidly across the wider region; ice masses existed over northern and upland parts of Ireland and expanded greatly in the following millennia. Yet those reconstructions are models built from landforms, sediment sequences and dates with their own uncertainties. They should not be turned into a deceptively exact map for 31,873 BCE. At roughly 33,800 calibrated years before present, some Irish districts may have been open, cold country while others lay under, beside or downwind of ice.

Sea level was substantially lower than today because immense quantities of water were locked in global ice sheets. That altered the outlines of coasts and enlarged parts of the continental shelf. It did not automatically make Ireland a simple overland extension of Britain or continental Europe: local sea level, glacial loading and the depth of the Irish Sea all mattered. The responsible conclusion is more modest. Connections between Ireland, Britain and the exposed shelves were geographically different and may sometimes have been easier for animals and people to traverse than in later millennia, but the exact routes available at this point remain uncertain.

Fermanagh's Cold Wetlands

Derryvree is especially important because it preserves a sequence between two tills: evidence of a freshwater phase sandwiched between episodes of glaciation. Its plant remains indicate mosses and sedges rather than woodland; its insect fauna has a cold, northern character. The landscape inferred from these traces was a treeless wetland or muskeg, with shallow water, organic mud and patches of low vegetation. This is evidence for local environmental conditions, not a complete portrait of Ireland. It does not prove that every valley looked alike, nor does it establish which animals were present on the same day as any particular plant fragment entered the sediment.

Nearby sites reinforce the point that environmental archives must be handled individually. Hollymount has pollen evidence for open country and a minimum radiocarbon age exceeding 41,500 years. Greenagho, near Belcoo, produced an age of 32,460 radiocarbon years before present, but geologists have warned that this is only a minimum date and should be treated cautiously. At Aghnadarragh in County Antrim, a much longer succession records earlier glacial, deglacial and interstadial conditions. Together these localities show that northern Ireland retained pockets of valuable evidence for changing cold-stage environments; they do not provide a single, island-wide timetable.

For people living in a modern temperate Ireland, the most striking feature would have been the absence of familiar forest. There is no basis for imagining oak woods, enclosed fields, peat-cutting or a settled rural landscape. Instead, the available evidence supports open, exposed terrain shaped by frost, wind, water and ice. Ground conditions may have ranged from saturated basin floors to stony slopes affected by periglacial processes. Summer growth could have been brief but significant, supplying forage for herbivores; winter imposed a very different set of constraints.

Caves and the Animal Record

The clearest evidence for Irish animal life of this broad period comes from caves, particularly in limestone country in the south. Castlepook Cave near Doneraile in County Cork has yielded remains associated with an Ice Age fauna including reindeer, giant deer, brown bear, spotted hyaena, hare and fox, while other Irish cave assemblages add further fragments to the picture. Such caves were not necessarily

places where all these animals lived together. Bone accumulations may result from carnivore activity, animals dying in or near cave entrances, water movement, and nineteenth- or early twentieth-century excavation methods that did not always preserve modern standards of stratigraphic record.

Recent re-dating has made the Castlepook material both more important and more difficult to interpret. Improved pretreatment and radiocarbon methods showed that several formerly accepted cave dates were too young, moving some southern Irish fauna much further back into MIS 3. The broader conclusion is sound: a range of mammals reached Ireland between at least about 45,000 and 20,000 years ago. But individual bones, especially from old excavations, must not be casually combined into a single living ecosystem or treated as proof of continuous animal occupation.

Reindeer are particularly evocative, but they should not become shorthand for a uniform “Arctic Ireland”. Their presence indicates that cold-adapted grazing animals could use parts of the island during suitable phases. Giant deer, often misleadingly called the Irish elk, were neither exclusive to Ireland nor relatives of modern elk. Spotted hyaena remains point towards a predator and scavenger capable of using caves, while bears, foxes and smaller mammals occupied different ecological niches. The balance among these species probably shifted repeatedly as vegetation, snow cover, ice margins and access routes changed.

The Human Question

No securely dated dwelling, hearth, stone-tool scatter, burial or repeated settlement is known in Ireland for 31,873 BCE. Consequently there is no basis for describing an Irish population, naming a community, or assigning a language, identity, religion or political system. There were no recorded rulers, treaties, raids, diplomatic exchanges or institutions. Nor can the absence of such evidence be converted into absolute proof that no person ever entered Ireland: later ice action, acidic soils, coastal change and the rarity of systematic Palaeolithic investigation have all reduced the chance of survival and discovery.

The principal reason this question remains open is a reindeer femur from Castlepook. Ruth Carden has interpreted a mark on it as damage made by a sharp stone tool while the bone was fresh, suggesting possible butchery by people around this general part of MIS 3. This is a potentially momentous observation, but it is not equivalent to an excavated camp. The bone derives from an old cave collection rather than a newly excavated, tightly controlled archaeological context; the animal’s radiocarbon age and the identification of a surface mark as a human cut are separate evidential questions. It should therefore be described as a contested indication of a brief human visit, not as proof of permanent occupation.

The contrast with later evidence is instructive. At Alice and Gwendoline Cave in County Clare, a brown-bear kneecap bearing distinctive cut marks has been dated to about 10,800–10,500 BCE, and is the earliest published evidence generally presented by the Heritage Council for human activity in Ireland. That much later find does not validate an earlier Castlepook visit; rather, it demonstrates the degree of analytical care required when interpreting rare modified bones.

Life, Culture and Connection

If people did reach Ireland during the broad interval embracing 31,873 BCE, the likeliest interpretation is not a village or colony but small, mobile parties using a changing frontier. They might have followed herds, exploited carcasses, sheltered briefly in caves or travelled seasonally between Ireland and neighbouring lands. That is an inference from ecology and Upper Palaeolithic practice

elsewhere in north-west Europe, not direct Irish evidence. We cannot responsibly reconstruct their clothing, family arrangements, beliefs, art, spoken language or rituals. No Irish object from this date demonstrates ornament, image-making, ceremonial practice or formal teaching.

The same restraint applies to economy and trade. There was no agriculture, livestock keeping, metalworking, market town or documented exchange network. Wild animals and plants would have been the available resources; stone, bone, hide, sinew and wood could have been useful materials if people were present. Yet no securely associated toolkit establishes which resources were used in Ireland at this time. Any movement of people would itself have depended on regional knowledge—of ice-free corridors, weather, animal movements and crossings—but knowledge is not archaeologically visible unless tools, camps or modified remains survive.


The most important development around this nominal year was thus environmental, not political: Ireland stood within a volatile pre-maximum Ice Age world. Freshwater sediments in Fermanagh, calcite growth episodes in Crag Cave in County Kerry, and animal bones in southern caves show that the island was not simply an unchanging white void before the great ice advance. Crag Cave's speleothems grew episodically during milder last-glacial intervals, because liquid water and unfrozen ground conditions were needed for calcite deposition. Their chronology supports a picture of climatic pulses rather than permanence.

For 31,873 BCE, then, Ireland's recoverable story is deliberately incomplete. It is a story of sedges rooted in cold mud, cave passages preserving bones, low seas remaking geography and ice gathering strength across the region. Beyond that lies possibility rather than record. The discipline of prehistoric history is not to fill the silence with imagined chiefs or settlements, but to let the surviving evidence define both what can be said and what must remain unknown.

Chapter 029 of 100

31872 BCE

Dryas at Derryvree



The label 31,872 BCE is useful for placing this entry in a long chronological sequence, but it cannot identify an Irish event in a particular year. No calendar, writing, named community or historical chronicle existed on the island. In the archaeological convention of “before present”, measured from 1950, it falls broadly about 33,800 years ago, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3). At this depth of time, radiocarbon ages require calibration and carry substantial uncertainty; deposits, animal remains and environmental sequences are more meaningful than a seemingly exact modern year.

The nearest evidence comes from separate Irish archives which cannot be assumed to describe the same season, generation or even century. A freshwater deposit at Derryvree, near Maguiresbridge in County Fermanagh, produced a conventional radiocarbon determination of 30,500 years before present, with a wide error range. When considered through modern calibration, that evidence belongs broadly to the mid-30,000s calibrated years before present. In north County Cork, Castlepook Cave near Doneraile has yielded animal remains dating across a much longer span, roughly 45,700 to 19,950 radiocarbon years before present. Together, these sources illuminate Ireland around this nominal date; neither permits a year-by-year narrative.

A Cold Landscape, Not One Frozen Island

Ireland was in an Ice Age, but “Ice Age” should not be mistaken for a single, unchanging condition. MIS 3 was climatically volatile. Colder intervals alternated with comparatively milder episodes, while the British–Irish Ice Sheet expanded, retreated and reorganised in different regions. Recent reconstructions

stress that its margins did not advance everywhere in step. Around 31,872 BCE, Ireland was approaching the later Last Glacial Maximum rather than standing at its peak, which was reached much later, principally around 26,000–24,000 years ago in the wider British–Irish system.

That distinction matters. It is not responsible to picture either an entirely ice-buried Ireland or a comfortably temperate green island. Some terrain may have been covered by ice at particular times, while other areas supported cold, open habitats. The details remain debated because later glaciers eroded much of the earlier landscape and because surviving sediments are scattered. Evidence for ice-sheet activity before the Last Glacial Maximum is real but difficult to date precisely. The most defensible picture is of a severe, regionally variable environment in which ice, periglacial ground, exposed soil, shallow waters and tundra vegetation all had changing local importance.

Derryvree's Freshwater Record

Derryvree is especially valuable because roadworks exposed organic silts and fine sands enclosed between two thick sheets of glacial till. The sequence preserves a freshwater episode between phases of glaciation. Its plant and animal evidence was interpreted as showing open tundra and a periglacial climate: a landscape shaped by intense cold, seasonal freezing and sparse cover rather than forest. Such a setting could include wet hollows, streams or pools even where the wider terrain was bleak and exposed.

Macrofossils from Derryvree include plants associated with cold conditions, among them mountain avens (*Dryas octopetala*), a low flowering shrub now familiar in Arctic and alpine environments. Their presence is evidence for suitable local habitats, not a complete botanical inventory of Ireland. Nor does it establish that every part of the island looked alike. Yet it offers a rare, concrete correction to generic images of the past: at least in this Fermanagh basin, freshwater sediments recorded a treeless, cold-adapted plant community. The name *Dryas* therefore evokes an actual palaeobotanical trace, rather than a romantic label for a lost wilderness.

There was no modern Irish coastline. Global sea levels were lower than today, exposing broad areas of continental shelf around north-west Europe and altering drainage and coastal geography. Nevertheless, the precise configuration of land, sea and ice between Ireland and Britain at this point remains complex. It would be unsafe to state that people or animals could simply walk from continental Europe into Ireland. Any movement into the island's region depended on shifting routes, sea barriers, ice margins and the availability of habitable ground. The evidence shows connection within a changing north-west European ecological zone, not a mapped road or a known migration corridor.

Castlepook and the Animal World

Castlepook Cave provides the principal southern Irish archive for the animal life preceding the Last Glacial Maximum. More than 2,000 bones have been recovered from its galleries, although many were excavated between 1904 and 1918, before modern methods of recording stratigraphy were routine. The cave contained remains attributed to woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena, as well as wolf, Arctic fox, hares and lemmings. This is an impressive assemblage, but it should not be converted into a single crowded tableau dated to 31,872 BCE. Individual bones belong to different moments across thousands of years.

The cave was also not a neutral storehouse. Carnivores could carry prey and carrion into galleries; animals could die there; water and sediment could move remains; older excavators could disturb their contexts. Spotted hyaena is of particular importance because a denning or scavenging animal can create a

bone accumulation that resembles the aftermath of human activity without being one. Scientific value lies precisely in disentangling those processes. Castlepook's remains prove that a diverse cold-stage fauna reached Ireland during MIS 3. They do not prove that every species was present together, that the cave was a hunting camp, or that its fauna represents the whole island.

Modern radiocarbon redating has made this caution sharper. Improved pretreatment of bone collagen showed that several older determinations from Castlepook and neighbouring southern caves were markedly too young, in some cases by several thousand radiocarbon years. The revision shifted important animals further back into MIS 3 and suggested that giant deer and spotted hyaena may have disappeared locally before about 40,000 calibrated years ago. The lesson is methodological as well as chronological: conclusions about Irish prehistory must remain open to revision when museum collections, laboratory techniques and surviving deposits are re-examined.

A Possible Human Trace

The greatest historical question is whether people were in Ireland at all around this time. A reindeer femur from Castlepook has been reported as carrying a mark interpreted as having been made by a sharp stone tool during butchery. County Cork heritage material places the specimen at about 31,000 BCE, and the find has prompted renewed investigation of the cave. If that interpretation is sustained, it would push evidence for human activity in Ireland far earlier than the well-established later prehistoric record.

It remains a promising but limited indication, not proof of an established population. No securely associated stone-tool assemblage, hearth, dwelling surface, burial or camp has yet demonstrated a permanent Upper Palaeolithic community at Castlepook. The marked bone came from an old cave collection whose original context was disturbed and incompletely recorded. A cut mark can be important evidence, but its formation, age and relationship to the bone's movement through a carnivore-visited cave require rigorous testing. The responsible conclusion for 31,872 BCE is therefore conditional: people may have reached Ireland during this broad period, but the scale, duration and frequency of their presence are unknown.

If small groups did enter the island, comparison with Upper Palaeolithic societies elsewhere in north-west Europe suggests mobile hunter-gatherers capable of making and using stone tools, processing animal carcasses and responding rapidly to changing landscapes. That is an interpretation from wider European evidence, not a direct description of a named Irish band. There is no basis for assigning a language, ethnicity, clothing style, kin group or route of arrival to them. Nor can one infer a permanent settlement, an annual reindeer hunt or a continuous line of descent to later inhabitants of Ireland.

No Kingdoms, No Recorded Diplomacy

Political affairs, warfare and diplomacy cannot be recovered for Ireland in this period. There were no states, kingships, borders, treaties or institutions visible in the evidence. If humans were present, their social organisation may have centred on small, mobile groups and relationships of kinship, cooperation and seasonal movement, but this remains an inference rather than an excavated fact. There is likewise no direct Irish evidence for religion, art, formal learning or ritual at 31,872 BCE. Absence of surviving evidence is not proof that people lacked beliefs or stories; it means that archaeology cannot responsibly specify them.

Economy, too, must be described narrowly. There was no farming, stock-keeping, village market or metalworking. Any human livelihood would have relied on knowledge of animals, plant resources, fuel, weather and safe passage through demanding country. A reindeer bone potentially modified during butchery could imply the extraction of meat, marrow, hide or sinew, but it cannot reveal the whole economy. Nor is there evidence for Irish trade. Materials and ideas may have moved through social networks elsewhere in Upper Palaeolithic Europe, yet no artefact from Ireland presently demonstrates an exchange system at this date.

The Historical Significance of Uncertainty


For this nominal year, the most important development is not a battle, ruler or foundation but the survival of fragile evidence. Derrynree records a cold freshwater tundra environment between glacial episodes. Castlepook preserves traces of animals moving through, dying in or being carried into a complex cave system during a long stretch of the Ice Age. Its reindeer femur raises the possibility that humans also visited Ireland roughly within this timeframe. These archives show that the island was neither outside prehistory nor easily readable within it.

Future excavation, microscopic study of bone surfaces, improved dating and analysis of undisturbed cave sediments may alter the balance of evidence again. Until then, 31,872 BCE should be understood as a point within a calibrated range and a changing glacial world: open tundra around Derrynree, rich but time-mixed animal deposits at Castlepook, and a tantalising yet unconfirmed horizon for Ireland's earliest people.

Chapter 030 of 100

31871 BCE

Reindeer Bone at Mammoth Cave



The label 31,871 BCE gives a useful point of entry, but it cannot describe a year in the historical sense. No written calendar existed in Ireland, and archaeology cannot identify an event, ruler or community on this particular turn of a modern year. Converted only approximately, the label falls around 33,820 years before 1950, within the later part of Marine Isotope Stage 3 (MIS 3), a long and climatically unstable interval of the Last Glacial period. At this depth of time, dates are properly expressed as calibrated ranges or broad phases, not annual anniversaries. The evidence for Ireland is especially fragmentary: caves, animal bones, sediments, landforms and laboratory measurements offer short glimpses rather than a continuous national narrative.

That restraint matters because this period has recently become central to the question of Ireland's first people. A reindeer femur from Castlepook Cave, also known as Mammoth Cave, near Doneraile in north County Cork, has been reported as bearing marks consistent with stone-tool butchery and as dating to about 33,000 years ago. If the marks are confirmed as human-made and securely associated with the bone's age, they would indicate a very early Upper Palaeolithic human presence in Ireland. They would not, however, prove a permanent settlement, a village, or an island-wide population. Around the notional date 31,871 BCE, the responsible conclusion is therefore both exciting and limited: southern Ireland had the environments and animals in which a brief human incursion may have occurred, while the archaeological proof remains slight and under active reassessment.

Dating an Uncalendarable Past

Radiocarbon years are not calendar years. A laboratory measures the remaining radioactive carbon in a sample such as bone collagen, then estimates when the animal died. The result must be calibrated against changing atmospheric carbon levels, using curves assembled from independently dated archives

including tree rings, cave deposits, lake sediments and corals. At more than 30,000 years ago, those conversions have appreciable uncertainties. A result may translate into a range of calendar ages rather than a single point, and revised pretreatment of old bone can alter earlier determinations. Modern dating conventions also count “before present” from AD 1950, not from the present day.

Castlepook illustrates why this is more than a technical warning. Its bones were largely recovered during early twentieth-century cave excavations, before the standards of modern stratigraphic excavation, sieving, recording and contamination control. The cave system contains deposits from more than one phase of the Late Pleistocene and later material as well. Carnivores could drag carcass parts underground; water, roof falls and burrowing could shift sediments; and nineteenth- and twentieth-century collecting could separate finds from their original contexts. The caves are invaluable archives, but not sealed time capsules. A date on one reindeer bone establishes the age of that animal, within a statistical range; it does not automatically date every bone nearby or demonstrate when a possible visitor entered the cave.

The reported modification is consequently important precisely because it must be tested. Cut, chop or percussion marks are judged by their microscopic form, direction, position on the skeleton and contrast with tooth scoring, trampling damage, weathering or excavation marks. A convincing pattern can show that fresh tissue was removed with a sharp stone edge. Yet it cannot by itself reveal whether people killed the animal, encountered a carcass, took only tendons or meat, camped outside, or visited once. The most secure later evidence for human activity in Ireland remains the cut-marked brown-bear patella from Alice and Gwendoline Cave in County Clare, directly dated to about 12,810–12,590 calibrated years BP. Castlepook’s much older claim deserves attention, but it should not be allowed to erase the difference between a promising modified bone and a demonstrated habitation site.

A Southern Ice-Age Landscape

At roughly 34,000 calibrated years BP, Ireland was not yet at the Last Glacial Maximum, when the British–Irish Ice Sheet attained its greatest Late Pleistocene extent by about 27,000 years BP. Ice was nevertheless a dominant regional force. Its growth, shifting margins and meltwater would later scour or bury large tracts of the island, destroying many places where people or animals might once have left traces. That geological loss helps explain why Ireland’s record is so much poorer than those of parts of Britain and continental Europe.

It would be wrong to picture the whole island either as a single ice cap or as a modern green countryside in winter. The extent and timing of ice changed, and southern refuges or ice-free tracts have been debated through geological research. Castlepook’s limestone caves lie in a part of Munster where fissures and chambers preserved animal remains through a phase otherwise badly represented in the landscape. The climate was cold and strongly seasonal. Nearby Greenland ice-core records demonstrate that the wider North Atlantic world could change abruptly between relatively milder interstadials and colder stadials on timescales far shorter than archaeological periods. A calendar label such as 31,871 BCE therefore conceals an environmental world in motion.

Lower global sea levels exposed more of the continental shelf than exists today, broadening coastal plains and changing the shape of the Irish Sea basin. That did not necessarily create an easy, continuous walking route between Ireland, Britain and the European mainland. The exact geography varied with sea level and ice, while water crossings may still have been required. For a possible Upper Palaeolithic visit, neither a land bridge nor boats can be assumed from the Castlepook bone alone. The evidence permits the possibility of movement into Ireland; it does not yet explain the route, frequency or direction of that movement.

Animals Before Communities

The strongest evidence for Ireland at this depth of time is zoological. Castlepook has produced one of the island's richest Late Pleistocene faunal collections. Its broad MIS 3 assemblage includes reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, spotted hyaena, mountain hare and lemmings, though not every specimen need be contemporary with every other specimen. The cave has a long and mixed history. The proper picture is not a single frozen moment in which every listed animal stood together at the entrance, but repeated use of a changing cold-stage landscape by different species.

Even so, the collection is powerful evidence for open country rather than dense temperate forest. Reindeer and lemmings point towards tundra-like or steppe-tundra habitats; mammoth and giant deer suggest extensive grazing and browsing opportunities; foxes, wolves and hyaenas reveal a food web in which carcasses were contested and caves could serve as dens, shelters or traps. Sparse shrub cover, grasses, sedges, herbs and patches of more sheltered vegetation are a more defensible reconstruction than an unbroken treeless plain. The old phrase "mammoth steppe" is useful if treated as an ecological comparison, not as a precise map of every Irish valley.

These animals also set limits on interpretation. Mammoth bone in a cave does not mean that people hunted mammoths, and hyaena remains do not mean hyaenas lived beside every human party. A bone assemblage records preservation as much as living abundance. Large mammals leave durable traces; small creatures and plants are less likely to survive later glacial erosion or early excavation. Absence from a collection is therefore weak evidence of true absence from the landscape. Yet the mixture undeniably overturns the notion that Ice-Age Ireland was simply lifeless beneath ice. At intervals before the glacial maximum, parts of the island supported substantial animal communities.

People: Possibility, Not Population

If the modified reindeer femur does represent human work, its makers were Upper Palaeolithic hunter-gatherers, not an ancestral Irish nation or a settled farming people. They had no agriculture, livestock, metal, pottery, towns or monuments. Across north-west Europe, people of this broad era made sophisticated stone technologies, used animal materials and organised their movements around season, terrain, food and social ties. Such regional knowledge provides a plausible framework for interpreting a butchered limb bone in Cork. It cannot supply the missing Irish evidence of toolkits, hearths, dwellings, burials, ornaments or repeated occupation.

Accordingly, everyday life in Ireland around this point cannot be narrated in detail. A small visiting group, if present, may have processed an animal rapidly and moved on. They may have sheltered near a cave, or the cave may have received the discarded or scavenged bone without ever being a campsite. There is no evidence from which to identify their language, kinship system, seasonal round, clothing, leadership or beliefs. Nor can archaeology responsibly identify political affairs, diplomacy, war or territorial boundaries. Such categories depend on sustained communities and records that the Irish evidence does not provide.

Conflict is visible only at the ecological level: predators, scavengers and people may all have competed for carcasses and shelter, but even this is an inference from animal behaviour and cave taphonomy rather than a documented encounter. Likewise, there is no Irish evidence of ritual, cave art, teaching traditions or long-distance exchange at this date. Stone used to cut a carcass might eventually

allow sourcing and technological study if it were found in context; at present, no associated artefact assemblage provides that information. The silence is not proof that people possessed no culture. It is a measure of what has survived and what has been recovered.

An Economy of Movement

The only economy that can be cautiously envisaged is one of mobile foraging. Reindeer are seasonally mobile animals and their carcasses offered meat, marrow, hide, sinew and bone. Marks on a femur, if anthropogenic, could relate to removing meat or accessing other tissues. This is a sensible interpretation of a single modified animal element, but it does not reveal an annual subsistence strategy. There is no securely dated Irish evidence here for specialised reindeer hunting, mammoth hunting, storage, trade or a permanent camp.


Nor should later Mesolithic Ireland be projected backwards. The securely documented post-glacial hunter-gatherer settlement record begins far later, after the severe glacial maximum and major environmental transformations. The gap between a possible MIS 3 incursion and the better-attested Late Glacial and Early Holocene evidence is immense. It may represent long absence, intermittent visits that left little trace, evidence destroyed by ice, or some combination of all three. Future excavation and redating at Castlepook may clarify the matter, but it may also complicate it. That is how deep prehistory advances: not through a single dramatic claim, but through the slow comparison of context, dating, bone surfaces, sediments and landscapes.

For Ireland around 31,871 BCE, then, the principal historical development is the existence of a cold, open and inhabited-by-animals landscape capable of receiving people from the wider Upper Palaeolithic world. Castlepook Cave offers a tantalising reindeer bone that may record one such encounter. It is not yet a foundation story. Its real value lies in making Ireland's remote past less empty while reminding us how carefully an apparent first must be handled.

Chapter 031 of 100

31870 BCE

Doneraile's Reindeer Threshold



31,870 BCE is not a date that can be matched to an Irish event, ruler, season or generation. It is a modern retrospective calendar label, roughly equivalent to 33,800 years before AD 1950, the conventional reference point behind archaeological “BP” dating. At this depth of time, radiocarbon results require calibration and carry statistical ranges; they cannot responsibly identify a single calendar year in Ireland. The most useful frame is therefore the later part of Marine Isotope Stage 3 (MIS 3), within the Late Pleistocene, and a broad period around 34,000 calibrated years ago.

For Ireland, this is an especially important but elusive horizon. It falls long before writing, farming, monuments, named peoples or any evidence for political institutions. What can be investigated is a changing Ice Age landscape, the animals that occupied it, cave deposits which preserved their bones, and one much-discussed indication that people may have reached the island far earlier than was once thought. The evidence is significant precisely because it is so slight: it offers a possible threshold of human activity, not a settled prehistoric society.

A Date Range, Not a Recorded Year

Radiocarbon ages are not calendar ages. They measure the remaining carbon-14 in organic material and must be calibrated against records of changing atmospheric carbon. For dates this old, calibration commonly produces wide ranges rather than a neat conversion. The designation 31,870 BCE should consequently be read as an approximate point within a larger climatic and archaeological interval, not as an anniversary. It is safer to say that Ireland around this time lay in MIS 3, during the long and uneven approach towards the Last Glacial Maximum.

This distinction matters because Irish evidence is discontinuous. A bone can date the death of an animal, but not automatically the moment it entered a cave, the time at which another animal gnawed it, or the date when a person might have cut it. Caves are valuable archives, yet their contents can be moved by carnivores, water, sediment collapse and earlier excavators. Modern redating has also shown that some older determinations from Irish cave collections required revision. The proper history of this period is therefore one of probabilities, tested interpretations and carefully bounded claims.

Cold Ground and Growing Ice

Ireland was not yet simply a featureless island buried under the full Last Glacial Maximum ice sheet. The precise extent of ice varied greatly by region and through time. Recent reconstructions treat roughly 32,000 to 23,000 years ago as a prolonged build-up phase of the British–Irish Ice Sheet, rather than a single moment when ice suddenly covered every landscape. Around 34,000 calibrated years ago, conditions could fluctuate between glacier-free terrain, local ice in uplands and expanding ice masses. Later advances would obliterate or conceal much of the evidence from this earlier world.

In the north, deposits beneath a drumlin at Derryvree, near Maguiresbridge in County Fermanagh, provide a valuable environmental comparison. Organic silts and fine sands there produced a radiocarbon determination of 30,500 years BP, with an uncertainty of more than a thousand years, and yielded plant and animal evidence interpreted as open tundra under a periglacial climate. That sequence is not an annual record for 31,870 BCE, nor is it necessarily precisely contemporary with Castlepook in Cork. It does, however, show the kind of cold, treeless and wet ground that could occur in Ireland during this broad Middle Midlandian phase.

Such country was shaped by frost as much as by flowing ice. Seasonal freezing and thawing disturbed soils; snow lay long in sheltered ground; streams carried sediment across bare or sparsely vegetated slopes. Low shrubs, sedges, grasses, mosses and hardy herbs could support grazing animals without producing woodland. The familiar modern Irish patchwork of fields, hedges and peatlands did not exist. Nor can today's coastlines be projected backwards without care: lower global sea levels exposed large areas of continental shelf, but ice, sea, rivers and land bridges changed repeatedly. Routes into and out of Ireland remain one of the central questions of this period.

The Fauna of Southern Caves

Castlepook Cave, near Doneraile in north County Cork, is the key Irish locality for the discussion. Antiquarian excavations there recovered a large and complicated assemblage of animal remains. Subsequent work, including the Irish Quaternary Fauna Project and later radiocarbon reassessment, has identified a pre-Last Glacial Maximum fauna containing animals associated with cold open habitats: reindeer, mammoth, giant deer, spotted hyaena, wolf, fox, brown bear, mountain hare and lemmings. Some species are represented more securely than others, and material from different deposits cannot simply be treated as one simultaneous community.

The assemblage nevertheless establishes that Ireland could sustain a richer Pleistocene animal world than its later isolated fauna might suggest. Reindeer were especially well adapted to cold, exposed environments, while mammoth and giant deer point to extensive feeding grounds beyond the cave entrance. Spotted hyaenas, wolves and foxes were not passive background creatures: they could kill, scavenge, transport bones and use caves as dens or shelters. A cave bone collection is thus evidence both of a wider landscape and of the particular agents that brought remains underground.

There is no basis for imagining these animals as a permanent menagerie gathered at Doneraile on one day. Their presence represents episodes spread across time. The revised dates for southern Irish cave fauna suggest that certain mammals, including giant deer and spotted hyaena, may have disappeared locally before about 40,000 calibrated years BP, while other remains document later phases. The lesson is not that all Ice Age species lived together continuously, but that Ireland's animal populations shifted as climate, ice cover and access routes changed.

A Reindeer Bone and a Human Question

The exceptional claim concerns a reindeer femur from the Castlepook collection. It has been described as bearing a mark consistent with cutting or chopping by a sharp stone tool while the bone was fresh, and public heritage accounts have associated it with an age of about 33,000 years ago. If that interpretation is confirmed, it would indicate that Upper Palaeolithic people handled and processed a reindeer carcass in Ireland at a date far earlier than the long-accepted post-glacial settlement record.

That would be a major development, but its scale must not be exaggerated. The bone is not a securely excavated campsite with a hearth, a stone-tool assemblage, dwelling remains, human burials or an occupation surface. No named group, language or ancestry can be assigned to whoever may have made the mark. The most that can presently be inferred is a possible brief human visit or carcass-processing episode in a landscape where reindeer were available. Hunters could have crossed a changing maritime and glacial frontier, exploited a large animal, and left little durable evidence beyond a modified bone.

Nor does the find prove that the animal was killed at the cave. The carcass may have been processed elsewhere and a portion later carried into the cave by scavengers. That possibility does not erase the human interpretation of a cut mark, but it narrows what the mark can demonstrate. New excavations at Castlepook seek the evidence needed to resolve these questions: undisturbed Pleistocene layers, stone artefacts, charcoal, more modified bone and reliable associations between finds. Until such evidence is recovered and fully assessed, the cautious wording is “possible early human activity”, not permanent settlement.

Society Without States

Political affairs, diplomacy and organised warfare cannot be reconstructed for Ireland around this date. There were no Irish kingdoms, tribal names, laws, churches, farms, ports or trade institutions. Even a human presence is not securely demonstrated as a resident population. It would be anachronistic to describe any visitors as “Irish” in an ethnic or national sense. The available evidence does not identify their social organisation, family structure, beliefs or routes of movement.

European context can suggest possibilities but cannot fill the Irish silence. *Homo sapiens* elsewhere in Upper Palaeolithic Europe made sophisticated stone and organic tools, practised seasonal mobility, hunted and scavenged, exchanged materials over distance, and sometimes created art and formal burials. None of this authorises claims for Irish cave art, ritual, clothing, shelters, language or long-distance trade at Castlepook. Comparative evidence may make the use of sharp lithic tools plausible; it is not proof that every feature of continental Upper Palaeolithic life existed on the island.

Everyday life, if people were present, would have been governed first by survival in a severe and variable environment: access to game, fuel, shelter, fresh water and routes across exposed terrain or water. A reindeer carcass could supply meat, fat, hide, sinew and bone, but one mark does not reveal how these

resources were divided, stored or exchanged. There is no Irish evidence at this date for cultivation, animal husbandry, pottery, metalworking or built settlement. Economy, in the limited sense supported by the record, was the ecology of mobile animals and perhaps the opportunistic exploitation of their remains.

What the Landscape Preserved


The strongest historical actors in this period were climate and ice. They enabled some animals to enter Ireland, made other areas uninhabitable, altered potential crossings, and later destroyed or buried much of the terrain on which people might have travelled. The glacially reshaped landforms mapped across Ireland are a later visible legacy of these processes. Yet the bones protected in limestone caves and the sediments sealed beneath tills preserve brief windows onto worlds that the ice did not wholly erase.

For 31,870 BCE, Doneraile's reindeer is therefore more useful as a question than as a finished origin story. It directs attention to a Late Pleistocene Ireland that was environmentally dynamic, connected at intervals to wider north-west European faunal worlds, and potentially visited by people. But it also requires restraint. There is no year-specific event to narrate, only a calibrated archaeological horizon in which one modified bone, a cave fauna and scattered environmental records make the deep past of Ireland faintly visible.

Chapter 032 of 100

31869 BCE

Celtic Shelf Horizons



“31,869 BCE” is a modern chronological label, not a date that can be identified in Ireland’s prehistoric record. No inscription, settlement layer or event can be assigned to that particular year. In calendar terms it falls roughly 33,800 years before AD 1950, conventionally expressed as about 33.8 thousand calibrated years BP. At such depth of time, radiocarbon results carry substantial ranges and must be calibrated rather than treated as exact calendar dates. The responsible subject, therefore, is not what happened in a single Irish year, but what the surviving geological, botanical and animal evidence can reveal about the island during the later part of Marine Isotope Stage 3, within the last glacial cycle.

A Cold-Phase Ireland

Ireland at this point lay in the Pleistocene, long before farming, monuments, metalworking, written language or the political communities familiar from later history. Archaeologists and Quaternary scientists commonly use *Midlandian* for the last cold stage in Ireland, broadly corresponding to the Devensian of Britain and parts of Marine Isotope Stages 4–2. Around 33.8 thousand calibrated years BP, the climate was cold, but the final and most extensive phase of the last Irish Ice Sheet had not yet overwhelmed all parts of the island.

This distinction matters. Older popular accounts sometimes pictured Ireland simply as a country buried continuously beneath ice throughout the Ice Age. The evidence instead indicates fluctuating conditions: advances of ice, periods when ice margins withdrew or remained localised, and severe periglacial landscapes beyond them. The best available reconstructions suggest that north-central Ireland was ice-free until at least about 34,000 years ago, while major expansion of the last Irish Ice Sheet

occurred later and its maximum extent belongs principally to the period around 27,000–23,000 years ago. That broad sequence places 31,869 BCE near an important threshold, when cold environments and growing ice masses were reshaping the country but before the Last Glacial Maximum.

That is a regional reconstruction, not a map precise enough to locate an ice front on a particular day or even in a particular century. Ice sheets are dynamic; their margins respond to snowfall, summer melting, sea level, topography and changes in North Atlantic climate. Ireland's record is also patchy because later glaciers eroded, mixed and buried many earlier deposits. What survives is often protected beneath till, preserved in caves, or retained as small organic lenses in old lake and wetland sediments.

Derryvree's Buried Evidence

The most illuminating evidence for conditions broadly overlapping this date comes from Derryvree near Maguiresbridge, County Fermanagh. There, excavations exposed freshwater silts and fine sands trapped between two thick tills within a drumlin. The organic deposit produced a radiocarbon determination of 30,500 years BP, with a quoted laboratory uncertainty; published calibrations place its age broadly between about 36,900 and 31,700 calibrated years BP. The modern label 31,869 BCE falls within that broad interval, but it would be wrong to say that the deposit records that precise year.

The Derryvree flora and fauna nevertheless offer an unusually direct local window. Pollen, plant macrofossils, mosses and insect remains point to open tundra or muskeg: wet, uneven ground with shallow pools, sedges, grasses, herbs and moss-rich surfaces, rather than a closed forest. Juniper occurred locally or regionally, while the sparse tree pollen needs cautious treatment because pollen can travel far and can be reworked from older sediment. The stronger conclusion is that extensive woodland was absent around the site. This was a treeless, exposed landscape shaped by frost, seasonal thaw and short growing seasons.

Nearby Greenagho, also in County Fermanagh, yielded organic material beneath till dated to an earlier but overlapping Middle Midlandian episode, calibrated broadly to about 37,200–35,700 years BP. Together, these sites establish that parts of northern Ireland could support freshwater habitats and low, open vegetation during intervals before the later ice-sheet advance. They do not prove that Derryvree and Greenagho had identical weather, vegetation or animal populations at every moment. Their value lies in demonstrating the kind of cold-phase landscape that existed within the relevant millennia.

Grass, Sedge and Shallow Water

Everyday life in this environment, if people were present, would have been constrained by exposure, mobility and seasonality. Yet the evidence does not establish a human community in Ireland at 31,869 BCE. There are no securely dated houses, hearths, stone-tool scatters, burials or occupation surfaces from this phase. It follows that there can be no responsible account of Irish households, clothing, language, kin groups or food-sharing customs for this numbered year. These are absences in the record, not proof that no person ever entered the island during the wider period.

The landscape itself had its own rhythms. Snow cover, frozen ground and spring melt would have controlled where water gathered and where plants could grow. Sedge- and grass-dominated areas would have offered forage in the warmer part of the year; mossy wetlands and pools would have created locally varied habitats amid generally sparse vegetation. Insects recovered from comparable deposits supply an independent check on plant evidence, because species have particular environmental requirements. They reinforce the picture of cold, open ground rather than a forested Ireland.

Crag Cave in County Kerry provides a different sort of climate archive. Uranium-thorium dating of broken and reworked speleothems shows episodes of calcite formation during Marine Isotope Stage 3. Because cave calcite requires liquid water moving through the rock, its formation indicates intervals sufficiently mild for mean annual temperatures to rise above freezing in this shallow cave system. Such evidence does not turn Ireland into a temperate refuge, nor does it date an outdoor landscape at a particular location. It does, however, show that the late glacial world was punctuated by millennial-scale climatic shifts rather than being uniformly frozen.

Animals and the Cave Record

The richest Irish animal archive for this broad period is Castlepook Cave near Doneraile in north County Cork. Its deposits have produced remains attributed to woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, mountain hare, lemmings and spotted hyaena. A cave is not a census of the surrounding countryside: carnivores may drag prey inside, floods can move bones, and nineteenth- and early twentieth-century excavations did not always record layers to modern standards. Some material at Castlepook is demonstrably later than the Ice-Age fauna, while water disturbance and complex deposits complicate associations between bones.

Those limitations are central to interpretation. Direct radiocarbon dating and later reassessment place elements of the Castlepook assemblage in Marine Isotope Stage 3, but individual species and bones need not all be exactly contemporary. The site supports the robust conclusion that a varied cold-stage mammal community occurred in Ireland during the wider pre-Last Glacial Maximum period. It cannot show that every listed animal shared the same hillside in 31,869 BCE.

Still, the combination is revealing. Reindeer, hares and lemmings suit cold, open habitats; mammoth and giant deer indicate the potential for large herbivores where forage and access permitted; wolves and hyaenas imply large predators and scavengers. Their presence is evidence of ecological connections into the wider north-west European world. It does not settle the exact routes by which animals reached Ireland. Lower sea levels exposed areas now under the sea, while ice, water channels and changing coastlines made connections between Ireland, Britain and continental Europe complex. Scholars continue to debate the timing and practicality of land or ice connections; a simple, permanent 'Irish land bridge' is not an adequate explanation.

People: Possibility, Not a Recorded Society

The question of humans requires especially careful language. A reindeer bone from Castlepook has been publicised as bearing a possible cut mark and has been linked to human activity around 33,000 years ago. If confirmed as a genuine stone-tool mark made soon after the animal's death, it would be important evidence that people reached Ireland during the broader interval. But one modified bone, from a disturbed cave context, is not equivalent to a securely excavated camp. It supplies neither a population estimate nor evidence for permanent settlement, political organisation or a continuous occupation of the island.

For the present, the earliest firmly dated evidence of human presence in Ireland belongs much later, in the terminal Pleistocene at Alice and Gwendoline Cave in County Clare. That contrast is instructive: evidence can establish that humans were present at a cave at one later date without resolving whether they visited Ireland tens of millennia earlier. Around 31,869 BCE, a cautious history must retain the possibility of short-lived human incursions while refusing to invent Palaeolithic tribes, leaders, rituals or conflicts.

No Politics, No Diplomacy

There is no evidence for political affairs, warfare, diplomacy, institutions or named territories in Ireland at this time. Such categories depend on people and social structures that leave recognisable traces, and none can be reconstructed here. Nor can religion and learning be described in specifically Irish terms: no images, graves, ceremonial sites, spoken traditions or written sources survive from this period. The absence of evidence is particularly stark because later glaciation removed or buried much of the old land surface.

Likewise, there was no economy in the historical sense of fields, livestock, markets, coinage or long-distance trade networks evidenced in Ireland. The only ‘exchange’ securely visible is ecological: animals and plants dispersing through shifting northern Atlantic environments, with caves and sediments preserving fragments of their passage. If people occasionally crossed into Ireland, they may have carried knowledge and materials, but that is an inference without direct Irish artefacts for this date.

An Island Before Its History

The importance of 31,869 BCE lies less in a singular occurrence than in the conditions it represents. Ireland was a severe but not lifeless part of the wider Late Pleistocene world: at least some areas were open, cold and ice-free; freshwater pools and tundra vegetation existed in the north; large mammals ranged through parts of the island during the wider period; and ice-sheet expansion was gathering force. The physical foundations of later Ireland—its drumlins, scoured rock, altered drainage and glacial sediments—were being made or prepared by processes that would intensify after this time.

Modern calendar precision should not disguise that scale of uncertainty. The evidence supports calibrated ranges, environmental patterns and carefully bounded possibilities, not an event diary. For Ireland around 31,869 BCE, the most honest historical picture is a landscape of tundra wetlands, roaming fauna and changing ice, poised before the much more extensive glaciation that would erase so much of what came before.

Chapter 033 of 100

31868 BCE

Fermanagh's Silt Interval



“31,868 BCE” is a useful modern label, not a date at which anyone in Ireland could have marked a year. This was long before calendars, writing, named communities or even securely documented settlement on the island. At this depth of time, archaeological chronology works with radiocarbon determinations, calibrated ranges, cave deposits and climatic stages rather than annual precision. The point represented by this entry lies within the later part of Marine Isotope Stage 3 (MIS 3), a fluctuating phase of the Last Glacial Period. The responsible question is therefore not what happened in Ireland in one particular year, but what the surviving evidence can reveal about conditions broadly around 34,000–32,000 calibrated years before present.

A Landscape Between Ice Advances

Ireland was not then the familiar green, wooded island of later prehistory. Its climate was cold, but not simply and permanently frozen. MIS 3 was marked by sharp climatic oscillations: relatively milder interstadials alternated with severe stadials. In western Europe these changes could occur on timescales much shorter than conventional historical periods. A date around 31,868 BCE therefore belongs to an unstable environmental threshold, as the British–Irish Ice Sheet was expanding towards the far greater extent it would achieve later in the glacial cycle.

Recent reconstructions of the ice sheet stress that its growth was regionally uneven. Around 31,000 years ago, ice was accumulating over high ground in northern Ireland, while other Irish regions were subject to changing local ice margins, periglacial conditions or open ground. By about 30,000 years ago, the wider British–Irish Ice Sheet had expanded rapidly in several sectors. This does not mean that every

valley and lowland in Ireland was simultaneously buried beneath ice at the moment represented by this article. It means that the island's habitable patches, waterways, coastlines and animal corridors were being reshaped by advancing ice, cold winds, seasonal thaw and falling sea level.

Lower sea level exposed land now submerged around Ireland's coasts and enlarged the surrounding continental shelves. Yet this should not be turned into a simple image of a broad, dependable land bridge to Britain or continental Europe. Shorelines, marine channels, glacier margins and the practicality of crossings changed through time. The routes by which large mammals entered Ireland remain a matter for reconstruction from faunal distributions, sea-level history and glacial geography, rather than direct observation. For people, if they were present, the crossing problem was still more demanding.

Derryvree's Buried Wetland

The clearest environmental evidence relevant to this period comes from Derryvree near Maguiresbridge in County Fermanagh. Road works in 1969 cut through a drumlin and exposed freshwater silts and fine sands trapped between two substantial layers of glacial till. That sequence matters because the organic deposit was laid down during an interval when the locality was not overwhelmed by ice, then was sealed beneath a later advance. It is an unusually direct glimpse of an Irish landscape that existed between glacial episodes.

A radiocarbon determination from the Derryvree organic material was reported as 30,500 radiocarbon years before present, with a substantial uncertainty. When expressed through modern calibration, the deposit has been placed broadly within a range of roughly 36,900–31,700 calibrated years before present. The modern year-label 31,868 BCE falls near the younger end of that range, but it cannot identify a single season, generation or event in the deposit. Calibration is essential: radiocarbon years are not identical to calendar years, and the calibration curve becomes less precise and more complex this far back in time.

The plants and small animals preserved in the silts indicate open tundra and a periglacial regime. The old description of a “muskeg” environment conveys a wet, sedge-rich, waterlogged setting rather than a forested bog of the modern Irish imagination. Mosses, sedges and cold-adapted vegetation grew around shallow freshwater. The ground would have been subject to frost action, with long winters, brief growing seasons and exposed surfaces. There is no evidence here for the dense oak, elm and hazel woodland that would cover much of Ireland after the Ice Age. Derryvree instead preserves a northern landscape in which wet hollows and shallow water offered biological productivity amid a generally treeless terrain.

Animals at Castlepook

Southern Ireland contributes a different, complementary archive. Castlepook Cave near Doneraile in north County Cork has produced one of Ireland's richest late-Pleistocene faunal collections. Its deposits are complicated: bones accumulated over long periods, some material was disturbed, and a cave is not a neutral snapshot of the land outside. Carnivores, water movement, collapse and earlier excavation can all mix or displace remains. For that reason, the cave cannot be read as a census of animals living together on one day.

Nevertheless, redating work has shown that important elements of the Castlepook fauna belong much earlier in MIS 3 than formerly believed. The broader assemblage includes woolly mammoth, giant deer, reindeer, brown bear, wolf, Arctic fox, mountain hare, stoat and small cold-adapted rodents, as well as spotted hyaena. Together, these species demonstrate that Ireland could support a varied Pleistocene mammal community during favourable intervals before the Last Glacial Maximum. Reindeer and

lemmings point towards open, cold environments; mammoth and giant deer speak to extensive grazing landscapes; predators show that this was a functioning food web, not merely a scatter of wandering herbivores.

The most important humanly relevant object is a reindeer femur from Castlepook bearing marks interpreted as butchery damage. Improved radiocarbon work placed the bone in the broad timeframe of roughly 33,000 BCE, making it potentially the earliest evidence for human activity in Ireland by a considerable margin. Its significance is real, but its limits are equally important. One modified bone is evidence consistent with people processing an animal. It is not proof of a permanent settlement, a named population, a camp layout, a hunting territory or an uninterrupted ancestry leading to later Irish communities.

The Human Question

At around 31,868 BCE, Europe was inhabited by *Homo sapiens* communities with sophisticated hunting knowledge, mobile social networks and varied stone-tool traditions. It would be tempting to assign the Castlepook evidence to a familiar archaeological culture or to imagine a group of reindeer hunters establishing an Irish homeland. The Irish evidence does not support that level of certainty. No securely associated lithic assemblage, hearth, dwelling, human burial or repeated occupation surface from this time has yet been demonstrated at Castlepook.

The careful interpretation is narrower and more powerful: people may have reached Ireland during a relatively accessible MIS 3 interval and processed at least one reindeer there. Whether they came as a small, short-lived hunting party, visited repeatedly, or formed part of a more extensive but archaeologically invisible population remains unknown. The subsequent advance of ice would have destroyed, buried or displaced many traces of open-air activity. That geological history helps explain the scarcity of evidence, but it cannot fill the gaps with certainty.

There is therefore no basis for describing political affairs, diplomacy, tribes, leaders or warfare in Ireland at this date. Nor is there evidence for formal religion, monuments, art, literacy or institutions. Silence in these categories is not a claim that early people lacked social lives, beliefs or learning; mobile hunter-gatherers elsewhere certainly possessed rich social knowledge and cultural practices. It is simply an acknowledgement that the Irish record around this date has not preserved evidence from which such particulars can responsibly be inferred.

Food, Movement and Risk

If the marks on the Castlepook reindeer femur do record human butchery, they offer the smallest but most tangible indication of economy: the acquisition and processing of animal food. Reindeer would have supplied meat, marrow, fat, hide, sinew and bone. In a cold, exposed environment, such resources had practical value beyond a single meal. Yet the bone does not reveal whether the animal was hunted, found dead, taken from another predator, or processed by one person rather than a group. It cannot establish seasonal movement, methods of weaponry or ownership of territory.

More securely, the animal remains show an economy of nature rather than farming. There were no crops, domestic livestock, villages, fields, metal objects or long-distance commercial systems in Ireland known from this horizon. Any humans present would have depended upon careful mobility, local

ecological knowledge and the shifting availability of large game, small mammals, freshwater and shelter. Cave entrances could provide temporary protection, but Castlepook's role as a carnivore-affected bone repository warns against assuming it was necessarily a human home.

A Fragile Presence


The central development illuminated by Ireland around 31,868 BCE is not a political event but a conjunction of environmental opportunity and vulnerability. Derryvree records ice-free tundra wetland in Fermanagh; Castlepook records a southern animal community adapted to open glacial landscapes; Irish cave calcite from Crag Cave shows that milder episodes during MIS 3 were sufficiently significant for liquid water and speleothem growth. These archives demonstrate that the Irish landscape was neither uniformly ice-covered nor environmentally static.

They also explain why any human presence was precarious. Climatic improvement could open routes and create productive habitats, only for colder conditions and advancing ice to close them again. The evidence presently available suggests possibility, not continuity. The first securely traceable long-term human settlement of Ireland belongs much later, after the Last Glacial Maximum. Around 31,868 BCE, Ireland appears instead as a cold, changeable edge of north-western Europe: a place where reindeer ranged, hyaenas used caves, wetlands formed beneath later drumlins, and perhaps a small number of people briefly entered a landscape that would soon be transformed again by ice.

Chapter 034 of 100

31867 BCE

Cork Caves, Fermanagh Silts



31,867 BCE is not a year that can be isolated in Ireland's archaeological record. It is a modern calendar label applied to a period for which there are no written sources, named communities, annual deposits or securely dated events. A simple conversion places it roughly 33,800 years before AD 1950, the conventional reference point for 'before present', but that is not a calibrated archaeological date. Radiocarbon ages must be converted through calibration curves, and, at this depth of time, the proper language is of broad ranges rather than a single calendar year. The most responsible picture is therefore of Ireland during the later part of the Last Glacial Period, generally within Marine Isotope Stage 3, not of an Irish 'year' in any modern sense.

A Landscape Before the Ice Peak

This was a time of climatic instability. The great British–Irish Ice Sheet had not yet reached its later maximum extent, but glaciers and ice caps occupied parts of Ireland's uplands and northern districts. The island was neither uniformly ice-covered nor a mild, settled landscape. Conditions changed markedly over long spans, with cold phases, short-lived ameliorations, advancing ice and areas of exposed ground. Modern reconstructions of the ice sheet underline both the scale of this change and the difficulty of assigning a precise local climate to one numbered BCE year. They show substantial ice growth across the British Isles between about 31,000 and 23,000 years ago, with differing sectors advancing at different times.

For Ireland around the date represented here, the strongest evidence comes from places whose sediments survived beneath later ice. At Derryvree, near Maguiresbridge in County Fermanagh, roadworks exposed freshwater silts and fine sands trapped between two distinct tills within a drumlin. Their organic material produced a radiocarbon age of 30,500 years before present, with a sizeable

uncertainty; subsequent discussion has expressed this as an approximate calibrated range of 36,900–31,700 years ago. That range overlaps the broad chronological horizon represented by 31,867 BCE. The deposits preserve the remains of an open tundra environment and a periglacial climate: land shaped by frost, sparse vegetation and seasonal severity rather than by woodland or farmland.

Derryvree is not a snapshot of all Ireland. It is a local archive from north-central Ireland, and its dates refer to deposited organic material, not to a national climatic boundary. Yet it is exceptionally important because it demonstrates that land now buried beneath glacial sediments could, during part of this long interval, support freshwater environments and tundra vegetation. Comparable deposits at Greenagho near Belcoo, also in Fermanagh, reinforce the point that ice-free or lightly glaciated conditions existed in parts of the north before the major later expansion of the ice sheet. The evidence is geological and palaeoecological; it tells us about ground, water, plants and climate, not about named human groups.

Open Ground and Moving Animals

The Irish landscape was likely an open, treeless or near-treeless mosaic where grass, sedges, dwarf shrubs and herbs could persist in sheltered or better-drained places. Such vegetation could sustain grazing animals, although the abundance of any species varied through time and by region. Fossils and animal bones provide the clearest evidence. The Late Pleistocene Irish record includes reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, hare, lemmings and spotted hyaena. It is essential not to imagine all of them together in one herd-filled scene: many specimens come from disturbed cave collections and date to different episodes across tens of millennia. Their combined presence instead reveals that Ireland repeatedly formed part of wider north-west European ecological networks before the coldest stage of the last glaciation.

Castlepook Cave, near Doneraile in north County Cork, is central to this story. Cave exploration there in the late nineteenth and early twentieth centuries recovered a striking quantity of animal bone. The site's galleries preserved traces of animals that used the cave, died near it, or whose remains were carried in by predators, scavengers, water and sediment. Later reassessment and dating work has shown why such collections are both precious and difficult: old excavations did not always record exact layers, and bones from different periods may have become mixed. New excavations, begun again in 2022 under licence, seek undisturbed deposits capable of linking fauna, sediment and date more securely.

For everyday life in the animal world, mobility was probably decisive. Reindeer and other herbivores could have moved through broad feeding ranges as weather, snow cover, forage and predation altered. Carnivores, including hyaenas and wolves, followed opportunities created by those prey populations. Caves were not necessarily peaceful shelters; they could be dens, traps, feeding places or repositories into which bones accumulated over generations. The dramatic cave fauna does not prove a dense animal population throughout the island. It does prove that parts of Ireland were habitable to a wider range of cold-stage mammals than the later, more restricted native fauna might suggest.

The Human Question at Castlepook

Human presence is the most delicate question. There is no excavated settlement, hearth, stone-tool assemblage, burial, house, artwork or monument that can be assigned to Ireland in 31,867 BCE. Accordingly, there can be no responsible account of Irish rulers, political institutions, diplomacy, warfare,

religion, formal learning or trade at this date. None is evidenced. The absence of such evidence does not demonstrate that no person ever crossed the landscape, but it does rule out elaborate narratives of a settled Ice Age society.

The closest possible indication is a reindeer femur from Castlepook Cave that has been interpreted as carrying a cut mark made during carcass processing with a sharp stone tool. It has been presented as evidence that people may have reached Ireland around 33,000 years ago. If that interpretation and chronology are sustained, it would indicate a brief act of butchery rather than a permanent colony: perhaps one or more hunter-gatherers exploiting a reindeer, probably within a wider pattern of movement across north-west Europe. It cannot identify their language, origin, kinship, beliefs or route, and it cannot be tied to 31,867 BCE itself. The bone is significant precisely because the direct evidence is so slight.

Caution is strengthened by what has happened to other Irish cave chronologies. The Irish Quaternary Fauna Project was groundbreaking in applying accelerator radiocarbon dating to animal remains, but later ultrafiltration and redating have demonstrated that some earlier results require revision. At Alice and Gwendoline Cave in County Clare, for example, a butchered brown-bear kneecap gives well-supported terminal Pleistocene dates of about 12,810–12,590 calibrated years before present—far later than the period considered here. Its value is methodological as much as chronological: direct dates on a particular bone, careful taphonomic analysis and independent replication are vital before claims for very early human activity can be made securely.

Routes, Coasts and Uncertainty

Lower global sea level exposed land now beneath the sea around north-west Europe, changing the outlines of coasts and the distances between regions. That fact should not be converted into a simple image of an easy land bridge to Ireland. Ice, sea channels, changing shorelines and local topography governed movement. Research on the Irish Sea has long warned against assuming a continuous, walkable Late Quaternary connection, while more recent palaeogeographic work shows that exposed shelves and ice margins changed through time. Animals and any visiting people may have moved by routes that are now submerged, glacially eroded or archaeologically invisible; the precise route is unknown.

There is likewise no evidence for an economy in the later prehistoric sense. No farming occurred: there were no fields, domestic livestock, crops, metalwork or markets. If people were present intermittently, their subsistence would have depended on hunting, scavenging, gathering and the careful use of animal materials, as among contemporary Upper Palaeolithic communities elsewhere in Europe. That is a comparative interpretation, not a demonstrated Irish settlement pattern. A cut-marked reindeer bone, if accepted, supports the narrow proposition that meat or carcass processing occurred; it does not disclose the full diet, seasonal round or social organisation of those involved.

An Archive of Fragments


The most important historical development represented by 31,867 BCE is therefore environmental, not political: Ireland lay within a shifting Ice Age world shortly before the fullest expansion of the last ice sheet. Fermanagh's buried freshwater sediments show cold, open ground and periglacial conditions. Cork's caves preserve evidence of mammals able to live in, or pass through, parts of the island during broader Marine Isotope Stage 3. Castlepook also raises the possibility of a very early human visit, but not yet of a documented population.

Later ice sheets eroded landscapes, rearranged sediments and obscured the traces that archaeologists would most like to find. This is why Ireland's deep prehistory must be written with unusual restraint. Around 31,867 BCE there were no Irish kingdoms, no known communities and no calendar-aware witnesses. There was, however, a changing terrain of frost, water, exposed ground and animal movement—an environment whose surviving bones and silts offer rare, fragmentary evidence of Ireland before the ice reached its greatest power.

Chapter 035 of 100

31866 BCE

Castlepook's Faunal Boundary



The label 31,866 BCE gives a misleading impression of precision. No Irish event can be assigned to that calendar year, and no contemporary Irish calendar, settlement sequence or written record exists. In archaeological terms it is best treated as a nominal point roughly 33.8 thousand years before present, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3). Even that conversion needs care: “before present” conventionally means before AD 1950, while radiocarbon measurements must be calibrated into calendar ranges rather than read as calendar years. For this depth of time, the responsible subject is therefore not a year’s happenings, but what a sparse set of animal bones, cave deposits, buried sediments, ice-sheet reconstructions and wider North Atlantic climate records can, and cannot, say about Ireland.

At this remove, Ireland was not a country in any political or cultural sense recognisable today. There is no evidence for rulers, tribes, diplomacy, warfare, farms, villages, trade networks, formal religion or language on the island at this date. Nor is there a securely excavated Irish occupation site that can be placed in this particular interval. The historical value of the period lies elsewhere: it preserves a difficult but important chapter in the making of Ireland’s landscape, and in the question of whether people ever reached the island before the great expansion of ice that followed.

Dating a Moving Climate

Modern calendar-year precision is unavailable. A point corresponding approximately to 33.8 ka ago falls close to the transition between Greenland climatic events conventionally called Greenland Stadial 6 and Greenland Interstadial 6 on the extended GICC05 ice-core timescale. The onset of GI-6 is placed at about 33,740 years before AD 2000, but correlations between Greenland ice, Irish sediments and cave

finds are neither exact nor automatic. An interstadial in a Greenland isotope record identifies a major North Atlantic climatic shift; it does not prove that the same temperature, vegetation or ice limit occurred simultaneously in every Irish valley.

That distinction matters because climate was volatile. During MIS 3, abrupt warmings and coolings reorganised the North Atlantic world repeatedly, sometimes on scales much shorter than archaeological periods. A cave bone may be directly dated, yet its date range commonly spans centuries or more; a layer of silt may record an episode of deposition rather than a single season. Calibration adds another necessary layer. IntCal20, the principal Northern Hemisphere calibration curve, extends to 55,000 calibrated years before present, but it explicitly incorporates uncertainty in the older part of the curve. It permits improved ranges, not a pinpointed Irish Tuesday in 31,866 BCE.

Ice in an Uncertain Island

Ireland stood on the approach to the Last Glacial Maximum, not yet at its best-established maximum extent. The British–Irish Ice Sheet reached its maximum extent much later, broadly around 27–21 ka in older syntheses and around 25–23 ka in well-dated Irish Sea work. By then ice occupied much of Ireland and extended across adjoining continental shelves. That later maximum should not simply be projected backwards onto the earlier date considered here.

The ice history around 34 ka is genuinely debated. The BRITICE-CHRONO reconstruction begins at 31 ka because earlier geographical constraints are few; its model depicts initial nourishment of ice on high ground, including a centre in Northern Ireland, rather than a confidently mapped blanket over the whole island. Other recent work argues that the British–Irish Ice Sheet may have developed substantially earlier during MIS 3, partly on the basis of raised-shore and offshore evidence. These are competing reconstructions of a changing ice mass, not grounds for declaring all of Ireland either uniformly ice-free or uniformly glaciated in this nominal year.

The safest picture is regional and provisional. Some uplands and northern districts may have supported accumulating or advancing ice, while other areas could at times have remained available to cold-adapted plants and animals. Glacial erosion, subsequent ice advances and rising seas have destroyed or buried much of the relevant evidence. The patchiness of the record is itself historical evidence: this was a landscape repeatedly remodelled by ice, meltwater, frost and later marine change.

Open Ground and Fossil Archives

Where plant and insect remains survive beneath or between glacial deposits, they point to environments very unlike modern Ireland. The classic Irish Quaternary sequences at Derryvree in County Fermanagh, Greenagho and Aghnadarragh preserve organic sediments associated with cold phases. Pollen, beetles and plant remains have been interpreted as evidence for open, treeless ground, wet mossy or sedge-rich hollows, and strongly seasonal conditions. The Derryvree organic silts, for example, have long been described as recording a treeless muskeg environment between tills. Such deposits illuminate types of Irish cold-stage habitat, but their correlation with any one numbered BCE year remains uncertain.

“Tundra” is a useful shorthand only if used cautiously. It should not conjure an unbroken white wilderness. In exposed settings there may have been herb-rich grassland, sedges, dwarf shrubs, bare mineral ground and seasonal wetlands; sheltered places would have offered different resources. The

animals whose bones occur in southern Irish caves show that, during portions of MIS 3, such landscapes could sustain sizeable herbivores and their predators. Yet fossils demonstrate presence, not abundance, and an animal reaching a cave does not establish a stable local population.

Castlepook and Its Animals

Castlepook Cave near Doneraile, in north County Cork, is central to the discussion because it has produced one of Ireland's most significant pre-Last Glacial Maximum faunal assemblages. Reassessment using improved pretreatment and radiocarbon methods has shown that several Castlepook specimens are substantially older than earlier determinations suggested. The resulting evidence places particular mammals in Ireland during MIS 3 and indicates that some, notably giant deer and spotted hyaena, may have disappeared locally before the Last Glacial Maximum.

Red deer are also securely represented in the wider southern Irish cave record before the maximum cold. Two directly dated County Waterford cave specimens fall within calibrated ranges of 32,930–31,280 cal BP and 30,297–29,594 cal BP. Those ranges are important evidence that deer could live in southern Ireland during the broader pre-LGM interval, but neither is a direct observation of conditions in 31,866 BCE. Reindeer, giant deer, brown bear, wolf, hare and spotted hyaena belong to the wider Pleistocene faunal conversation around Irish caves, although each species has its own chronology and evidential quality.

The economic implications are ecological rather than social. Herd animals imply grazing opportunities; carnivores imply prey and scavenging chains; caves served at different times as traps, dens, shelters or repositories into which bones were carried. Nothing in this evidence demonstrates hunting quotas, seasonal camps, meat-sharing rules or a human-managed economy. It does, however, overturn the older assumption that pre-LGM Ireland was necessarily devoid of substantial land mammals.

The Human Question

A reindeer femur fragment from the Castlepook collections has been reported as carrying marks consistent with stone-tool butchery and as dating to roughly 33,000 years ago. If both the date and anthropogenic interpretation are upheld through full contextual analysis, it would indicate a strikingly early human visit to Ireland in the Upper Palaeolithic. It would not, by itself, demonstrate permanent settlement, a named culture, or a community living at the nominal date of this article. A marked bone is not a settlement plan.

That restraint is essential. No securely dated Irish lithic assemblage, hearth, dwelling floor, burial, art panel or human skeletal remain belongs to around 33.8 ka. The later terminal-Pleistocene evidence from Alice and Gwendoline Cave in County Clare is much firmer evidence for people in Ireland, but it is separated from this period by many millennia. Current heritage guidance accordingly treats the early human story as highly fragmentary and stresses Ireland's insular setting and limited faunal opportunities as major constraints on colonisation.

Sea Crossings, Society and Silence

Lower global sea levels changed coastlines and exposed areas now underwater, but they did not guarantee a walkable route from Britain or continental Europe. Whether any Late Quaternary land bridge linked Ireland and Britain has long been disputed; sea level, crustal rebound, ice margins and local

bathymetry all mattered, and any connection could have been short-lived or discontinuous. The evidence does not permit a confident reconstruction of a land route available in 31,866 BCE. A human arrival, if one occurred, might have involved a difficult sea or ice-margin crossing rather than a simple migration over dry ground.


Consequently, political affairs, conflict and diplomacy cannot responsibly be supplied for this date. There are no Irish polities to describe, no proven encounters between groups, and no evidence for exchange beyond the movement of animals and perhaps people through a wider north-west European world. Similarly, religion, culture and learning leave no identifiable Irish material trace. It is reasonable to say that contemporary Upper Palaeolithic people elsewhere possessed sophisticated knowledge, social traditions and skilled technologies; it is not reasonable to assign those practices to an undocumented camp in Ireland.

The most important development around this point, then, was environmental rather than institutional: Ireland occupied a shifting boundary between habitable cold-stage landscapes and expanding glaciation. Castlepook's fauna, the buried organic deposits of Fermanagh and the offshore record preserve scattered glimpses of that boundary. They show an island in flux, intermittently capable of supporting large mammals and possibly fleeting human visitors, but heading towards a glacial transformation that would erase much of the evidence. The silence is not empty. Properly read, it is the defining historical fact of Ireland at this remote date.

Chapter 036 of 100

31865 BCE

Awbeg Limestone Fauna



“31,865 BCE” is a useful modern filing label, not a date at which Ireland can be observed year by year. No written record, seasonal sequence or archaeological layer can be assigned to that single calendar year. At this depth of time, chronology comes from radiocarbon determinations, cave sediments, pollen, animal bones and ice-sheet reconstructions, each carrying margins of error. The responsible setting is therefore a broad one: Ireland during Marine Isotope Stage 3 (MIS 3), the comparatively variable middle part of the last glacial cycle, conventionally dated c. 57,000–29,000 years ago. The notional year falls around 33,800 calendar years before present, but calibrated ranges, rather than an exact annual event, are the proper scale of discussion.

A Landscape Before the Ice Maximum

Ireland was not yet at the Last Glacial Maximum, when the British–Irish Ice Sheet expanded dramatically and covered much of the island. That later maximum is generally placed around 27,000–23,000 years ago in the Irish Sea and Celtic Sea sectors, with substantial regional variation in the timing and behaviour of ice. Around the present horizon, conditions were cold, unstable and markedly different from those of modern Ireland, but it is unsafe to picture the whole island as either continuously ice-covered or uniformly open. Glaciers, permafrost, snow cover, exposed ground and vegetated refuges changed across both space and time.

Global sea level was considerably lower than today during MIS 3, exposing wider coastal plains and altering the outline of the Irish Sea and Celtic Sea. Yet lower seas did not automatically make travel easy. Any route between Ireland, Britain and continental Europe would have been shaped by shifting

shorelines, rivers, wetlands, marine channels and, crucially, ice margins. The evidence does not permit a map of a particular crossing in 31,865 BCE. It does show that Ireland was part of a north-west European ecological zone whose animal populations could change as climates warmed or deteriorated.

The later ice advance matters for another reason: it destroyed and buried evidence. Moving ice eroded older surfaces, redistributed sediment and removed many traces that a brief human visit might have left. The scarcity of Palaeolithic evidence in Ireland is consequently not proof that nothing ever happened there; it is, however, a firm reason not to turn possibility into a settled narrative.

Castlepook and the Southern Fauna

The most important evidence close to this remote horizon comes from Castlepook Cave, also called Mammoth Cave or Doneraile Cave, near the Awbeg valley in north County Cork. Excavations undertaken in the early twentieth century recovered a remarkable quantity of animal remains from cave deposits. The surviving collection includes evidence for reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, lemmings and spotted hyaena. It is one of Ireland's richest Pleistocene faunal assemblages, and it establishes beyond reasonable doubt that animals now absent from the island inhabited or reached parts of Ireland during the last glacial period.

This is powerful evidence, but not a photograph of one moment. Castlepook's bones were recovered in antiquarian excavations, long before current standards of recording, sieving, stratigraphic control and sampling. The cave contains deposits of differing ages, and some material may have been moved or contaminated after its original deposition. Older radiocarbon programmes provided apparent ages in the range relevant to MIS 3; subsequent redating, using improved pretreatment methods, demonstrated that several southern Irish cave specimens were appreciably older than their earlier measurements suggested. The revised results indicate that elements of the Castlepook fauna belong to an earlier MIS 3 world and that some species may have disappeared locally before the later ice maximum.

Thus the cave supports a cautious conclusion rather than a precise annual fauna list. Reindeer, mammoth and hyaena are credible components of Ireland's broader cold-stage record. It cannot demonstrate that every listed species stood in the Awbeg valley in the same season, still less in the numbered year used here. The assemblage records repeated ecological opportunities, animal deaths and cave use across time.

Open Ground, Predators and Prey

The animals nevertheless give a vivid, if incomplete, sense of the landscape. Reindeer and lemmings point towards cold, open habitats; Arctic fox reinforces that impression. Woolly mammoth and giant deer evoke extensive grazing country, while wolves and spotted hyaenas indicate a working predator-and-scavenger guild. This was not the later wooded Ireland of popular imagination. The likely landscape included herb-rich tundra, grassland and sparse shrub vegetation, broken by streams, limestone ground, sheltered hollows and local patches of more productive cover.

Predators are especially important because a cave bone accumulation need not be a human food refuse deposit. Hyaenas may carry carcass parts into dens, gnaw bones and leave them in complex deposits. Other bones may have washed in, fallen through fissures or been disturbed during later cave activity. A mammoth bone in a cave does not mean a mammoth died there, and a reindeer femur does not by itself identify a hunting camp. Taphonomy—the study of what happened to remains between death, burial and excavation—is central to every interpretation of Castlepook.

Environmental change was rapid on the long timescale of a human life. Greenland ice-core records and North Atlantic archives show repeated abrupt swings between colder stadials and relatively milder interstadials during MIS 3. Ireland's local deposits are too fragmentary to match every one of these episodes confidently, but they caution against describing a single unchanging "Ice Age climate". A landscape hospitable to grazing animals in one interval might have become far less viable as temperatures fell, snow persistence increased or ice expanded.

The Human Question

A reindeer femur from the historic Castlepook collection has been publicly reported as bearing marks consistent with cutting or chopping by a stone tool and as dating to roughly 33,000 BCE. If the marks are confirmed as anthropogenic, and if the specimen's age and context are securely established, it would be extraordinarily early evidence for human handling of an animal in Ireland. It would suggest a short Upper Palaeolithic incursion by *Homo sapiens* during favourable MIS 3 conditions, many millennia before the well-attested post-glacial settlement of the island.

That proposition must remain conditional. The bone was not recovered from a modern, tightly recorded occupation surface, and no associated hearth, stone-tool assemblage, dwelling, burial or repeated camp layer has yet supplied the supporting archaeological context expected for a secure settlement claim. Marks on bone must be distinguished from carnivore damage, trampling, sediment abrasion, excavation damage and breakage after burial. The specimen is important precisely because it raises a testable question; it cannot bear the weight of an invented population history.

Nor should later evidence be pulled backwards in time. A butchered brown-bear bone from Alice and Gwendoline Cave in County Clare gives strong evidence for human activity at c. 12,810–12,590 calibrated years before present, near the end of the Pleistocene. That find demonstrates that people did reach Ireland long before the Mesolithic, but it dates more than twenty millennia after the horizon considered here. It neither confirms nor disproves an earlier Castlepook visit.

No Politics, No Recorded Conflict

There is no evidence from Ireland at this date for political communities, named peoples, leaders, diplomacy, warfare, formal religion, trade institutions or permanent settlement. It would be anachronistic to speak of an Irish nation, tribe or kingdom. Even if a small hunting party briefly entered the island, its language, kinship, numbers, origins, route and duration of stay are unknown. A single processed animal, if that is what the Castlepook femur eventually proves to be, would show an episode of activity, not a resident society.

The wider European Upper Palaeolithic provides a comparative context only. Elsewhere, mobile hunter-gatherers made sophisticated stone tools, used animal resources intensively and sometimes created personal ornaments, images and structured places. None of that can responsibly be assigned to Ireland without Irish objects or deposits. There is no Irish evidence at this horizon for art, ceremony, teaching traditions, exchange goods or a built domestic economy. Absence of proof is not proof of cultural incapacity; it is a boundary on what historians may claim.

Economy at the Edge of Evidence


If humans did pass through southern Ireland in MIS 3, subsistence would most plausibly have involved mobile hunting, scavenging or butchery of large game, supplemented by whatever smaller animals and seasonal resources the landscape offered. This is an inference from the fauna and from contemporary hunter-gatherer lifeways elsewhere, not direct evidence of an Irish diet. There are no excavated plant foods, fishing gear, storage pits or tool kits from 31,865 BCE. Nor is there evidence for exchange across sea or land routes.

The soundest history of this time is therefore ecological and archaeological rather than political. Ireland was a changing glacial landscape, intermittently capable of sustaining striking cold-adapted mammals. Castlepook preserves a fragment of that vanished world in limestone sediments and museum collections. Whether people shared it at the requested horizon remains an important but unresolved question. Future excavation, microscopic analysis of bone modifications and further direct dating may narrow the uncertainty; they will still yield ranges and episodes, not a chronicle for one modern calendar year.

Chapter 037 of 100

31864 BCE

Maguirebridge's Arctic Silts



“31,864 BCE” is a modern filing point, not a date that can be recovered from Irish evidence with calendar-year precision. In archaeological terms it corresponds very roughly to 33.8 thousand years before 1950, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), a climatically unstable part of the last Ice Age. Radiocarbon results from so far back must be calibrated and are expressed as probability ranges, not as an anniversary. The closest substantial Irish environmental sequence, the freshwater deposits at Derryvree near Maguiresbridge in County Fermanagh, has been associated with calibrated ages of about 36.9–31.7 thousand years ago. It can illuminate conditions around this notional year, but cannot describe one particular season, community or event.

An Island Before the Ice Peak

This was Ireland before the Last Glacial Maximum, not Ireland at the maximum. The great British–Irish Ice Sheet would later expand over almost the entire island and its surrounding shelf, but reconstructions indicate a rapidly changing situation during the preceding millennia. A major synthesis of ice-sheet growth places the combined British–Irish Ice Sheet’s pronounced expansion at around 30,000 years ago, with further Irish growth by 29,000 years ago. That chronology makes it unsafe to imagine a single blanket of ice covering every part of Ireland at c. 33.8 thousand years ago. Equally, it would be wrong to picture a mild, wooded island: cold conditions, advancing glaciers and highly variable regional environments were already defining the future landscape.

Sea level was lower than today because vast quantities of water were stored in northern ice sheets. Modelled relative sea level at 31,000 years ago lay roughly 50–100 metres below the modern level across the wider British–Irish region, exposing areas now beneath the sea. The outline of Ireland was therefore different, and journeys between landmasses may have involved wider lowlands, changing channels, coasts

or ice margins rather than the familiar Irish Sea. Yet lower sea level does not itself prove an easy, continuous walking route from continental Europe to Ireland at this earlier date. The routes available to animals and people depended on local topography, marine inundation and ice, all of which changed through time.

Derryvree's Cold Landscape

The Derryvree evidence is especially valuable because organic silts and fine sands survived between two later sheets of glacial till. Their plant and animal remains indicate open tundra vegetation under a periglacial climate. Moss macrofossils and poorly preserved herb pollen suggest a sparse, treeless world rather than forest: vegetation able to endure cold, wind, short growing seasons and disturbed ground. This is direct evidence from south Fermanagh, not a map of every Irish county. Nevertheless, it provides the most responsible local comparison for the numbered year. It points to a landscape of exposed ground, wet hollows and freshwater sediments, with seasonal contrasts far more severe than those of modern Ireland.

Other Irish records reinforce the broader picture of instability rather than uniformity. Speleothems in Crag Cave, County Kerry, grew only during episodes when cave-water chemistry permitted it; researchers interpret repeated phases of growth during MIS 3 as evidence for climatic ameliorations interrupting colder conditions. Organic deposits at Greenagho and Derryvree likewise show that ice-free or non-glacial intervals existed in parts of Ireland before subsequent ice advances. Such evidence does not allow a weather report for 31,864 BCE. It does show why a single label such as “the Ice Age” conceals a sequence of sharp shifts, in which habitats could open, contract or disappear within the lifespan of animal populations.

Castlepook and the Animal Evidence

The most evocative evidence comes from Castlepook Cave, also called Mammoth Cave, in the Awbeg Valley north of Doneraile, County Cork. Excavations undertaken in the early twentieth century recovered a remarkable Pleistocene assemblage, including woolly mammoth, reindeer, giant deer, brown bear, Arctic fox, hare, wolf, lemmings and spotted hyaena. The cave is Ireland's outstanding record of this earlier Ice Age fauna. Its very richness, however, demands care. Bones accumulated in a cave used and disturbed by carnivores, water, sediment movement and antiquarian excavation; they are not a neat snapshot of animals standing together on one day, nor proof that every recorded species was contemporary.

Modern redating has made the Castlepook material more significant and more complicated. Improved pretreatment of bone collagen produced dates substantially older than some earlier determinations, placing parts of the southern Irish fauna securely in MIS 3. The revised work suggests that animals such as giant deer and spotted hyaena may have vanished locally before the later ice maximum. A reindeer metatarsal from Castlepook produced an uncalibrated radiocarbon age of $33,630 \pm 790$ BP in the Irish Quaternary Fauna Project, while other dated specimens demonstrate that the cave's record spans a long interval. Around the article's approximate horizon, then, reindeer and other cold-adapted mammals are firmly part of the evidence, but their exact local abundance, seasonal movements and ecological relationships remain unknown.

Spotted hyaena matters because it changes the scale of the landscape. Its bones and tooth-marked prey remains indicate that Ireland was not a biologically empty frozen outpost. Carnivores, large herbivores and small mammals had reached suitable terrain at different times. Hyenas could transport and gnaw carcasses, explaining why cave bone collections cannot automatically be treated as hunting debris.

Mammoth and giant deer also should not be converted into claims of regular human hunting: their presence records fauna, not a human economy. The responsible conclusion is that parts of Ireland supported complex cold-stage animal communities before ice expansion transformed or erased many of their habitats.

A Possible Human Trace

There is no securely excavated settlement, hearth, human skeleton, stone-tool assemblage or rock art from Ireland dated to c. 31,864 BCE. Consequently, there is no basis for identifying a people, language, political unit, religious practice or enduring population on the island. The reported importance of this horizon rests chiefly on a reindeer femur from the old Castlepook collection, dated to roughly 33,000 years ago and described as bearing an incision consistent with cutting by a sharp stone edge. If that interpretation is confirmed, it would show that a person or a small party processed an animal in Ireland during the Upper Palaeolithic—an extraordinary extension of the island’s human record.

But “if” is essential. The bone lacks a securely excavated human occupation context, and the cave deposits have been heavily disturbed. Recent Castlepook fieldwork has recovered Pleistocene fauna and investigated surviving sediments, but the project’s own reporting stresses that no stone or bone tool can yet be assigned with certainty to Pleistocene human activity there. The later, much stronger evidence for a human presence is a cut-marked brown-bear patella from Alice and Gwendoline Cave in County Clare, independently dated to 12,810–12,590 calibrated years BP—over twenty millennia after this article’s notional date. That later discovery demonstrates that people did reach Late Glacial Ireland; it cannot fill the earlier evidential gap.

Society Beyond Recovery


If people did visit Ireland at this time, the Castlepook incision permits only the narrowest inference: somebody may have used a sharp implement on animal tissue or hide. It does not establish a camp, a family group, a hunting strategy, a seasonal round or permanent residence. Nor is there evidence for farming, herding, pottery, trade goods, monuments, burial, formal diplomacy, organised warfare or institutions. “Economy” can therefore mean only the possible short-term procurement and processing of wild resources; “settlement” only the possibility of fleeting movement through a demanding environment. The ordinary realities of shelter, clothing, fire, kinship and knowledge were surely vital to any travellers, but they are not recoverable from Ireland’s present record.

This silence is historically meaningful. Later ice advance scoured landscapes, redeposited sediments and helped destroy the shallow traces from which archaeologists normally recognise Palaeolithic activity. Caves have preserved animal bone more readily than open-air camps, yet early excavators often removed deposits before modern recording methods existed. Museum collections, radiocarbon redating, microscopic study of surface marks, sediment DNA and carefully controlled new excavation are therefore central to the story. At 31,864 BCE, Ireland is best understood not as a nation with a recoverable annual history, but as a changing northern landscape on the threshold of severe glaciation—one inhabited certainly by Ice Age animals and perhaps, briefly and still controversially, visited by people.

Chapter 038 of 100

31863 BCE

Reindeer by the Awbeg



The label 31,863 BCE is a modern way of locating a point deep in the last Ice Age, not a year that can be recovered from an Irish archive. No Irish event, individual or community can responsibly be assigned to that calendar year. Radiocarbon dates are reported with uncertainty and must be calibrated against changing atmospheric carbon; at this depth of time, the results are ranges rather than annual anniversaries. The most appropriate frame is the later part of Marine Isotope Stage 3 (MIS 3), before the full Last Glacial Maximum. Evidence from Ireland can illuminate a broad interval around this date, but it cannot yield a conventional year-by-year history.

A Landscape in a Cold Phase

At roughly 31,863 BCE, Ireland lay in a climatically unstable portion of the Late Pleistocene. The island's landscapes did not resemble the green, wooded country familiar today. Deposits preserved at Derrynvree near Maguiresbridge, County Fermanagh, are especially important. Organic silts and sands trapped between two layers of glacial till have produced a radiocarbon chronology calibrated broadly to about 36,900–31,700 years before present. That range overlaps the date in question, though it emphatically does not identify conditions in every part of Ireland in a single year.

The plants, mosses and insects from Derrynvree point to open, treeless tundra or muskeg: a wet, uneven terrain of sedges, grasses, herbs, juniper and mosses, with pools and waterlogged ground. It was not necessarily a lifeless white desert. Short growing seasons could support vegetation sufficient for grazing animals, while severe winters and frozen ground imposed formidable limits. The evidence is regional and environmental, not a complete map of Ireland, but it firmly rules out imagining a forested or agricultural island.

Other records underline the variability. At Crag Cave in County Kerry, uranium-series dating of cave calcite shows that stalagmites formed episodically during MIS 3. Since calcite growth in such a shallow cave requires infiltrating liquid water and conditions generally above sustained freezing, these episodes register intervals of relative amelioration. They should not be inflated into a simple story of warm Ireland: a cave record captures particular hydrological circumstances, while the country as a whole experienced sharp shifts between colder and less severe phases.

Ice, Water and Changing Routes

Ireland was approaching, rather than already at, the greatest expansion of the last British–Irish Ice Sheet. Modern reconstructions show that the timing of advance, maximum extent and retreat differed markedly across the ice sheet’s sectors. Widespread advance occurred over a long span, while maximum ice volume came later, around 23,000 years before present in one major reconstruction. Thus 31,863 BCE should not be presented as a moment when all Ireland lay uniformly beneath ice. The Derryvree sequence itself preserves the larger rhythm: an older glacial episode, a period in which freshwater sediments accumulated, and a later advance that buried them.

This was nevertheless an increasingly precarious world. Glaciers and ice caps altered drainage, eroded earlier ground surfaces and ultimately removed or buried much evidence of any human activity. Lower global sea levels exposed far more of the continental shelf than exists today. Yet exposed land is not proof of an easy, continuous walking route into Ireland, nor does it demonstrate that people routinely travelled it. The exact configuration of water, ice and usable coastal terrain altered through time. Any movement of animals or people must be treated as a possibility constrained by a changing northern Atlantic environment, not as a known migration highway.

Animals at Castlepook

The strongest Irish evidence for life in this broad pre-maximum interval comes from caves, above all Castlepook Cave near Doneraile in north County Cork, in the Awbeg Valley. Its old collections include remains attributed to woolly mammoth, reindeer, wild horse, brown bear, wolf, Arctic fox, lemmings and spotted hyaena. This impressive list establishes that southern Ireland was reached by a diverse cold-stage fauna during portions of the Late Pleistocene. It does not mean that every listed species stood together outside the cave in 31,863 BCE. Cave collections are accumulated over long periods, often by carnivores, natural deaths, water movement and nineteenth- or early twentieth-century excavation practices that did not meet modern standards.

Redating has transformed the importance of Castlepook. Improved pretreatment of bone samples has shown that some faunal material previously thought much younger is substantially older, placing parts of the assemblage in MIS 3. Reindeer are particularly relevant to a cold, open landscape. Their presence fits a setting in which seasonal grazing was available, though it cannot tell us the size of a herd, its migratory route or the exact season when it visited north Cork. Mammoth and hyaena remains similarly demonstrate ecological possibilities, rather than a settled, stable fauna persisting unchanged through millennia.

Predators matter as much as prey in interpreting a cave. A hyaena may have carried bones inside; water may have shifted sediment; scavengers and later excavation may have broken the original associations. Archaeologists therefore distinguish a bone’s date from the date of its deposition in a

particular layer, and both from the date of any human action upon it. This painstaking taphonomic work is central to the Irish Palaeolithic record, where a small number of objects bears an enormous interpretative weight.

The Reindeer Femur and Human Possibility

One Castlepook reindeer femur fragment has become the key item for this period. It has been reported as dating to about 33,000 years ago and as carrying a mark interpreted as the result of cutting fresh tissue with a sharp stone tool. If that interpretation is confirmed, it is evidence that a person, or a very small group, processed a reindeer in Ireland during MIS 3—far earlier than the formerly accepted evidence for human presence on the island.

Its significance is real, but so are its limits. The specimen comes from an old collection rather than a newly excavated occupation floor with recorded stratigraphy. No securely associated stone toolkit, hearth, shelter, human bone or repeated butchery surface has yet been recovered for this episode. A single possible cut mark is not evidence for a village, a permanent population or a named cultural group. It cannot establish whether the animal was hunted, scavenged after a natural death or encountered after a predator kill. Nor can it supply a date as exact as 31,863 BCE. The responsible conclusion is narrower: people may have reached Ireland, and handled animal carcasses, in a period broadly around the early thirties of millennia BCE.

That possibility changes the questions asked of Ireland's earliest past. Rather than beginning only with the better documented Mesolithic settlement after the ice retreated, researchers must consider brief Upper Palaeolithic visits during earlier windows of ecological opportunity. Such visits may have been seasonal and highly mobile. A group capable of crossing or navigating the shifting landscapes between Ireland and neighbouring lands would have required knowledge, planning and cooperation. These are reasonable inferences from hunter-gatherer lifeways elsewhere in north-west Europe, not observations directly made at Castlepook.

Society Without States

There is no evidence for political institutions, chiefs, territories, diplomacy, warfare or formal trade in Ireland at this date. It would be misleading to fill the silence with imagined Ice Age tribes. If humans were present, their social world was almost certainly organised at the scale of small, mobile foraging groups rather than kingdoms or towns, but Ireland has not yielded the campsites needed to describe household size, gendered tasks, leadership or relations between groups.

Everyday survival, if it occurred, would have revolved around weather, mobility, food and fuel. Reindeer and other large mammals could provide meat, fat, hides, sinew and bone, while stone edges could be used to cut tissue. Yet even this practical picture is more securely supported by comparative archaeology than by an excavated Irish camp. There is no direct Irish evidence at 31,863 BCE for built houses, clothing, boats, exchange goods, food storage or the regular use of fire. Caves such as Castlepook are archives of bone and sediment, not automatically homes.

Likewise, there is no material basis for reconstructing religion, ritual, art, language or learning. The absence of evidence should not be mistaken for an absence of belief or culture among any visitors; all human communities possess social knowledge and symbolic practices. It means only that none can yet be identified in Ireland's surviving record for this interval. Later Irish monuments, myths and languages have no demonstrable connection to these remote traces.

An Archive Still Being Tested


The most important development around this date is therefore archaeological rather than political: the recognition that Ireland's pre-Last Glacial Maximum record may be richer, and more humanly relevant, than once thought. Recent investigation at Castlepook has sought undisturbed deposits and has applied modern excavation, dating and environmental methods to a cave first explored long ago. It is precisely the sort of work needed to test the reindeer femur interpretation and to identify whether in situ artefacts, hearths or repeated human activity survive.

For 31,863 BCE, certainty lies in the broader setting: parts of Ireland supported cold-adapted life; conditions were open, wet and treeless in the Derryvree evidence; and the great ice expansion was drawing nearer. The human story remains a tantalising, carefully qualified possibility centred on a marked reindeer bone near the Awbeg. It is a reminder that the earliest Irish past survives not as a chronicle, but as fragments—bone, silt, pollen, beetle and cave calcite—from which a disciplined history must be patiently assembled.

Chapter 039 of 100

31862 BCE

Mammoth Cave, Derryvree Silts



The label 31,862 BCE is useful only as a modern point of reference. No community in prehistoric Ireland marked years in a calendar, and archaeology cannot resolve an event to this particular year. In calendar terms it lies about 33,800 years before 1950, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), an unsettled interval of the last Ice Age. The responsible history of this moment is therefore a history of dated ranges, deposits and probabilities rather than named individuals or single-year happenings.

For Ireland, the best evidence comes from two rather different archives. In north County Fermanagh, freshwater sediments at Derryvree near Maguiresbridge record an ice-free, treeless landscape within a broad calibrated range of about 36,900–31,700 years before present. In north County Cork, Castlepook Cave near Doneraile preserves the island's richest known collection of middle-to-late Ice Age animal remains. Neither archive is a diary of 31,862 BCE. Together, however, they show what parts of Ireland could have been like around the notional date: cold, open, ecologically varied in places, and subject to dramatic environmental change.

A Moving Ice-Age Landscape

This was long before the Last Glacial Maximum, when the British–Irish Ice Sheet reached its greatest known extent, broadly around 27,000–23,000 years ago. Around 33,800 years ago, ice did not simply cover all of Ireland in one uniform mass. The extent, thickness and timing of ice changed across the island and through time. Geological evidence indicates that north-central Ireland was ice-free until at least roughly 34,000 years ago, while other evidence points to glacier growth and fluctuating ice margins in the wider Irish and British region. That distinction matters: an ice-free district was not a mild refuge, but a severe periglacial environment beyond or between advancing ice.

Sea level was much lower than today because vast quantities of water were stored in continental ice sheets. Ireland's coastlines were correspondingly far from their modern positions, and the Irish Sea and Celtic Sea landscapes were altered by exposed shelves, channels, ice and shifting shorelines. It would be careless, however, to draw a single assured route across a dry "land bridge". The practical connections among Ireland, Britain and continental Europe depended on local topography, sea level and glacier position, all of which varied. Animals certainly reached Ireland during this part of the Ice Age; exactly how, and at which moments, remains a question for reconstruction rather than certainty.

MIS 3 was not a single climate. Greenland ice-core records and Irish cave deposits indicate abrupt millennial-scale swings between relatively milder interstadial episodes and colder stadials. Calcite formations in Crag Cave, County Kerry, grew episodically during favourable intervals and ceased during colder conditions, providing an important regional signal of these changes. Thus a date around 31,862 BCE should not be imagined as a fixed climate regime. It falls within a long, volatile sequence in which vegetation, animal ranges, watercourses and the limits of ice could shift substantially over generations.

Derryvree's Open Tundra

Derryvree is especially valuable because road works exposed organic-rich freshwater silts and fine sands between two thick layers of glacial till. The deposits were later buried by ice-derived material, but their mosses, plant remains and insects preserve a glimpse of conditions during an earlier ice-free interval. A conventional radiocarbon determination of about 30,500 radiocarbon years before present has been calibrated in published discussion to approximately 36,900–31,700 calendar years before present. The range overlaps the modern calendar label used here, but cannot identify one precise year within it.

The evidence indicates a full-glacial, open tundra or muskeg environment: wet ground, shallow pools, plant-rich muds and mossy vegetation rather than closed forest. Insect remains are particularly informative because many species have narrow environmental tolerances. They support an interpretation of cold conditions with severe winters, yet also of freshwater habitats able to sustain vegetation and invertebrate life during the growing season. This was not an empty white wilderness. It was a patchwork of marsh, sedge- and moss-rich ground, exposed mineral soil and water, shaped by frost, runoff and the proximity of ice.

Such evidence cannot be extended mechanically to every district of Ireland. Derryvree describes one local basin in what is now County Fermanagh, not the entire island. Nevertheless, it offers a better-founded picture of everyday ecological conditions than later romantic images of an unbroken frozen land. Plants, insects and small animals could occupy productive microhabitats even where the wider climate was harsh. Larger herbivores and their predators, in turn, could exploit suitable corridors and seasonal grazing country.

Castlepook's Animal Archive

Castlepook Cave provides the clearest evidence for the larger animals of Ice-Age Ireland. The limestone maze cave contains more than 2,000 recovered bones and has yielded woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena, as well as Arctic fox, wolf, mountain hare, Norwegian lemming and collared lemming. The assemblage demonstrates that animals now associated with very different modern environments could overlap in prehistoric Ireland during separate phases of the Pleistocene.

It must not be treated as a photograph of one herd or one season. Individual bones from Castlepook have produced dates spread broadly from about 45,700 to 19,950 years before present. The cave acted as a repository over a very long period. Water movement, carnivore activity, antiquarian excavation and disturbed sediment have complicated the original positions of many finds. Recent re-dating has also shown that some older radiocarbon determinations from Castlepook were substantially too young because earlier methods of bone preparation were less effective at removing contamination. The scientific lesson is plain: species lists establish presence, but they do not automatically prove that every listed species lived together or that all bones were deposited by the same process.

Even so, the older part of the Castlepook record makes an open, cold-adapted animal world credible for southern Ireland around the broader period. Reindeer point to extensive grazing landscapes; lemmings and Arctic fox reinforce the case for cold conditions. Mammoth and giant deer reveal that sizeable herbivores reached the island during MIS 3. Spotted hyaena is especially striking. Castlepook is Ireland's principal evidence for the species, and its presence helps explain why a cave might contain accumulated large-animal bones: carnivores can carry in prey remains, scavenge carcasses and repeatedly use sheltered places. A mammoth bone is therefore evidence of mammoth, not proof that people hunted mammoth there.

People: A Possibility, Not a Population

No settlement, hearth, house floor, tool-making site, burial or securely associated stone-tool assemblage is known from Ireland for 31,862 BCE. There are no grounds for describing a settled population, a language, an ethnic identity, a tribe or a political territory. Terms such as Gaelic, Celtic and Irish in their later cultural senses have no place in this period. There were no states, kings, churches, written laws, diplomatic missions or recorded conflicts on the island.

The most tantalising relevant claim is a reindeer femur from Castlepook reported to bear a cut mark consistent with the use of a sharp stone tool during butchery. The bone has been presented by its researchers and County Cork heritage publications as possible evidence of human activity roughly 33,000 years ago. If that interpretation and dating are sustained, it would push human presence in Ireland far back into the Upper Palaeolithic. Yet one modified bone would demonstrate only a brief encounter or visit, not colonisation. It cannot tell us how many people were involved, where they came from, how long they stayed, whether they returned, or what tools and social traditions they carried.

This uncertainty should be treated as historically significant, not as a defect to be concealed. The evidence permits a restrained scenario: mobile hunter-gatherers may have entered parts of Ireland during an ice-free phase and processed at least one animal. It does not permit a narrative of villages, regular trade, hunting territories or enduring occupation. The possibility is compelling precisely because the surviving trace is so slight.

Life Without Institutions

If people did reach Ireland in this period, their economy would have depended on immediate knowledge of animals, weather, fuel, shelter and routes through a demanding landscape. Hunting, scavenging and the careful processing of carcasses are plausible activities; farming, herding, metalworking, pottery and permanent monument building are not. Any possessions were likely perishable or portable, while later glaciation has removed or buried much of the contemporary land surface on which camps might once have stood.

There is likewise no direct evidence for religion, art, formal learning or exchange networks within Ireland at this date. It is reasonable to say that Upper Palaeolithic groups elsewhere in Europe possessed complex skills, social ties and symbolic practices, but it would be an interpretation, not Irish evidence, to assign comparable practices to an undocumented Irish visit. Nor can the movements of mammoth, reindeer or hyaena be converted into proof of human trade routes. Faunal dispersal shows ecological connectivity, not human diplomacy.

What This Date Can Mean


31,862 BCE therefore belongs to Ireland's deep environmental history before its documented human history. Derryvree shows that tundra wetlands and freshwater life existed in an ice-free Fermanagh interval overlapping this broad time. Castlepook shows that a remarkable Pleistocene fauna entered southern Ireland over a long span, and it preserves a debated but potentially momentous sign of butchery. Ice-sheet research places both archives within a changing pre-maximum landscape rather than a static frozen island.

The most accurate conclusion is modest but vivid. Around this modern calendar marker, Ireland was not yet a country of communities known by name. It was a changing northern landscape of cold wetlands, grazing animals, predators, caves and advancing ice. Its history survives in silt, bone, calcite and calibrated probabilities. Those fragmentary records do not yield a year-by-year chronicle; they make it possible, with care, to recover the conditions from which Ireland's much later human story eventually emerged.

Chapter 040 of 100

31861 BCE

Juniper Beneath the Drumlins



The label *31,861 BCE* gives a misleading impression of precision. No Irish community kept a calendar, wrote a record or left a year-dated object at this depth of time. In archaeological terms, the point is best treated as roughly 33,800 calibrated years before present, within Marine Isotope Stage 3 of the Late Pleistocene. Even that conversion is only an orientation: radiocarbon determinations carry laboratory error, calibration produces ranges rather than single years, and deposits may contain material moved by water, animals or later ice. Ireland at this time must therefore be reconstructed through dated animal bones, buried lake and marsh sediments, pollen, mosses, insects, cave deposits and the landforms left by advancing glaciers.

The most responsible picture is of an island-region approaching a major climatic transformation, not of a known historical episode. Around this broad period, parts of Ireland were still capable of supporting cold-adapted plants and animals, while the British–Irish Ice Sheet was growing unevenly. Conditions varied sharply between sheltered limestone caves in the south, lowland basins in the north and exposed uplands or coasts. The modern political map is useful only for locating evidence: there were no Irish kingdoms, borders, chiefs, treaties or diplomatic institutions that can be identified in the record.

A Date Within a Range

Radiocarbon chronology provides the essential caution. “Before present” conventionally means before 1950, while calibrated ages are estimates of calendar age derived from changing atmospheric carbon levels. A modern BCE year can be converted only approximately at this antiquity. The closest Irish environmental sequence is at Derryvree in County Fermanagh, where organic-rich freshwater silts lay beneath later glacial deposits. A published radiocarbon determination of about 30,500 radiocarbon years

BP calibrates broadly to approximately 36,900–31,700 calendar years BP. That range encompasses the notional year considered here, but it does not prove that every feature of the Derryvree deposit formed in one particular season, generation or calendar year.

This distinction matters because the material was preserved in an active Pleistocene landscape and later sealed beneath till. Sediment records are powerful evidence for local or regional environments, yet they are not a diary. They show that north-central Ireland contained ice-free ground until at least about 34,000 years ago in one influential reconstruction, before the large late-stage expansion of the Irish Ice Sheet. They do not offer a complete map of every valley, nor a precise boundary between ice, frozen ground, snowfields, lake water and exposed vegetation at 31,861 BCE itself.

An Open, Cold Landscape

The Derryvree evidence points towards a treeless, open tundra or muskeg environment. Plant remains and pollen include grasses, sedges, juniper and other herbs, accompanied by mosses suited to wet, cold ground. This was not the familiar green, wooded Ireland of later millennia. Parts of the land were probably patchworks of sparse herb-rich vegetation, damp basin margins, shallow freshwater and seasonally frozen soils. Wind, frost action and meltwater would have shaped exposed surfaces; in low places, organic mud and silt could accumulate when conditions allowed.

Interpretation nevertheless requires restraint. Pollen can travel a long way, particularly from trees, so a small amount of pine or hazel pollen is not automatic proof of nearby woodland. Fossil assemblages also combine organisms living in slightly different microhabitats and perhaps over centuries. The defensible conclusion is not that all Ireland was identical tundra, but that the Fermanagh basin preserves evidence of a severe, open, cold-stage environment. It forms a valuable northern counterpart to the better-known animal remains from limestone caves in the south.

Climate was unstable on the scale of centuries and millennia. Marine and ice-core records show repeated abrupt shifts across the North Atlantic during Marine Isotope Stage 3. Ireland stood close to the Atlantic edge of that changing system. A cooling trend was under way, although the later Last Glacial Maximum had not yet reached its fullest extent. The major British–Irish Ice Sheet maximum is generally placed much later, around 27,000 years ago or after, depending on sector and method. Thus this was neither an uncomplicated warm interval nor the uniformly ice-buried Ireland sometimes imagined for the whole Ice Age.

Castlepook’s Animal Evidence

Castlepook Cave, near Doneraile in County Cork, is central to understanding this broader period. Excavations and subsequent study recovered a remarkable Pleistocene fauna: reindeer, woolly mammoth, giant deer, brown bear, wolf, spotted hyaena, Arctic fox and lemmings among it. Direct dates on different bones span a long interval, which is important in itself. The cave was used or received remains at different times; it is not a single frozen moment. Its collections show that southern Ireland was visited by, or formed habitat within the range of, a varied cold-stage fauna before later ice and sedimentary disturbance altered the landscape.

For a date near 31,861 BCE, reindeer deserve particular emphasis. Reindeer were adapted to open country and could exploit lichens, sedges and other tundra resources. Their presence fits the environmental evidence without allowing us to prescribe a precise herd route or season. Mammoth and giant deer remains indicate that large herbivores also reached the region during parts of the Late

Pleistocene, while carnivores and scavengers such as hyaenas and wolves reveal a food web far more diverse than Ireland's modern terrestrial fauna. Cave bone accumulations, however, may reflect natural deaths, carnivore activity, material carried into a den, water movement or human action; their discovery inside a cave does not mean that every animal lived there.

Spotted hyaena is especially revealing because it could transport and gnaw bones, creating accumulations that resemble human food debris at first glance. Earlier investigators recognised bone breakage and gnawing at Castlepook, while modern zooarchaeology has sought to separate tooth damage, sediment abrasion, excavation damage and possible stone-tool cuts. This is why the cave is both extraordinarily important and difficult. It preserves a long Pleistocene archive, but much of the first excavation was undertaken more than a century ago, before current recording standards, and some deposits or collections were mixed or disturbed.

The Human Question

There is no securely excavated settlement, hearth, house floor, burial, tool assemblage or human skeleton that can describe daily life in Ireland at this date. Accordingly, it would be wrong to write of an established population, named culture, language, ritual system or seasonal camp network. There is no evidence for farming, metalworking, monuments, long-distance trade institutions, organised warfare or formal religion. These absences are meaningful: they mark the limits of present knowledge, not evidence that such matters can be confidently reconstructed.

A reindeer femur from Castlepook has nonetheless prompted a major reassessment. Recent study identified marks that have been proposed as cut marks made during butchery, and the bone has been associated in public reporting with an age of roughly 33,000 years. If the interpretation is sustained by further microscopic study, comparable finds and secure stratified contexts, it would indicate human activity in Ireland during the Upper Palaeolithic, vastly earlier than the formerly accepted record of post-glacial colonisation. It would not, by itself, demonstrate permanent settlement. A single modified bone could represent a brief visit by mobile hunter-gatherers exploiting an animal carcass.

The appropriate wording remains conditional. The evidence is potentially transformative, but the question is being investigated rather than closed. No lithic assemblage has yet been securely linked to the specimen, and neither the number of visitors nor their route into Ireland is known. Lower sea levels altered the shape of the Irish Sea basin, but the existence, timing and usefulness of a terrestrial connection or navigable crossing between Ireland and Britain remain debated. Any people present may have arrived by a route that is now submerged, glaciated or otherwise archaeologically invisible.

Life Without a Recorded Society

If people did reach Ireland in this phase, their economy would most plausibly have been that of highly mobile Upper Palaeolithic hunter-gatherers, relying on knowledge of animal movements, weather, raw materials and safe shelter. That is an inference from wider north-west European archaeology, not a documented Irish social fact. Castlepook's cave system could have offered temporary shelter or a place to process a carcass, but it may equally have been chiefly a carnivore den and natural trap. The distinction awaits better-dated, undisturbed deposits and a fuller analysis of bone surfaces and sediments.

What can be stated securely is that people, if present, would have entered an ecologically demanding world rather than an empty white wilderness. Reindeer, giant deer and other grazing animals linked plant resources to predators and scavengers. The Awbeg valley's limestone caves offered protected cavities

within a broader open landscape, while Fermanagh's buried organic sediments preserve the quieter evidence of marsh plants and shallow water. Human prospects would have depended on short-lived opportunities in a climate prone to rapid change. The subsequent spread of ice was capable of removing campsites, reworking sediments and drowning or burying routes of approach.

A Landscape Before the Ice Peak


The greatest development relevant to Ireland around this notional year was environmental: the transition towards the more extensive glaciation that followed. Ice-sheet reconstruction shows that expansion was not instantaneous. Some areas retained ice-free or partly ice-free ground while ice centres developed and margins advanced elsewhere. Later ice profoundly remodelled the island, scouring bedrock, depositing till, reshaping drainage and concealing many older surfaces. That destructive history helps explain why evidence for any Palaeolithic presence is so sparse compared with Britain and continental Europe.

For Ireland Year by Year, then, 31,861 BCE is best understood not as a year of kings or battles but as a point within a cold Pleistocene interval illuminated by fragile archives. Derrynree supplies calibrated evidence for open northern tundra within a broad overlapping range. Castlepook supplies dated remains of an unexpectedly rich southern fauna and a cautiously interpreted possibility of human butchery. Together they show an Ireland still ecologically connected to wider Ice Age Europe, climatically precarious and on the threshold of heavier glaciation. They do not yet permit the invention of a settled Irish people, a specific hunt or a calendar-bound event.

Chapter 041 of 100

31860 BCE

Derryvree's Tundra Sedgebeds



Modern calendar precision cannot responsibly be applied to Ireland in 31,860 BCE. The label is a convenient point on a modern retrospective scale, not a date that any person, animal or event in prehistoric Ireland could have recognised. In scientific terms it falls roughly 33,800 calendar years before 1950, within Marine Isotope Stage 3 (MIS 3), a long, climatically unstable part of the Last Glacial period. The evidence is too sparse, and its dating ranges too broad, to write a conventional annual chronicle. What can be recovered is a guarded picture of an Irish landscape undergoing cold-stage change, inhabited by animals but without demonstrable human communities.

The most useful evidence comes from sediments, fossils and landforms rather than artefacts, monuments or texts. Organic deposits preserved beneath later glacial sediments in County Fermanagh, especially at Derryvree near Maguiresbridge, are central to that picture. Cave bones in Cork and Waterford establish that large mammals occupied Ireland during broad phases of MIS 3. Offshore and terrestrial studies of the British–Irish Ice Sheet add the larger setting: ice margins were not static, and conditions differed sharply between regions. These records illuminate a span of millennia around the nominal year, not a single season or generation.

Dating a Cold Landscape

Radiocarbon results are not calendar dates in themselves. They must be calibrated against independently constructed curves that allow for past variation in atmospheric carbon-14. The modern IntCal20 curve extends to 55,000 calibrated years before present, with “present” conventionally fixed at 1950. Even then, a measurement is expressed as a probability range, often hundreds or more years wide.

The further back one goes, the less defensible it is to translate a numbered BCE year into a precisely observed moment. Around 31,860 BCE, therefore, the proper historical unit is a dated environmental interval.

That caution matters especially in Ireland. Much of the surviving Pleistocene record was recovered from caves during nineteenth- and early twentieth-century excavations, before modern methods of recording deposits, contamination and bone provenance. Later work has shown that some older radiocarbon determinations on Irish cave material were substantially too young. Improved pretreatment and ultrafiltration of bone collagen have moved several animal dates much further back into MIS 3. The result is not a simple, seamless timeline but a smaller body of better-controlled evidence.

The Fermanagh Archive

Derryvree offers a rare glimpse of the northern interior. Road works in 1969 exposed fine sands and organic silts between two tills in a drumlin near Maguiresbridge. The deposits contained freshwater mosses and sedges, pollen in poor condition, and insects associated with cold northern environments. A radiocarbon determination of 30,500 BP, with a large laboratory uncertainty, placed the deposit within the Middle Midlandian part of the Irish glacial sequence. Calibration and the uncertainty attached to the original measurement mean it should not be equated mechanically with one BCE year. Nevertheless, it documents a cold, ice-free interval relevant to the wider environmental world of the mid-30,000s calendar years BP.

The evidence indicates open, treeless ground, not a forested Ireland. Grasses, sedges, herbs, juniper and a distinctive moss flora point to tundra or muskeg-like vegetation, with wet ground, shallow pools and seasonally saturated hollows. Sparse pollen and the poor preservation of some grains limit botanical precision; a handful of tree pollen grains need not prove nearby woodland, since grains can travel far or be redeposited. The responsible conclusion is narrower and stronger: south Fermanagh supported cold-climate open vegetation, while freshwater basins persisted locally between phases of glaciation.

This was a landscape with ecological patchiness. A drumlin is now a familiar rounded feature of the Irish countryside, but at Derryvree the later ice sheet both covered and protected the earlier sediments. The layers reveal that the land had not remained continuously buried beneath ice. At some stage before a subsequent glacial advance, water occupied a low basin and accumulated mud, plant remains and insect fragments. Such deposits are invaluable precisely because ice has erased so much of the surface record elsewhere.

Ice, Water and Changing Coasts

At the scale of Ireland and its surrounding seas, conditions were changing rapidly, though not necessarily everywhere at once. Recent reconstructions show that the British–Irish Ice Sheet grew and retreated asynchronously. A Scottish-centred ice mass was advancing through the Minch between about 32,000 and 31,000 years ago, before later expansion towards the continental shelf edge. Other evidence suggests more complex advance–retreat behaviour during MIS 3, including ice-related crustal loading and high relative sea levels around parts of southern Ireland.

For the nominal year considered here, this means that a map with a single, clean ice margin would mislead. Some upland or northern sectors may have been influenced by expanding ice, while other places retained exposed, periglacial ground. Frost action, snow cover, strong winds, seasonal meltwater and shifting drainage probably mattered more to everyday ecological conditions than any fixed national

boundary of ice. The island's modern coast did not exist: global sea level was lower than today, but local relative sea level was also affected by the weight and movement of nearby ice. There is no basis for imagining a simple, continuous land bridge or a reliably open migration route.

Animals in the Irish Record

Irish caves provide the clearest evidence that sizeable mammals had entered the island during MIS 3. Reassessment of material from Castlepook Cave near Castletownroche in County Cork, and from Shandon and Foley caves farther east, has revised the chronology of several specimens. The revised work indicates that animals including brown bear, giant deer and spotted hyaena belonged to a much older pre-Last Glacial Maximum fauna than earlier dates suggested. One re-dated Shandon Cave brown-bear specimen has a calibrated range that spans roughly 34,500–32,700 cal BP, placing it close to the broad chronological horizon represented by 31,860 BCE.

That does not mean that a brown bear can be placed at Shandon Cave in that exact year, nor that every animal represented in Irish collections lived together. Cave deposits may combine remains brought in by carnivores, water, gravity and excavation disturbance over long periods. Nor does a bone from a cave prove that the cave was an animal's permanent den. The secure lesson is more modest: Ireland was not biologically empty during parts of MIS 3. A cold-adapted and large-mammal fauna moved through or occupied suitable habitats before later glaciation transformed the evidence.

The animals imply food webs, though not a complete census. Herbivores such as giant deer, reindeer and perhaps red deer would have depended on vegetation that varied with season and locality. Carnivores and scavengers, including hyaena, indicate access to prey or carrion. Mammoth remains from Irish cave contexts add to the wider impression of a Pleistocene fauna, but individual finds must always be considered with their dating and depositional context. These animals were part of changing populations across north-west Europe, not emblems of a timeless "Ice Age Ireland".

No Human Chronicle

There is no accepted settlement, tool assemblage, hearth, burial or built structure in Ireland that can be assigned to around 31,860 BCE. Consequently, political affairs, warfare, diplomacy, religion, formal learning, trade and social organisation cannot be reconstructed for this point. There were no known Irish polities, chiefs, shrines, markets or named peoples. To supply them would be invention.

This absence should not be confused with proof that no person ever crossed any part of the region during the whole of MIS 3. Archaeology rarely proves an absolute negative. It does show that the evidence presently available does not demonstrate a human population in Ireland at this early date. The earliest proposed evidence of human activity on the island is vastly later: cut marks on a brown-bear patella from Alice and Gwendoline Cave, County Clare, have been dated to the terminal Pleistocene, around 12,800–10,600 cal BP. That interpretation itself remains debated. It cannot be projected backwards more than twenty millennia to populate the Derryvree landscape.

Because human presence is unproven, there is likewise no responsible account of homes, clothing, food preparation, language, kinship or ritual for Ireland in this year. Hunter-gatherer societies existed elsewhere in Europe, and their knowledge of seasonal animals, stone and weather was sophisticated. But analogy is not evidence of an Irish community. The distinction is crucial: European Upper Palaeolithic life provides context for what might have been possible in a broad sense, not documentation of what happened in Ireland.

What the Silts Preserve


The important development around this distant point is therefore environmental rather than political. Ireland was part of a volatile north Atlantic glacial world: not simply a blank white ice sheet, nor a settled human homeland, but a region in which ice-free tundra, freshwater basins, large mammals and advancing ice could succeed one another over long spans. Derryvree's mosses, sedges and insects preserve one of the most direct traces of that world. The caves of southern Ireland preserve another, in the form of animal bones whose dates and meanings have been repeatedly reassessed.

That incompleteness is the history. Later glaciers scoured away land surfaces, changed drainage and buried or destroyed possible sites. The remaining evidence is fragmentary, unevenly distributed and subject to revision as dating techniques improve. Around 31,860 BCE, the best-supported image is not of an event but of a cold, open and changing Irish environment: wet sedge basins in Fermanagh, large animals recorded in southern caves, and ice-sheet growth reshaping the wider seaways and uplands. It is a prehistory measured in calibrated ranges, deposits and probabilities rather than in calendar anniversaries.

Chapter 042 of 100

31859 BCE

Doneraile's Reindeer Trace



The label 31,859 BCE offers a useful point on a modern timeline, but it cannot identify an event that happened in one knowable Irish calendar year. No writing, calendar or named community existed on the island, and evidence from this depth of time is dated in broad scientific ranges rather than to individual years. In conventional archaeological terms, the date falls within the Late Pleistocene, during Marine Isotope Stage 3 (MIS 3), an unstable interval of the last Ice Age. The responsible history of Ireland at this point is therefore a history of sediments, fossils, ice and uncertainty.

In “years before present” terminology, with “present” conventionally fixed at 1950, 31,859 BCE is roughly 33,800 calendar years ago. That places it within the calibrated range associated with the freshwater deposits at Derryvree, near Maguiresbridge in County Fermanagh: a radiocarbon determination of $30,500 \pm c.1,100$ radiocarbon years BP has been calibrated approximately to 36.9–31.7 thousand calendar years BP. This does not mean that Derryvree records the particular notional year 31,859 BCE. It means that its fossils offer one of the closest securely relevant environmental windows onto Ireland in the same broad time horizon.

A Country of Uneven Cold

Ireland was not a timeless, uniformly frozen wasteland. MIS 3 was marked by sharp climatic fluctuations, and the growth of the British–Irish Ice Sheet was neither simple nor simultaneous in every region. Recent reconstructions emphasise that ice-sheet expansion and retreat differed around its perimeter. Modelling of conditions around 31,000 years BP has even produced small ice caps in north-west Ireland while not requiring an island-wide marine-based ice sheet at that moment. Other work argues that significant ice may have developed earlier in parts of the wider British–Irish system. The exact extent of ice over Ireland around 33,800 calendar years ago consequently remains debated.

That uncertainty matters. It rules out an overconfident map showing either a wholly ice-covered Ireland or a wholly open island in this particular year. The surviving record instead indicates a changing patchwork: glaciers and snowfields in some uplands or northern districts, periglacial terrain beyond them, and at least periodically habitable, ice-free environments in the south and north. Later ice advances also scraped, buried and rearranged older deposits. Much of the evidence that might once have survived—soil surfaces, campsites, tracks, shorelines and light structures—was destroyed or lies concealed beneath till, peat, sea or modern ground.

Derryvree's Wet Tundra

The Derryvree exposure is especially valuable because organic-rich freshwater silts and fine sands were preserved between two separate sheets of glacial till within a drumlin. Mosses, sedges and other plant remains, together with insects adapted to cold northern conditions, point to an open, treeless landscape. Earlier descriptions used the term “muskeg”: wet, peat-forming ground with shallow pools, plant-rich mud and mossy margins. It was a landscape shaped by frost, poor drainage and strong seasonality rather than by forest.

This is evidence, not a complete scenic reconstruction. Fossils from one locality describe the setting in which they accumulated; they do not establish the weather across all Ireland on a particular day, nor prove that every district had identical vegetation. Yet the Derryvree sequence strongly supports the wider conclusion that parts of Ireland experienced cold, open, non-forested conditions during this phase. Greenagho, also in Fermanagh, has yielded organic material beneath till with a reported radiocarbon age of about 32,460 BP, although specialists treat that old result cautiously and regard it as a minimum age. Taken together, such sites show both the value and the limits of Ireland's fragmentary MIS 3 archive.

Animals at Castlepook

The most evocative evidence comes from Castlepook Cave near Doneraile in north County Cork. Collections made during early twentieth-century cave exploration contained remains attributed to animals including reindeer, woolly mammoth, giant deer, brown bear and spotted hyaena. The cave fauna demonstrates that southern Ireland was reached, at least intermittently, by a varied Pleistocene animal community. Reindeer and mammoth imply cold, open country with sufficient grazing or browse; hyaenas and bears remind us that caves were not neutral storage places but could be dens, shelters and traps within animal territories.

There is an important warning attached to this richness. Many Irish cave collections were excavated before modern standards of stratigraphic recording, and bones could have been moved by carnivores, water, excavation and later disturbance. A cave bone proves the presence of an animal, or the arrival of its remains, during a dated interval; it does not necessarily prove a stable breeding population nearby. Nor does a list of species from several dated specimens show that all lived together at the exact same moment. The Irish Quaternary Fauna Project and subsequent redating work have therefore been crucial: they test old collections with accelerator radiocarbon methods and improved chemical pretreatment rather than accepting Victorian or early twentieth-century associations at face value.

That work has complicated, rather than simplified, the chronology. Re-dating of southern Irish cave material has shown that several former radiocarbon determinations were too young, and has suggested that some Castlepook animals belonged earlier in MIS 3 than previously thought. Older published dates of roughly 34,000–35,000 radiocarbon years BP for mammoth and spotted hyaena were once used to group

much of the fauna near this broad horizon; newer results indicate a more extended and potentially older sequence. The sound conclusion for 31,859 BCE is not that a particular mammoth, hyaena or reindeer was certainly alive that year, but that Ice Age animal life had reached and used parts of Ireland within the wider period.

A Possible Human Encounter

A reindeer femur fragment from Castlepook has made this interval especially significant. It has been reported as bearing a deep mark consistent with the use of a sharp stone tool in the processing of fresh bone, and public accounts have associated it with an age of about 33,000 years ago. If the mark is confirmed as anthropogenic and securely related to the dated bone, it would be evidence that people handled a reindeer in Ireland during MIS 3—far earlier than the long-accepted record of post-glacial settlement.

The conditional language is essential. The specimen derives from an old cave collection, not from a recently excavated occupation floor containing tools, hearths, butchered remains and datable charcoal in an intact sequence. No unequivocal Palaeolithic stone-tool assemblage, dwelling, hearth or cemetery has yet been established in Ireland for this horizon. Carnivore tooth damage, sediment abrasion and excavation damage can sometimes resemble human modification, so the diagnosis of a cut or chop mark must withstand microscopic comparison and renewed contextual research. The reindeer femur is best understood as a potentially transformative trace, not as proof of a resident population.

No Kingdoms, No Known Camps

There is accordingly no evidence for political affairs, diplomacy, organised warfare, chiefs, tribes or territories in Ireland around this date. There are no institutions, laws, monuments or named places in the historical sense. It would be misleading to write of an “Irish people” pursuing a national past: Ireland was a geographical region within a shifting north-west European Ice Age world, not a society documented by history.

Nor can religion, learning or culture be recovered directly. A cave’s later importance in ritual life cannot be projected backwards into MIS 3, and an isolated animal bone cannot reveal language, belief or ceremony. If people did reach the island, they may have travelled as a very small mobile hunting party, but even that is an interpretation rather than an established fact. The evidence does not support permanent settlement, family life, seasonal rounds, boat-building or repeated occupation.

The same restraint applies to economy and trade. The possible reindeer mark permits one narrow inference: a sharp edge may have been used to process animal tissue or separate bone. It does not demonstrate organised hunting, exchange networks, ownership of herds or commerce across the sea. Any movement of people and animals between Ireland, Britain and continental Europe depended on changing coastlines, sea levels, ice margins and exposed shelf terrain, but the routes available in one particular millennium remain incompletely known. The record documents opportunity and movement; it does not yet document an Irish trading world.

The Deep Record's Meaning


What, then, can responsibly be said about Ireland around 31,859 BCE? It was part of a climatically volatile northern landscape in which ice, cold wetlands, open tundra-like vegetation and mobile animal populations repeatedly transformed the possibilities of life. Derryvree preserves a cold freshwater environment within a calibrated range that encompasses this nominal date. Castlepook preserves the bones of animals that occupied or reached southern Ireland during MIS 3 and a reindeer specimen that may, if further confirmed, preserve the island's earliest known sign of human action.

Those are substantial discoveries precisely because they are so rare. They push Irish history beyond written narrative and even beyond the relatively well-attested Mesolithic, but they do not fill the silence with invented hunters, camps or ceremonies. The central development was environmental: Ireland stood within the advancing and fluctuating world of the last Ice Age. Its most important human story at this date remains a question written as a single possible tool-mark on reindeer bone.

Chapter 043 of 100

31858 BCE

Doneraile's Butchery Debate



The label 31,858 BCE is a modern convenience, not a year that anyone living in prehistoric Ireland could have named or recorded. No written calendars, individuals, events or political communities can be recovered at such precision. In archaeological terms, this notional point falls at roughly 33,800 years before present (where “present” conventionally means AD 1950), within the later part of Marine Isotope Stage 3, a highly variable interval of the last Ice Age. The responsible history of Ireland at this date is therefore a history of ranges, deposits and probabilities rather than anniversaries. It centres on an exceptionally important but still debated fragment of evidence from Castlepook Cave near Doneraile, County Cork.

Dating a Notional Year

Radiocarbon dating does not normally yield a single prehistoric calendar year. It measures the decay of radioactive carbon in once-living material, produces a result with an error range, and must then be calibrated against changing atmospheric carbon levels. A date expressed as 31,858 BCE should consequently be read as an approximate place on a deep-time timeline, not as a day or season fixed in the Irish archaeological record. The best chronological language is “around 34,000 calendar years ago”, while recognising that individual bones and sediments may be older or younger than that broad reference point.

This distinction matters especially at Castlepook. Early twentieth-century excavations recovered a rich collection of animal remains from a complicated cave system, but much of it came from antiquarian digging rather than modern, finely recorded excavation. Subsequent research has shown that improved sample preparation and accelerator radiocarbon dating can substantially revise earlier ages for southern

Irish cave fauna. The deposits cannot simply be treated as one undisturbed moment in time: bones may have been accumulated by predators, moved through the cave, deposited in different episodes, or mixed during excavation.

A Reindeer Bone and Its Limits

The object most directly relevant to this article is a reindeer femur from Castlepook, held in the National Museum of Ireland's Natural History collections. County Cork's heritage publication assigns it an approximate date of 31,000 BC and presents a mark on the bone as having been made with a sharp stone tool during butchery. Ruth Carden's identification of potentially human-made modifications made the specimen nationally significant: if the interpretation is upheld, it would carry evidence of human handling of an animal in Ireland far back into the Upper Palaeolithic.

Yet the claim requires careful wording. A date on the femur establishes, within a range, when the reindeer died; it does not alone date a person, a camp or a journey. Nor does a single surface incision automatically prove human action. Archaeologists distinguish cut marks from damage caused by teeth, trampling, sediment abrasion, breakage and excavation, using their shape, placement and microscopic characteristics. The interpretation of the Castlepook mark as butchery is important and plausible enough to have prompted renewed fieldwork, but it is not the same thing as a securely excavated hearth with tools scattered around it.

Accordingly, the bone cannot demonstrate a permanent population in Ireland in 31,858 BCE. It may indicate a short visit by one or more people who encountered or processed a reindeer; it may also preserve the residue of a more complex chain in which predators later dragged discarded remains into the cave. Even the attractive picture of a hunting party following a herd remains an interpretation, not an excavated scene. No securely associated Irish stone-tool assemblage, built shelter, human burial, art panel or settlement surface of this age has yet been established.

Castlepook's Animal World

The cave nevertheless offers powerful evidence for an Ice-Age Irish landscape that was not lifeless. Its Pleistocene fauna has included woolly mammoth, reindeer, giant deer, brown bear, wolf, foxes, mountain hare, lemmings and spotted hyaena. Older assessments already identified Castlepook as Ireland's principal assemblage for pre-Last Glacial Maximum vertebrates; more recent redating has reinforced the importance of southern Irish caves for Marine Isotope Stage 3, while also demonstrating that their animals do not all belong to a single date.

That qualification changes how the fauna should be imagined. It is reasonable to infer open, cold environments capable of supporting grazing and browsing mammals, together with carnivores and scavengers. It is not responsible to place every recorded species beside the Doneraile cave entrance in the same season of 31,858 BCE. The animal list is an archive accumulated across environmental changes. Mammoth and reindeer suggest broad, productive but exposed country; hyaenas point to a predator guild quite unlike any later historical Irish fauna. Their presence tells us that Ireland was repeatedly accessible to sizeable land mammals during parts of the late Pleistocene. It does not provide a population census or an exact map of habitats.

Predators were central agents in this archaeological record. Hyenas carry carcass parts into dens, chew bone and rearrange material; bears may use caves for shelter or hibernation; water and frost can shift sediments and bones. Thus a cave is not necessarily a place where every animal died, much less where

people lived. Castlepook may preserve an animal den and natural trap as much as a human locality. This is why renewed work has sought intact deposits, careful stratigraphy, new dates and evidence such as lithics, charcoal and further modified bone rather than relying solely on old collections.

Climate Before the Ice Peak

At around 33,800 years ago Ireland lay in a climatically unstable northern Atlantic world. Marine Isotope Stage 3 included abrupt cold and milder episodes, rather than one uniform “Ice Age climate”. The continental ice sheets had not yet reached their later maximum configuration. Major modern reconstructions show that the British–Irish Ice Sheet grew from upland centres around 31,000 years before present and advanced dramatically towards the continental shelf between about 30,000 and 26,000 years ago, though its timing varied from sector to sector. This sequence warns against assuming that all of Ireland was either clear ground or continuously buried ice at the article’s nominal date.

For southern Ireland, the Castlepook fauna is the strongest indication that phases of open country existed before the Last Glacial Maximum. Elsewhere, buried organic deposits beneath later glacial sediments, notably in Fermanagh and Antrim, show that parts of Ireland experienced earlier intervals with vegetation, insects and freshwater environments before later ice overran or sealed them. Such deposits are invaluable environmental records, but their particular pollen spectra cannot be transferred wholesale to north Cork or assigned to 31,858 BCE. They demonstrate regional change and the fragmentary survival of evidence, not a national weather report.

Sea levels were far lower than today because so much water was locked in northern ice sheets. Areas of the present continental shelf were exposed, but Ireland’s precise connection with Britain or the Continent remains a difficult question shaped by ice, crustal movement, local relative sea level and changing coastlines. It is therefore safer not to claim a simple dry land bridge or a known migration route. Human or animal arrival, if it occurred at this time, could have involved exposed terrain, ice margins and water crossings whose character cannot yet be reconstructed in detail.

People Without a Recorded Society

There is no evidence for kingdoms, chiefs, tribal names, laws, diplomacy or organised warfare in Ireland at this date. There is equally no basis for applying later labels such as Irish, Gaelic or Celtic to any possible visitors. If people did reach the island, they belonged to the wider Upper Palaeolithic human world of north-west Europe, but Castlepook has yielded no diagnostic toolkit with which to identify an Aurignacian, Gravettian or other archaeological tradition. Cultural affiliation must therefore remain unknown.

A possible butchery mark permits only modest conclusions about everyday life. Processing a large ungulate could have supplied meat, marrow, hide, sinew, fat and bone, all materials of great value to mobile hunter-gatherers in cold country. A sharp stone edge would imply practical technological knowledge, but the tool itself is absent. We do not know whether the animal was hunted, found already dead, scavenged from another predator, or butchered by a group passing through. Nor do we know whether the people travelled as a family party, a seasonal hunting unit or a very small task group.

Religion, formal learning, exchange systems and artistic practice are beyond the reach of the evidence. Continental Upper Palaeolithic communities made sophisticated stone and bone equipment, ornaments and cave art, but that wider European record cannot fill Ireland’s evidential silence. There is no

Irish object of about 31,858 BCE that demonstrates ritual, trade or teaching. The absence of proof should not be mistaken for proof that people lacked culture; it means that Ireland's surviving record is too thin to describe it responsibly.

An Island of Fleeting Footprints


The central historical fact is uncertainty. Castlepook's reindeer femur opens the possibility of a human presence in Ireland roughly twenty millennia earlier than the well-known late Upper Palaeolithic evidence from Alice and Gwendoline Cave, County Clare, dated to about 12,810–12,590 calibrated years before present. But the later Clare patella has the advantages of direct dating and detailed published analysis; it cannot validate every earlier claim automatically.

For 31,858 BCE, then, Ireland should be pictured neither as a settled homeland nor as a blank white void. It was a changing late-Pleistocene landscape intermittently capable of sustaining large mammals, predators and perhaps rare human visitors. At Doneraile, a reindeer bone bears a mark that may record deliberate carcass processing with a stone tool. That single possible action is historically momentous, but its proper power lies in what it asks archaeologists to investigate next: intact cave sediments, reliable chronologies and material evidence that can reveal whether this was an isolated encounter or part of a deeper, still largely hidden human story.

Chapter 044 of 100

31857 BCE

Derryvree's Silted Tundra



The label 31,857 BCE is useful only as a modern point of reference. No community in Ireland counted years in this way, and neither archaeology nor Quaternary science can identify an event that happened in one particular year so deep in time. Arithmetically, it corresponds to roughly 33,800 calendar years before present, where “present” in radiocarbon convention is 1950. The appropriate setting is the later Middle Palaeolithic world of Marine Isotope Stage 3: an unstable cold period before the Last Glacial Maximum, when environments, sea levels and ice margins could change greatly over centuries and millennia. The evidence closest to this nominal date is therefore environmental and faunal, not historical in the usual sense.

Dating a Landscape, Not a Year

The most important Irish archive for this broad interval lies at Derryvree near Maguiresbridge in County Fermanagh. Roadworks in 1969 cut through a drumlin and exposed organic silts and fine sands trapped between two separate beds of glacial till. Such a sequence matters because it records a time when water, plants and animals occupied ground that was later overridden or enclosed by ice-derived sediment. The organic layer produced a radiocarbon determination of 30,500 years before present, with a large original uncertainty of roughly a millennium either side. The deposit is not a diary entry for a single season, still less for a single calendar year; it accumulated over time and its date must be calibrated against changing atmospheric radiocarbon levels.

When discussed in calibrated terms, the Derryvree evidence is commonly placed within a broad range of approximately 36,900–31,700 calendar years before present. That span overlaps the modern numerical point represented by 31,857 BCE, but overlap is not identity. It permits a responsible conclusion that parts of northern Ireland had recently been, or could still have been, ice-free during this wider interval. It does

not prove that the Derryvree basin was open on the exact notional year, nor that the same conditions applied without variation across the whole island. The distinction is essential: sediments give dated evidence for environmental phases; historians' annual chronology does not yet exist here.

Open Country in Fermanagh

The fossils preserved at Derryvree point to a full-glacial, periglacial environment: cold, open and largely treeless. Rather than imagining the familiar green and wooded Ireland of later millennia, it is better to picture a low, exposed landscape of mineral ground, wet hollows and shallow freshwater, with tundra vegetation adapted to short growing seasons. Organic silts, pollen, plant remains and small animal evidence are the basis for that reconstruction. "Tundra" is an interpretation of several proxy records, but a strongly supported one; the original investigators concluded that open tundra vegetation and a periglacial climatic regime prevailed around the basin.

This was not necessarily an unchanging white desert. A periglacial landscape could include snow cover and frozen ground in winter, summer thaw, sedge-rich wet places, streams and ponds, and patches of vegetation sufficient for grazing animals. The word "muskeg", used in discussions of the Derryvree deposits, conveys wet, peaty ground rather than a dry steppe. Seasonal contrasts may have been marked. Yet the available Irish evidence cannot provide a reliable temperature for this particular year, nor can it tell us exactly how long any particular pond lasted. What it securely shows is that life persisted between episodes of glaciation, and that the later drumlin landscape conceals fragments of an earlier, colder living world.

Ice Was Advancing, Unevenly

At roughly 33,800 calendar years before present, Ireland stood before the principal expansion of the last British-Irish Ice Sheet. Modern reconstructions stress that ice-sheet growth was neither simple nor simultaneous. Ice was already established in northern and upland areas of Britain and Scotland; from about 31,000 years ago it grew rapidly and spread across Ireland and Britain, eventually extending over much of the continental shelf. The maximum overall ice-sheet extent is reconstructed at about 26,000 years ago, not at the date considered here. Thus 31,857 BCE belongs to a threshold period: cold conditions and local ice histories mattered greatly, but it should not be presented as though every Irish valley was already buried beneath the later maximum ice cover.

That uncertainty also affects the map. Lower global sea levels exposed extensive areas now beneath the seas around north-west Europe, while ice loading depressed parts of the crust and altered relative sea level locally. It would be rash to draw a simple, continuous land bridge into a scene set at this date. Research on Ireland's changing insularity shows that the existence, height and usefulness of possible routes depended upon time, local topography and sea level; the better-known later connections and disconnections cannot simply be projected backwards. People or animals might have moved through a changing wider landscape, but a particular route to Ireland around 31,857 BCE has not been demonstrated.

Animals at Castlepook

Southern Ireland supplies another crucial, though differently complicated, body of evidence. Castlepook Cave near Doneraile in north County Cork has produced a rich assemblage of Pleistocene animal remains, collected principally during antiquarian and early twentieth-century excavations and reassessed through the Irish Quaternary Fauna Project and later work. Reindeer, red deer, giant deer, brown bear, hare, fox, wolf, spotted hyaena and woolly mammoth are among the animals associated with the cave's Ice Age deposits or collections. The assemblage establishes that southern Ireland formed part of a changing north-west European cold-stage faunal world during portions of Marine Isotope Stage 3. It does not demonstrate that every species named was alive together, or at Castlepook, in the nominal year under discussion.

Recent radiocarbon reassessment has made the cave more important and more difficult to summarise. Improved pretreatment of bone collagen showed that some older determinations for southern Irish fauna were substantially too young. The revised results suggest that certain animals, notably giant deer and spotted hyaena, may have disappeared locally before the Last Glacial Maximum, around 40,000 calibrated years ago. That finding cautions against assembling an attractive but false snapshot of a single "Irish Ice Age fauna". Castlepook instead records repeated episodes of animal presence, carnivore activity, bone transport and preservation within a cave system over a long period.

The Human Question

The possibility of people in Ireland at this depth of time centres on a reindeer femur from Castlepook. Re-examination identified a mark interpreted by Ruth Carden as a cut made with a sharp stone tool during butchery; the bone has been publicised as dating to about 33,000 years ago or, in an approximate BC rendering, around 31,000 BC. If that interpretation is accepted, it would indicate a fleeting Upper Palaeolithic human encounter with reindeer in Ireland well before the peak of the last glaciation. It would not, however, establish a permanent settlement, a named population or a continuous ancestry leading to later Irish communities.

The limits are as significant as the possibility. The marked bone came from an old cave collection rather than a modern, tightly excavated occupation surface. No securely associated lithic toolkit, hearth, dwelling, human remains or repeated domestic debris has yet supplied the fuller archaeological context that would turn a modified bone into an indisputable settlement site. The cave may even have received discarded or scavenged bones carried by carnivores after an animal was processed elsewhere. Renewed excavation at Castlepook has sought undisturbed Pleistocene deposits precisely because stratified finds, direct dating and detailed taphonomic study are needed to test these questions. The evidence is intriguing and potentially transformative, but it remains evidence for a possible episode, not proof of an Irish society in 31,857 BCE.

What Cannot Be Recovered

There were no recorded kingdoms, political institutions, treaties, raids or diplomatic exchanges in Ireland at this date. Nor is there evidence from which to identify religious practice, language, art, formal learning, trade networks or social rank. To fill these headings with imagined hunter bands, shamans, chiefs or tribal territories would give fiction the appearance of history. Even if a small Upper Palaeolithic group reached Ireland, its social arrangements cannot be reconstructed from one contested or provisional

trace. Comparisons with contemporary hunter-gatherers elsewhere in Europe can suggest possibilities—small mobile groups, seasonal movement and skilled animal processing—but they are analogies, not Irish facts.

The most defensible account of everyday life is therefore environmental. Reindeer and other large herbivores would have found food in open vegetation; predators and scavengers used caves and carcasses; freshwater basins accumulated the sediments that now preserve clues to plants, insects and climate. If humans were present, animal resources may have been central to survival, and mobility would have been more plausible than villages or farms. But neither farming, pottery, monuments nor settlement structures belong to the evidence for this period. Ireland's documented prehistoric sequence begins much later, after deglaciation, and cannot be read backwards into this Ice Age interval.


A Record Beneath the Drumlins

The significance of Ireland around 31,857 BCE lies not in an invented event but in a rare survival: organic sediment beneath a drumlin, cave bones recovered from Cork limestone, and a landscape whose later ice cover erased far more than it preserved. Derryvree shows that cold, open, living terrain existed in northern Ireland within a broad date range overlapping this point. Castlepook shows that Ice Age mammals occupied southern Ireland during related but not necessarily identical phases, and it raises a serious, unresolved question about early human visits. Together they replace the misleading notion of a timeless frozen emptiness with a more compelling reality: a changing land at the edge of advancing ice, intermittently habitable for plants and animals, and perhaps briefly entered by people whose presence has barely survived.

Chapter 045 of 100

31856 BCE

Derryvree Between Two Tills



“31,856 BCE” is a modern numerical label, not a date that can be recovered from the Irish evidence with year-by-year precision. In radiocarbon terminology it falls roughly 33,800 years before AD 1950, but calibrated ranges at this depth are broad and sometimes revised as methods improve. The responsible frame is therefore not an event in one calendar year, but a phase of the later Pleistocene, within Marine Isotope Stage 3, when Ireland’s climates, ice margins and living landscapes changed repeatedly over millennia.

An Island Between Glaciations

This was long before Irish written history, agriculture, monuments or identifiable peoples. It also preceded the climatic low point conventionally called the Last Glacial Maximum, dated globally to about 26,500–19,000 years ago. Ireland was not yet uniformly buried beneath the ice sheet that later reshaped much of the island. Evidence from sediments, fossil remains, cave deposits and ice-sheet reconstructions instead indicates a varied and unstable world: some districts were ice-free, conditions were cold and strongly seasonal, and the growth of the last Irish Ice Sheet still lay ahead.

It is misleading to imagine a fixed national landscape. “Ireland” here means the landmass and surrounding shelf that would eventually form the modern island. Sea level was lower than today, so shorelines and estuaries lay farther out in places; yet the precise arrangement of land, sea, glaciers and seasonal ice changed through time. The island stood at the ocean-facing north-western edge of Europe, exposed to abrupt North Atlantic climatic shifts. Its history at this date is consequently environmental before it is political: it is the history of water, sediment, plants, animals and advancing ice.

Derryvree's Freshwater Record

The most useful Irish evidence for the broad period comes from Derryvree near Maguiresbridge in County Fermanagh. Road works in 1969 cut through a drumlin and revealed organic freshwater silts and fine sands enclosed between two distinct sheets of till. That sequence matters because till records glacial deposition, while the intervening organic bed records an interval in which the locality was not covered by glacier ice. Its position between tills supplies a relative history: glaciation, an ice-free freshwater landscape, then renewed glaciation.

The Derryvree organic deposits produced a conventional radiocarbon age of about 30,500 radiocarbon years BP, with published uncertainty. Calibration has placed the deposit broadly between about 36,900 and 31,700 calibrated years BP. The modern year 31,856 BCE falls within that wide interval, rather than marking its beginning, end or a sampled day. Other Fermanagh evidence is older: organic material beneath till at Greenagho has been calibrated to approximately 37,200–35,700 years BP. Together, such deposits support the conclusion that north-central Ireland contained ice-free ground until at least around 34,000 years ago, before the major late-glacial build-up of the Irish Ice Sheet.

That conclusion must retain its limits. Derryvree is a local sedimentary archive, not a weather station for all Ireland. Its radiocarbon measurement is also a legacy determination, and modern work rightly scrutinises older samples and chronologies. Nevertheless, the combined stratigraphy, biological remains and calibrated range make it powerful evidence for an open, cold freshwater setting in Fermanagh during the relevant part of Marine Isotope Stage 3. It rules out a simple picture in which the entire island was continuously ice-covered at this point.

Moss, Sedge and Open Water

Pollen, plant macrofossils and insects from Derryvree provide the closest view of everyday ecology. They indicate treeless tundra or muskeg: wet, moss-rich ground with sedges, grasses, herbs and scattered low shrubs, broken by shallow pools and waterlogged channels. The pollen was poorly preserved, so it cannot yield a neat map of every plant community. Yet the wider assemblage consistently points to sparse, open vegetation rather than forest. Pine and hazel pollen grains need not demonstrate local woodland; they may have travelled far or been reworked.

The implied climate was harsh, especially in winter, though not a featureless permanent deep-freeze. Freshwater sediment accumulated, plants grew during the short productive season, and insects occupied wet ground rich in decaying vegetation. In south-west Ireland, uranium-thorium dating of speleothems at Crag Cave shows that calcite formed episodically during Marine Isotope Stage 3. Since such formation requires liquid water moving through the cave, it independently confirms that milder interludes occurred within the long cold stage. It does not mean that Crag Cave and Derryvree experienced identical local weather, but it reinforces the picture of rapid climatic variability rather than unbroken glaciation.

Frost weathering, seasonal thaw, waterlogging and shifting drainage would have shaped a difficult terrain. Later ice would erode, bury and redistribute much of this older surface, which explains why direct surviving evidence is so patchy. The drumlins familiar in parts of modern Ireland are themselves reminders that subsequent ice movement heavily modified the land. The Derryvree silts survived precisely because they were protected within a complex glacial sequence.

Animals on a Changing Margin

Irish cave deposits show that sizeable mammals entered Ireland at various times during Marine Isotope Stage 3. Castlepook Cave, near Doneraile in north Cork, is especially important. Its faunal collections include remains attributed to woolly mammoth, reindeer, giant deer, spotted hyaena, brown bear, wolf, Arctic fox, hare and lemmings. These animals should not be assembled into a single, timeless tableau. Cave floors can mix deposits, carnivores can move bones, and nineteenth- and early twentieth-century excavations did not always preserve the stratigraphic detail expected today.

Even so, radiocarbon programmes and later reassessments establish that a diverse cold-stage fauna reached Ireland during the long span from at least roughly 45,000 to 20,000 years ago. Re-dating has made some Castlepook specimens substantially older than their original determinations and suggests that animals such as giant deer and spotted hyaena may have disappeared locally before the Last Glacial Maximum. The secure lesson for 31,856 BCE is modest but important: Ireland could support, or be visited by, mobile animal populations in suitable ice-free intervals. It is not possible to say which species stood in Fermanagh, or in Cork, in this particular notional year.

There was no economy in the later historical sense. No evidence demonstrates herding, cultivation, managed hunting territories, exchange routes or permanent settlements in Ireland at this date. Animal movement was ecological, following forage, snow conditions, predators and changing corridors across the wider north-west European landscape. Caves may have served as dens, traps for accumulating bones, or short-lived shelters for animals; they are not automatically campsites.

The Human Question

There are no securely dated houses, hearths, stone-tool assemblages, burials or occupation surfaces in Ireland from around 31,856 BCE. Accordingly, political affairs, warfare, diplomacy, named communities, religious practice, language, art and formal learning cannot responsibly be described. They are not merely unknown details of an otherwise known society: the existence of a resident human society on the island at this time remains unproven.

A reindeer femur from Castlepook has been interpreted as bearing a mark made while butchering fresh bone with a stone tool, and its proposed age has attracted understandable attention as possible evidence for a very early human visit. But one modified bone, detached from a secure excavated occupation context, cannot establish a settled population, social organisation or an annual human presence. The National Museum of Ireland continues to state that clear evidence for human presence in Ireland during the Palaeolithic has not emerged. That caution is appropriate, particularly because cave assemblages and older radiocarbon dates have required repeated reassessment.

The absence of confirmed people should not be turned into a claim that people could never have reached Ireland. Human groups were present elsewhere in north-west Europe during the Upper Palaeolithic, and lowered sea levels altered regional geography. But possibility is interpretation, whereas Derryvree's freshwater sediments and Castlepook's animal bones are material evidence. For this year, the historical record is better served by keeping that distinction sharp.

Before the Ice Sheet's Expansion


What came next gives the interval its wider importance. Reconstructions indicate that the bulk of the last Irish Ice Sheet expanded from broadly ice-free conditions around 34,000 years ago, reaching much greater extent later, with maximum advances in different sectors during the later part of the glacial cycle. By roughly 27,000–24,000 years ago, ice had extended across major offshore shelves and towards the south coast. That later expansion transformed drainage, shorelines, habitats and the survival prospects of plants and animals.

Thus 31,856 BCE belongs not to an Irish “year of events” but to a fragile interval before the island’s most extensive late Pleistocene glaciation. In Fermanagh, water, mosses, sedges and insects recorded a cold open landscape between episodes of ice. Across Ireland, the fossil record preserves glimpses of animals moving through an unstable frontier. The principal fact is uncertainty bounded by evidence: a living but severe environment, locally ice-free, with no demonstrable human polity or settled community, soon to be overtaken by the expanding ice-sheet world.

Chapter 046 of 100

31855 BCE

Elephant Hall's Tundra Fauna



Modern calendar-year precision is not available for Ireland in 31,855 BCE. This numbered year is best treated as a point within a much broader Late Pleistocene interval, conventionally placed in Marine Isotope Stage 3. Radiocarbon ages from this depth of time require calibration and carry sizeable ranges; deposits may also contain material moved by water, animals, frost or earlier excavation. The responsible question, therefore, is not what happened in Ireland in one exact year, but what the physical and biological evidence can reveal about the island around the later 30,000s years before present.

An Island in a Changing Cold Stage

Ireland was then in the last Ice Age, but it was not simply a country buried beneath an unchanging white sheet. The climate of Marine Isotope Stage 3 swung repeatedly between relatively milder interstadials and severe cold phases. Ice expanded and contracted across the wider British–Irish region over long timescales, while the extent of ice within Ireland varied by region and remains an active subject of research. The great ice-sheet maximum lay later, broadly during the period after c. 27,000 years ago, rather than providing a fixed setting for every earlier millennial moment.

Evidence from Derrynvree near Maguiresbridge in County Fermanagh gives an important northern perspective. There, organic-rich freshwater silts and fine sands lay between separate till sheets: a record that the locality was ice-free when sediment, plant remains and insects accumulated, before later glacier ice overrode it. A radiocarbon determination of 30,500 BP, now conventionally calibrated to a broad range of roughly 36,900–31,700 cal BP, is not a date for a single landscape day. It does, however, place a treeless, periglacial environment in north-central Ireland within the broad interval relevant to 31,855 BCE.

The Derryvree evidence points to open ground rather than forest. Pollen, moss macrofossils and beetle remains indicate a cold, wet tundra or muskeg landscape, with pools, plant-rich water and mossy surfaces. Grasses, sedges, herbs and juniper are more appropriate images than oaks or hazel woods. Winters were severe and growing seasons short. Yet this was not necessarily a lifeless desert: low vegetation could sustain grazing animals, small mammals, birds and predators, and freshwater hollows preserved a detailed environmental archive that ordinary dry ground did not.

Castlepook's Bone Archive

The most vivid evidence from southern Ireland comes from Castlepook Cave, also called Mammoth or Doneraile Cave, on limestone farmland near Doneraile in north County Cork. Its narrow passages and chambers, including the evocatively named Elephant Hall and Hyena Hall, yielded more than two thousand bones during excavations in the early twentieth century. The cave is Ireland's richest known archive for vertebrate life before the Last Glacial Maximum. Its faunal list includes woolly mammoth, giant deer, reindeer, brown bear, wolf and spotted hyaena, with later cold-stage deposits also producing Arctic fox and lemmings.

That list must not be read as a photograph of one simultaneous herd. Castlepook accumulated bones over a long span. Modern dating and reassessment place individual remains across tens of thousands of years; the Geological Survey of Ireland gives a range of about 45,700 to 19,950 years BP for dated material. Water movement, disturbed deposits and the methods of the original excavators further complicate associations between bones and layers. A mammoth bone, hyaena bone and reindeer bone from the cave may demonstrate that each species occurred in Ice-Age Ireland, but they do not automatically prove that all stood outside the entrance in the same season.

Even with that caution, the cave makes clear that parts of Ireland could belong to a wider north-west European fauna during this period. Reindeer imply open, cold country and seasonal grazing opportunities. Woolly mammoth and giant deer suggest a landscape with substantial forage, while hyaenas and wolves reveal a predator and scavenger guild capable of exploiting carcasses and hunting vulnerable prey. Brown bears added another large omnivore to that world. Castlepook was likely not a domestic animal shelter; caves can collect bones brought in by carnivores, animals dying naturally, water, and people. Its value lies precisely in preserving traces that the exposed landscape has largely lost.

The Human Question

The possibility of people in Ireland at this time is important, but it must be expressed with restraint. A reindeer femur from Castlepook has been reported as bearing an incision interpreted as a possible stone-tool cut mark, and the bone has been associated in public reporting with an age of around 33,000 years ago. If that interpretation and chronological association are sustained by further study, it would point to very early human activity on the island, perhaps the processing of an animal carcass by Upper Palaeolithic hunters.

It would not, by itself, establish a settlement, a permanent population, a named culture, or continuous occupation. No securely associated Palaeolithic house, hearth, stone-tool assemblage, burial, art panel or human skeleton is presently available for Ireland around 31,855 BCE. Recent archaeological work at Castlepook was undertaken in part because surviving undisturbed deposits could test such questions; it

also underlined how difficult the cave's history is to disentangle. The strongest conclusion is that human contact with Ireland during the wider period is a serious possibility, not a foundation for a detailed social narrative.

Accordingly, no political order, diplomacy or organised warfare can be recovered for this date. There were no states, kingdoms, written laws or historical names. Predation and competition among animals should not be mistaken for evidence of human conflict. If small groups of modern humans did reach Ireland, their decisions would have concerned mobility, weather, safe routes, fuel, shelter and access to animal resources. Those are reasonable inferences from comparable Upper Palaeolithic lifeways elsewhere in north-west Europe, but they remain interpretations rather than observations from an excavated Irish camp.

Movement, Not Proven Trade

Sea level was much lower than today during the Ice Age, altering the outlines of the Irish Sea basin and exposing broad shelf landscapes beyond modern coasts. This helped create changing ecological connections between Ireland, Britain and continental Europe, but it does not license a simple map of a permanent land bridge or an easy crossing. The precise configuration of ice, sea and habitable ground changed through time. The presence of large mammals in Ireland proves repeated dispersal was possible; it does not tell us whether a particular human group walked, travelled by water, or never arrived at all.

There is equally no evidence for trade in the usual historical sense. No imported ornaments, exchange networks, stores of grain or managed livestock can be assigned to Ireland at this date. The only defensible economic picture is ecological: wild animals converted tundra vegetation into meat, fat, hides, bone and antler; carnivores and scavengers competed for carcasses; and, if people were present, a cut-marked bone would suggest the opportunistic acquisition and processing of game. Agriculture, pottery, metalworking and settled village life lay many millennia in the future.

Silence on Belief and Learning


Religion, language, music, kinship and teaching undoubtedly mattered to any human beings who may have entered this landscape, but Irish evidence cannot identify them. There are no objects from around 31,855 BCE that responsibly demonstrate ritual practice or symbolic culture in Ireland. Nor is there a basis for attaching later Gaelic tradition, Celtic identities or modern regional communities to these Pleistocene traces. The proper historical achievement is more modest and more remarkable: cave bones, freshwater silts, pollen, mosses and beetles allow a fragmentary reconstruction of an Irish environment far older than written memory.

For 31,855 BCE, then, Ireland is not yet a narrated human society but a changing Ice-Age habitat. Around its cave mouths and wet hollows lay open, cold country inhabited by large herbivores and formidable predators, while glaciers were growing across the wider region without yet producing one uniform Irish landscape. Castlepook and Derryvree do not provide an annual chronicle. They provide something rarer: securely physical evidence, and a reminder that the earliest Irish past must be written from traces whose uncertainty is part of their meaning.

Chapter 047 of 100

31854 BCE

Castlepook's Fading Fauna



The numbered year 31,854 BCE cannot be treated as a date at which a recorded Irish event occurred. No written record, named community, ruler, battle or settlement belongs to it, and modern calendar-year precision is not available for this depth of prehistory. Converted only approximately into the archaeological convention of years before AD 1950, it falls around 33,800 calendar years BP. Even that conversion must not disguise the uncertainty: radiocarbon determinations require calibration, their ranges may span centuries, and deposits can record material accumulated over long intervals. The responsible subject is therefore Ireland during the later part of Marine Isotope Stage 3, before the full Last Glacial Maximum.

At this time the island's story is principally one of climate, ice, animals and changing terrain rather than human institutions. The evidence is uneven. Caves in north Cork have preserved bones; buried sediments in Fermanagh preserve plants and insects; landforms, offshore sediments and exposure dating help reconstruct the advance of the British–Irish Ice Sheet. None offers a diary entry for one notional year. Together, however, they show an island near a major environmental threshold.

A Date on the Edge of the Ice

About 33,800 years ago, Ireland was in the Midlandian glacial stage, the Irish expression of the last glacial cycle. It was not yet necessarily the uniformly ice-covered island of the Last Glacial Maximum. Recent ice-sheet syntheses show that the growth, maximum extent and retreat of the British–Irish Ice Sheet were asynchronous: different sectors advanced and later withdrew at different times. Broad reconstructions place substantial build-up after roughly 35,000–32,000 years ago, while maximum ice extent in many sectors came appreciably later, around 27,000–23,000 years ago.

This means that it would be misleading to colour the whole island white on a map labelled 31,854 BCE. Ice may already have been expanding from upland and northern centres, while some southern or peripheral landscapes still supported exposed ground and animal life. The exact extent at this moment remains debated because deposits of the relevant age are scarce, later glaciers eroded or buried earlier surfaces, and dates from separate regions do not necessarily describe a single island-wide episode. The better conclusion is that Ireland was entering a period in which glaciers increasingly determined the possibilities of life and the preservation of evidence.

Climate records from Greenland show that the last glacial period was not a single unchanging freeze. Abrupt warm and cold phases occurred on timescales far shorter than traditional archaeological periods. Ireland lay at the Atlantic edge of Europe, exposed to westerly weather systems and to changes in North Atlantic circulation. Local conditions would have varied with altitude, distance from ice and season, but a cold, open and largely treeless environment is the defensible broad picture. It was not the later familiar green island, nor a settled landscape awaiting the arrival of farmers or Celtic-speaking peoples many millennia in the future.

Open Country and Moving Ice

Evidence beneath drumlins at Derryvree, near Maguiresbridge in County Fermanagh, is particularly valuable because it preserves organic sediments sealed below glacial till. Pollen, plant remains and beetles from such deposits have been interpreted as evidence for a treeless, wet tundra or muskeg environment during an earlier part of the last glacial cycle. Mosses, sedges, dwarf shrubs and sparse herbs could survive in wet ground, while periglacial processes repeatedly froze, thawed and disturbed exposed soils. The sequence is not a precise weather report for north Cork or for this calendar-labelled year; it instead establishes what kinds of cold-stage habitats could occur in Ireland before later ice overrode the land.

Glacial geology supplies the other half of the picture. Ice did not merely sit upon the country. It excavated bedrock, transported boulders and sediment, moulded drumlins, reshaped valleys and pushed across the continental shelf. Lower global sea levels also altered the outline of the land and exposed wider coastal shelves than exist today. Yet lowered sea level should not automatically be turned into a claim of an easy land bridge or regular migration route. The geography of the Irish Sea, shifting ice margins and the lack of securely associated archaeological sites make any human crossing at this date unproven.

The environmental legacy was immense. The ice and meltwater of the following millennia would help create many of the physical frameworks of modern Ireland: streamlined lowlands, till-covered terrain, lake basins, altered drainage and coastal shelves. But those are long-term geological consequences, not contemporary social choices. Around 33,800 calendar years BP, regional change was driven above all by climate and ice-sheet dynamics.

The Cave Record at Castlepook

Castlepook Cave, near Doneraile in north Cork, offers the most evocative evidence relevant to this part of the Irish Pleistocene. Antiquarian excavations recovered a remarkable assemblage attributed to animals including reindeer, giant deer, brown bear, wolf, Arctic fox, hare, lemmings, spotted hyaena and woolly mammoth. The Irish Quaternary Fauna Project demonstrated more broadly that a varied mammal fauna reached Ireland between at least about 45,000 and 20,000 years ago. This establishes that parts of the island could at times sustain or receive cold-adapted and open-country animals before the full glacial maximum.

These animals should not be imagined as one harmonious herd present at one instant. Cave collections often combine material deposited across centuries or millennia, and old excavations did not always record exact layers to modern standards. Some bones may have been carried in by predators, others by water or slope movement; cave entrances also changed through time. The faunal list is therefore evidence for a long and complicated ecological history, not a census for 31,854 BCE. Even so, reindeer and lemmings point towards cold open habitats, while hyaena, wolf and bear remind us that carnivores as well as herbivores used Irish landscapes and caves.

The mammoth evidence has special force because it makes the scale of this lost world immediately visible. Woolly mammoths required extensive forage and movement across broad landscapes; their presence, where securely dated, is inconsistent with a permanently forested or wholly ice-covered Ireland. Giant deer likewise belonged to a Pleistocene fauna very different from that of later historic Ireland. Their survival depended on ecological connections with Britain and continental Europe at particular times, yet fossil occurrence alone cannot tell us how continuous those connections were or how long individual populations lasted.

People: A Possibility, Not a Population

Human history must be written with exceptional restraint. Ireland has no securely documented resident Upper Palaeolithic population at about 33,800 calendar years BP. No house, hearth, lithic workshop, burial ground or stratified hunting camp of that age has been established on the island. The National Museum of Ireland has long emphasised the absence of clear Palaeolithic evidence, while the first substantial evidence for enduring settlement belongs to the Mesolithic, after the last ice had retreated and environments had changed fundamentally.

There is, however, a significant and unresolved development in the Castlepook material. A reindeer bone has been reported with a possible cut mark and an age in the broad vicinity of 33,000 years ago. If microscopic assessment and contextual work ultimately confirm that the mark was made by a human tool, it would indicate a fleeting Upper Palaeolithic human presence rather than an established society. It would not establish a village, a continuous occupation or a named people. Recent excavation has sought surviving undisturbed deposits precisely because the older collections cannot answer all these questions by themselves.

The distinction matters. A single modified bone could represent one episode of carcass processing by a very small visiting party; it might also be affected by natural damage or uncertain association. The evidence presently supports neither political affairs nor diplomacy, warfare, territorial lordship, trade networks or organised religion in Ireland at this date. Those categories require people and patterns of activity that the archaeological record has not demonstrated. It is more accurate to say that Ireland lay within the wider ecological and geographical world through which Upper Palaeolithic people moved elsewhere in north-west Europe, while direct evidence of their presence here remains tentative.

What Cannot Yet Be Recovered

Accordingly, everyday life cannot responsibly be reconstructed as an Irish campfire scene. There is no basis for asserting what language anyone spoke, what kin groups existed, whether boats were used, what rituals were practised, or how food was shared. Nor is there evidence for agriculture, domestic animals, metalworking, monuments, pottery or trade. If people did reach an Irish landscape around this time, they

would have encountered a demanding cold-stage environment and animal resources familiar to Upper Palaeolithic hunter-gatherers elsewhere; that is an inference from the wider European record, not a demonstrated Irish social history.


What the evidence does reveal is a country in transition. Open, wet and treeless habitats survived somewhere beyond or between expanding ice; Pleistocene mammals ranged across at least parts of Ireland; caves could serve as dens, traps, shelters or repositories of bone; and ice was beginning to erase as well as create the archive by which this world can be known. The apparent silence of Ireland at 31,854 BCE is therefore not proof that nothing happened. It is the consequence of a fragmentary record, later glacial destruction and the impossibility of reducing deep time to a modern calendar day.

Castlepook and Derryvree are valuable precisely because they resist easy storytelling. They preserve traces rather than chronicles: a bone, a pollen grain, a beetle fragment, a sediment layer, a scar on a landscape. Read cautiously, those traces place Ireland close to the advance of the great ice sheet and within a vanished Atlantic fauna. They do not yet yield a year-by-year human narrative. For this date, that uncertainty is not a deficiency to be filled with invention; it is the most important historical fact.

Chapter 048 of 100

31853 BCE

Silts Under a Drumlin



The label “31,853 BCE” gives an appearance of precision that the evidence cannot sustain. There is no Irish written record, settlement sequence or securely dated human event that can be assigned to this single modern calendar year. In archaeological terms it corresponds only approximately to 33,800 calibrated years before present (cal BP, with “present” conventionally fixed at 1950), within Marine Isotope Stage 3, a long and climatically variable part of the last Ice Age. Radiocarbon determinations from so deep in time must be calibrated and expressed as probability ranges, not converted into annual anniversaries. The responsible history of Ireland at this horizon is therefore a history of sediments, animal bones, ice margins and uncertainty.

A Landscape Between Glaciations

At about 33,800 cal BP, Ireland had not yet reached the Last Glacial Maximum, when the British–Irish Ice Sheet would cover all or almost all low ground on the island. That maximum expansion came substantially later, broadly between c. 27,000 and 21,000 years ago, with major ice-sheet growth and shifting margins rather than one simple, uniform advance. Around the date represented by 31,853 BCE, parts of Ireland were demonstrably ice-free, although the geography of ice, exposed land and sea changed repeatedly over centuries and millennia.

The strongest local environmental evidence comes from Derryvree near Maguiresbridge in County Fermanagh. Roadworks there revealed freshwater silts and fine sands trapped between two separate sheets of glacial till within a drumlin. The organic sediments produced a radiocarbon determination of 30,500 radiocarbon years BP, subsequently understood to calibrate broadly within a range of about 31,700–36,900 cal BP. That span includes the approximate horizon represented by 31,853 BCE. It does not mean

that the Derryvree deposit records one year, nor that every layer accumulated continuously. It does establish that north-eastern Ireland experienced an interval of non-glacial, freshwater and periglacial conditions before a later ice advance buried the evidence.

The Derryvree sequence is especially valuable because later ice sheets destroyed or disturbed much of Ireland's earlier Pleistocene record. Its pollen, plant and animal traces point to open tundra rather than forest: a cold, treeless landscape of grasses, sedges, herbs, mosses and low shrubs, with shallow water, wet ground and seasonally frozen soils. The precise mixture of plants would have varied with local drainage, altitude and climate. This was not a blank white wilderness. In favourable summer months, herb-rich ground and wetland margins could be biologically productive, even though winters were severe and the growing season short.

Caves and Cold-Climate Animals

Southern Irish caves provide a second, complementary record. Castlepook Cave near Doneraile in north County Cork has yielded remains of reindeer, giant deer, brown bear, spotted hyaena, woolly mammoth and smaller cold-adapted mammals. These finds show that Ireland was at times part of a wider north-west European ecological zone in which large herbivores and their predators could move through changing landscapes. Ireland was not then the familiar Atlantic island of later prehistory. Lower sea levels placed coasts far beyond their modern lines, exposing extensive parts of the Irish and Celtic Sea shelves. Exactly which crossings were dry, marshy, marine or blocked by ice at particular moments remains a matter for reconstruction rather than a fact observable in the cave deposits themselves.

The animal assemblage must nevertheless be read cautiously. A cave bone proves that an animal, or material derived from it, reached the cave; it does not automatically prove that all recorded species lived together, that they formed a stable local community, or that a cave was a den, kill-site or human camp. Many Irish cave collections were excavated in the nineteenth and early twentieth centuries, before modern recording standards. Bones could have been moved by carnivores, water, sediment collapse, later disturbance or the excavation process itself. Recent re-dating and improved chemical pretreatment have shown that some earlier Irish radiocarbon dates were substantially too young.

That revision matters particularly at Castlepook. Modern work has pushed several faunal dates back into MIS 3 and suggests that giant deer and spotted hyaena may have disappeared locally before about 40,000 cal BP, well before the ice sheet's maximum extent. Thus they belong to the broader environmental background of Middle Midlandian Ireland, but cannot responsibly be placed in the precise year 31,853 BCE. Reindeer and other cold-country grazers are more useful as indicators of the kind of open, seasonal terrain available during parts of this period, not as a guarantee that a herd stood at any named Irish location in that particular year.

The Human Question

There is no secure evidence for a settled human population in Ireland around 31,853 BCE. There are no accepted houses, hearths, stone-tool floors, burials, cemeteries, fields, monuments or durable cultural traditions from this horizon. Consequently, it is not possible to describe Irish political affairs, diplomacy, social hierarchy, religious practice, learning, trade networks or domestic life as though an identifiable community were present. Such language would turn silence in the record into fiction.

A potentially important but unresolved clue has come from Castlepook: a reindeer femur from an old collection has been reported as bearing a mark consistent with cutting by a sharp stone tool, and its date has been discussed as roughly 33,000 years old. If future work demonstrates beyond doubt that the mark is anthropogenic, that would indicate a brief Upper Palaeolithic human encounter with animal carcass material in Ireland, perhaps butchery by highly mobile visitors. It would not, by itself, establish permanent occupation, a settlement, a named people or an annual event. Natural damage and excavation history can imitate or obscure tool marks; context is crucial. The lack of an associated, undisturbed lithic assemblage or hearth is why this claim remains a subject for careful testing rather than a foundation for a populated national narrative.

The distinction is important because the closest securely documented human traces in Ireland belong much later. Evidence from Alice and Gwendoline Cave in County Clare has demonstrated human modification of a brown-bear bone early in the Younger Dryas, around 12,900–12,700 cal BP. Later still, Early Mesolithic communities left unequivocal archaeological signatures after the final retreat of the ice. These episodes cannot be projected backwards by more than twenty millennia. They show that people could reach and use Irish landscapes under challenging conditions, but they do not settle the question of human presence during MIS 3.

Movement Without States

If people did enter Ireland during the Derryvree-Castlepook interval, their most plausible social setting would be small, mobile Upper Palaeolithic foraging groups, comparable in broad economic logic to communities elsewhere in north-west Europe. Such groups would have depended on knowledge of animal movement, seasonality, shelter, fuel and routes across a rapidly changing physical world. Their “economy” would have centred on hunting, scavenging, gathering and the use of portable materials, rather than farming, markets, coinage or long-lived settlements. This is an interpretation drawn from wider European archaeology, not direct evidence for a specific Irish group.

Nor should mobility be confused with trade in the later sense. A person, animal or raw material might have crossed exposed shelves or narrow waters, but there is no Irish evidence at this date for exchange institutions, political alliances or territorial borders. Conflict is equally unknowable. Large carnivores, harsh weather, unreliable food supplies and difficult travel were real constraints on survival, yet they are ecological pressures rather than evidence of warfare. The only defensible “regional change” is geological and environmental: ice was building within the British–Irish Ice Sheet system, sea level was lower than today, and habitats were repeatedly rearranged by climate.

What This Year Can Mean

For Ireland, 31,853 BCE is best understood not as a year of recorded action but as a point within an interstadial world that was soon to be transformed. Freshwater sediments at Derryvree preserve evidence of an open, periglacial landscape in Fermanagh. Cave faunas, especially in Cork, demonstrate that Pleistocene Ireland supported a richer and stranger range of mammals than later historical Ireland. The archaeological question of whether people briefly visited remains open, and its answer depends on the microscopic analysis of bone surfaces, rigorous dating and the discovery of undisturbed evidence.


Nothing in the surviving record supports kings, tribes, rituals, battles or settlements for this date. Yet the absence of those familiar subjects is itself historically significant. Ireland’s deep past was shaped first by ice, water, vegetation and animal movement. The drumlin at Derryvree, built from layers laid down

before and after a freshwater interval, is a reminder that the archive of this period is both precious and fragmentary: a brief record of living tundra sealed beneath the later force of an advancing ice sheet.

Chapter 049 of 100

31852 BCE

Castlepook's Open Tundra



“31,852 BCE” is a modern numerical label, not a year that can be isolated in Ireland’s archaeological record. There were no written calendars, named communities or datable events on the island from which a history of one particular year could be recovered. In conventional calendar terms, the label falls about 33,800 years before AD 1950, within the later part of the Late Pleistocene and broadly within Marine Isotope Stage 3 (MIS 3), a climatically volatile interval of the last Ice Age. The responsible history of this point in time is therefore one of ranges, deposits and probabilities: what the evidence can show about Ireland around this span, and what it cannot.

The most important fact is that Ireland was not yet the continuously settled island of later prehistory. If people entered it at all during this part of the Ice Age, their presence was probably brief, sparse and vulnerable to environmental change. The landscape was also on the threshold of a profound transformation. Over the following millennia the British–Irish Ice Sheet expanded towards its much greater Late Glacial extent, reworking land surfaces and destroying or burying much of the evidence that might otherwise have survived.

A Point Within a Long Chronology

Radiocarbon measurements do not translate directly into calendar years. They must be calibrated against internationally maintained curves, and uncertainty becomes substantial at this depth of time. A useful local comparison is Derryvree, near Maguiresbridge in County Fermanagh. There, organic-rich freshwater silts and fine sands lay between two tills: deposits left by separate phases of glaciation. The material produced a conventional radiocarbon determination of about 30,500 years before present, with a large error margin; published calibration places it approximately between 36,900 and 31,700 calendar years before present. That broad interval encompasses the modern label 31,852 BCE.

Derryvree does not date an occupation, a journey or an individual season. It dates organic material within a sedimentary sequence. Its importance is environmental and geological. It demonstrates that, during at least part of this long interval, north-central Ireland had ice-free ground, standing or slow-moving freshwater, and living plant and insect communities before later ice covered the site. Greenagho, also in Fermanagh, and Hollymount near Maguiresbridge provide related, though differently dated and interpreted, evidence for cold non-glacial episodes between earlier and later tills. Together these sites caution against any simple picture of an island permanently sealed beneath ice.

Ground Between Ice Advances

Ireland's regional name for the last glacial cycle is the Midlandian. Around the notional year considered here, conditions varied dramatically over time and place. The later MIS 3 record from Crag Cave in County Kerry is especially revealing. Speleothems – cave calcite formed as mineral-rich water drips – grew episodically during warmer interstadial phases. Their growth requires liquid water moving through ground and bedrock, so it offers evidence against a landscape that was everywhere continuously frozen. At the same time, interruptions in growth register repeated returns to colder conditions.

These cave records do not yield a precise temperature reading for every part of Ireland in 31,852 BCE. They do show that the island lay at the Atlantic edge of a climate system capable of rapid swings between relatively milder and much harsher phases. At Derryvree, mosses, sedges, herb pollen and insects of cold northern character point to an open, periglacial setting. Trees were not the dominant feature. The familiar Irish mosaic of enclosed pasture, woodland, bog and village had no existence. In its place was a sparse landscape of wet ground, exposed mineral soils, seasonal frost and low vegetation, with local water bodies gathering fine sediment.

Wind, freezing and thawing would have been active forces in shaping this world. Bare or thinly vegetated slopes were susceptible to erosion; water carried sand and silt into hollows and shallow lakes. The later glacier that passed over much of Ireland would leave drumlins, tills and scoured rock, but those famous glacial forms should not be imagined as a finished landscape at this date. They are the outcome of successive processes, including the ice advances still to come.

Animals in a Changing Island

Irish caves and museum collections preserve the strongest evidence for animal life during MIS 3. The Irish Quaternary Fauna Project, followed by more recent redating, established that a range of large mammals reached Ireland at different times between roughly 45,000 and 20,000 years ago. Castlepook Cave near Doneraile in north County Cork is particularly important because it contains both pre- and post-Last Glacial Maximum faunal material. Improved sample treatment has shown that some older cave radiocarbon determinations were too young, making parts of the faunal history appreciably older than once believed.

The pre-glacial cave fauna includes animals suited to cold, open country, among them reindeer, brown bear, hare, fox and spotted hyaena; Castlepook investigations have also produced evidence of woolly mammoth. Not every species was necessarily present in every valley, or even in County Cork, at the same moment. Cave deposits can accumulate bones over long periods, while carnivores, water, collapse and older excavation methods can mix their contents. Nevertheless, the record decisively overturns the idea that Ice Age Ireland was biologically empty before the final glacial maximum.

Reindeer are especially significant because their grazing habits fit a broad, treeless, herb-rich landscape. Their presence suggests possible seasonal movement through open terrain, not a domesticated herd managed by people. Large herbivores and their predators formed ecological connections to Britain and the wider north-west European plain. Whether those connections were open coast, temporary crossings, sea ice, exposed shelf or routes altered by shifting ice and sea level depended on the particular phase of the glacial cycle. It would be unsafe to draw a single, fixed coastline or a guaranteed land bridge for this one notional year.

The Castlepook Human Question

The possibility of people in Ireland around this time rests on evidence that is compelling enough to deserve attention but too slight to support a conventional narrative of settlement. A reindeer femur from Castlepook Cave has been identified as bearing a deep incision interpreted as a cut mark made with a sharp stone tool during butchery. County Cork heritage material has presented it as evidence for human activity in Ireland about 33,000 years ago. If that interpretation is correct, it would push the island's known human story far back beyond the better-attested terminal Pleistocene evidence.

Several distinctions matter. The radiocarbon date establishes the age of the bone, not the identity, number or residence of the people who may have marked it. The interpretation of a line on bone as a human tool mark is a separate taphonomic judgement: it must be distinguished from damage caused by carnivores, sediment movement, weathering, collecting or earlier handling. Nor does a butchered animal prove that a group lived in the cave. A carcass could have been processed in the open and bones later carried, washed or dragged into the cave system.

Accordingly, the evidence supports no claims about tribes, languages, kin groups, leaders or a permanent population. There is no securely attributable house, hearth, stone-tool assemblage, burial ground, art panel or camp surface from Ireland that can be assigned to 31,852 BCE. There is also no basis for supposing political authority, warfare, diplomacy or organised territorial boundaries. These are not missing chapters awaiting imaginative reconstruction; they are subjects for which the surviving Irish record is silent.

Life, Culture and Economy: What Cannot Be Recovered

If the Castlepook mark records human butchery, the most modest inference is that one or more people obtained access to a reindeer carcass and used a sharp lithic edge. That act could have supplied meat, marrow, hide, sinew or bone, each valuable to highly mobile hunter-gatherers elsewhere in Upper Palaeolithic Europe. But it cannot tell us whether the animal was hunted, scavenged, found dead, shared among a group or processed during a short visit. It says nothing direct about clothing, shelters, fire, family life or ritual in Ireland.

There is likewise no evidence for agriculture, livestock, pottery, metalworking, market exchange or seaborne trade. The economy of a hypothetical human visit would have depended on wild resources and movement through a demanding environment, not farming surplus or permanent settlement. Stone technology is plausible only in the narrow sense that the proposed cut mark is attributed to a sharp stone implement; no associated toolkit has been recovered. Culture and learning were undoubtedly present among Upper Palaeolithic people elsewhere in Europe, but no cultural tradition can responsibly be assigned to Ireland from this single disputed trace.

An Archive of Fragments


The history of Ireland around 31,852 BCE is thus principally an environmental history, illuminated by silts, pollen, mosses, insect remains, cave calcite, animal bones and glacial sediments. It records an intermittently ice-free island with open cold-country habitats during parts of MIS 3, connected ecologically to a wider Pleistocene world and increasingly exposed to the advance of ice. Castlepook offers a tantalising indication that people may have entered that world. It does not yet establish an Ice Age Irish community.

That restraint is not a failure of the evidence. It is its meaning. Later ice sheets and tens of thousands of years of erosion have left a very partial archive, while newer dating techniques continue to revise older conclusions. Around this modernly numbered year, Ireland was a place of tundra-like ground, freshwater hollows, cave refuges and wandering fauna – and perhaps, briefly, of people whose presence survives only as a possible human-made mark on a reindeer bone.

Chapter 050 of 100

31851 BCE

The Doneraile Bone Puzzle



The label “31,851 BCE” gives a useful point of reference for a modern chronology, but it must not be mistaken for a date that people then knew or recorded. No calendar-year event can be assigned to Ireland at this depth of time. Expressed in the archaeological convention of calibrated years before AD 1950, the nominal date falls at roughly 33.8 thousand calendar years BP, within Marine Isotope Stage 3 (MIS 3), the long and climatically unstable middle part of the last glacial cycle. Evidence for Ireland at this point comes not from chronicles, settlements or named peoples, but from cave bones, buried lake deposits, pollen, mosses, insects, sediments and the changing reach of ice.

A Date Within a Range

Radiocarbon dating does not yield a single, self-evident ancient calendar year. A laboratory measurement must be calibrated against independently constructed curves, and dates this old commonly produce ranges rather than a neat historical timestamp. In addition, the surviving Irish evidence was rarely laid down in one undisturbed sequence. A bone may date an animal’s death, not its arrival at a cave; a cave floor can combine material accumulated over many centuries or millennia; and early excavators often had neither the methods nor the records now expected.

The responsible question, therefore, is not “what happened in Ireland in 31,851 BCE?” but what conditions and evidence illuminate Ireland around the later part of MIS 3. The answer is necessarily regional and probabilistic. It reveals a cold, open and changing island-edge landscape, intermittently accessible to large mammals and perhaps, though far less securely, to small groups of people. It does not reveal an Irish community, a dynasty or a continuous national population.

Before the Ice-Sheet Maximum

This was not yet the Last Glacial Maximum, the period when the British–Irish Ice Sheet attained its greatest Late Pleistocene extent, broadly between about 27,000 and 21,000 years ago. Ice growth was nevertheless becoming an increasingly important force in the lands and seas around Ireland. Ice-sheet reconstructions show that expansion was neither simple nor simultaneous around every coast: glaciers, ice streams and upland ice masses advanced and retreated in response to an erratic North Atlantic climate. Research on the wider ice sheet places important growth phases after about 35,000–32,000 years ago, while the precise configuration over Ireland at any one moment remains difficult to recover.

At roughly 33.8 thousand calendar years BP, Ireland should not be imagined as uniformly buried beneath an ice cap. Some regions were ice-free or seasonally exposed; elsewhere, advancing ice and periglacial conditions remodelled the ground. The later ice sheet scoured, transported and buried earlier deposits, helping to explain why the island's record of this period is so fragmentary. What survives is often preserved in sheltered limestone caves or trapped beneath later glacial sediments.

Sea level was substantially lower than today, so the outlines of coast and shelf differed greatly from the modern map. Broad areas now beneath the Celtic Sea, Irish Sea and Atlantic shelf were dry land or a shifting coastal plain at various stages of the glacial cycle. Such change mattered to animal dispersal. Yet it would be misleading to draw a single permanent land bridge on a map of this date: the nature, duration and usability of routes between Ireland, Britain and continental Europe varied with sea level, ice and climate. The presence of mainland species in Ireland demonstrates episodes of connection or crossing, not a continuously open highway.

Castlepook and Its Animals

The most important evidence close to this nominal date comes from Castlepook Cave, also called Mammoth Cave or Doneraile Cave, in north County Cork. The limestone cave system has produced Ireland's richest known assemblage of vertebrate remains from the period before the Last Glacial Maximum. Its Ice Age fauna includes woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox and spotted hyaena. These finds make a powerful correction to any picture of Pleistocene Ireland as a biologically empty, uniformly frozen place.

They should not, however, be treated as a photograph of one afternoon on a Cork hillside. Carnivores could bring prey or scavenged carcass parts into a cave; animals could die in or near openings; water could move bones; and roof collapse, stalagmite growth and later disturbance could rearrange deposits. Castlepook's hyaenas are especially significant because a den or habitual carnivore refuge can accumulate a mixed assemblage. Teeth marks and broken bones may record feeding and transport rather than a human hunt. The cave is an archive, but an archive assembled by natural processes as well as by living creatures.

Modern re-dating has sharpened this caution while strengthening the broad case for a pre-maximum Irish fauna. A 2020 reassessment found that several Castlepook bone dates were substantially older than previously believed, with some results shifted by thousands of radiocarbon years after improved sampling and pretreatment. The study suggested that giant deer and spotted hyaena may have disappeared locally before about 40,000 calibrated years BP. Thus some species listed from the cave need not have overlapped precisely with the nominal year. Reindeer and other cold-adapted mammals nonetheless show that suitable habitats and routes existed during MIS 3.

The ecological setting was probably a mosaic of herb-rich tundra, grassland, sedge-rich wet ground, bare mineral surfaces and low scrub, rather than woodland. Reindeer were well suited to open country and seasonal movement; mammoths, where present, belonged to a wider cold-steppe fauna. Predators and scavengers followed the opportunities supplied by large herbivores. A landscape of this sort could support animals in considerable numbers at favourable moments, but its resources would have been seasonal, patchy and vulnerable to abrupt climatic shifts.

Derryvree's Buried Landscape

Evidence from Derryvree near Maguiresbridge in County Fermanagh offers a different kind of window. There, roadworks exposed freshwater silts and fine sands between two distinct till sheets within a drumlin. The organic deposits produced a radiocarbon result of 30,500 years BP, with a sizeable laboratory uncertainty, and contained plant and animal remains described as having a full-glacial character. The date is not an exact match for 31,851 BCE after calibration, but it belongs to the same broad Middle Midlandian environmental world and demonstrates why individual Irish calendar years cannot be reconstructed.

The Derryvree flora included poorly preserved herb pollen and moss macrofossils. Together with the sedimentary setting, these support the interpretation of open tundra and a periglacial regime: ground subject to severe frost, short growing seasons and sparse tree cover. Freshwater pools and channels nonetheless existed. In a cold country, such wetlands could be locally productive, supporting mosses, sedges and insects, while also preserving traces that open slopes later lost to erosion or ice. Derryvree is not evidence for a settlement; it is evidence for habitat.

The Human Question

The most arresting issue attached to this period is a reindeer bone from Castlepook reported as bearing marks consistent with cutting by a stone tool. It has been discussed as possible evidence for human activity in Ireland roughly 33,000 years ago. If that interpretation is ultimately confirmed in secure context, it would move the island's known human story far back into the Upper Palaeolithic and place a brief human presence in an era when modern humans were established elsewhere in western Europe.

At present, that conclusion remains provisional. The bone derives from old cave investigations rather than a sealed, modern excavation context. It is not accompanied by a securely associated stone-tool assemblage, hearth, dwelling floor, human remains, art or a dedicated animal-processing area. A 2022 excavation at Castlepook sought such corroborating evidence and reported no cultural artefacts. This does not prove that people never reached Ireland in MIS 3; it means that the case cannot responsibly be expanded into a settled population, a repeated occupation or a named archaeological culture.

Comparison is helpful. The best-supported Palaeolithic human evidence presently known from Ireland is much later: a cut-marked brown-bear kneecap from Alice and Gwendoline Cave, County Clare, dating to the Late Upper Palaeolithic, around 12,800–12,600 calibrated years BP. That find shows that brief human visits can leave extremely slight traces. It also emphasises the gulf of more than twenty millennia between the late-glacial evidence and the disputed implication of the Castlepook bone.

No Kingdoms, No Recorded Beliefs

There is no evidence from around 31,851 BCE for political affairs, diplomacy, warfare between human groups, leaders, territories or institutions in Ireland. Nor can religion, language, teaching, art, kinship rules or social rank be recovered. In the absence of a securely established human occupation, even ordinary questions about houses, clothing, food-sharing and technology have no specifically Irish answer. It would be wrong to import the better documented cultures of France, Iberia or Britain and present them as Irish fact.

If people did visit, the most restrained inference is that they were mobile foragers capable of moving through demanding northern environments and exploiting animal resources. A cut-marked bone, if humanly modified, might indicate a short episode of carcass processing rather than a camp. It cannot show whether the visitors arrived by land, sea ice, boat or another route; nor whether they returned. Such possibilities belong to interpretation, not established evidence.

An Environmental History, Not Yet a Human One


For this remote point in Ireland's past, the central development is environmental. North Cork caves preserve the remains of mammals that reached a cold, open Ireland during the unsettled climates of MIS 3. Fermanagh sediments preserve tundra plants and freshwater conditions later entombed beneath glacial deposits. The expanding British–Irish Ice Sheet was beginning to transform the terrain and would subsequently erase or conceal much of what had gone before.

The Doneraile bone puzzle belongs within that larger history. It is important precisely because it may hint at an unexpected human episode, but its importance should not be confused with certainty. Around 31,851 BCE, Ireland can be described as a changing Pleistocene landscape inhabited at intervals by cold-climate fauna. Whether people briefly shared that landscape remains an open archaeological question, one that future excavations, refined dating and careful study of old museum collections may yet answer.

Chapter 051 of 100

31850 BCE

Doneraile's Cave Archive



31,850 BCE is not a year that can be recovered from Ireland's prehistoric record in the way that a medieval annalistic date can. It is best treated as a modern calendar label for a very remote point, roughly 33,800 calibrated years before 1950. Archaeologists cannot assign an event, a named person or even a human visit to that single year. The responsible setting is the later part of Marine Isotope Stage 3, a fluctuating interval within the last Ice Age. Dates from this period are normally expressed as radiocarbon determinations and calibrated ranges, each with margins of uncertainty. What survives for Ireland is therefore an uneven archive of animal bone, cave sediment, glacial landforms and climate records rather than a narrative of yearly affairs.

A Date Within a Long Cold Age

The wider North Atlantic climate was unstable. Greenland ice-core records show repeated swings between colder stadials and comparatively milder interstadials, sometimes over periods much shorter than conventional archaeological eras. Around the notional date used here, conditions in and around Ireland were cold, but "Ice Age" should not suggest a single unchanging white wilderness. Temperature, snowfall, sea level, vegetation and the reach of glaciers varied substantially through time and from one region to another. The landscape that future ice would scour was already being shaped by frost, wind, meltwater and changing ice margins.

This was well before the Last Glacial Maximum, generally placed in the British–Irish region between about 26,000 and 23,000 years ago. Reconstructions of the British–Irish Ice Sheet indicate that major growth occurred after about 31,000 years before present, but evidence for the preceding stages remains patchy and is debated. One recent interpretation argues for significant earlier glaciation; others stress that direct evidence for an extensive Irish ice sheet at particular pre-maximum moments is limited.

Consequently, it would be misleading to declare all Ireland either ice-covered or ice-free in 31,850 BCE. The safest conclusion is that Ireland belonged to a dynamic northern environment in which expanding ice, exposed ground and ice-free refuges may all have mattered at different times.

The Changing Shape of Ireland

Global sea level was far lower than it is today because large quantities of water were held in continental ice sheets. Areas now beneath the Irish Sea and Celtic Sea were therefore not simply open sea. Yet the practical geography of movement cannot be reduced to a neat land bridge on a map. Local relative sea level was affected by the weight of nearby ice, while coastlines, estuaries, glaciers and periglacial terrain were continually changing. Ireland's later separation from Britain, by about 16,000 calibrated years before present, is comparatively well modelled; its connections in the much earlier period remain harder to reconstruct in detail.

For animals, and perhaps for people, the important point is that Ireland was not necessarily as isolated as the modern island. Faunal connections with Britain and continental north-west Europe must have existed during parts of the Late Pleistocene. That does not prove a particular route, season or migration at this date. It does, however, explain why the Irish evidence is considered alongside the wider ice-age worlds of western Britain, the exposed continental shelf and Atlantic Europe.

What Castlepook Preserves

The strongest Irish evidence for this broad period comes from Castlepook Cave, near Doneraile in north County Cork. Excavations conducted mainly between 1904 and 1913, supplemented by later work, recovered a striking concentration of animal remains from limestone passages, sands and deposits separated in places by stalagmite floors. The collection, now principally associated with the National Museum of Ireland, has made Castlepook the richest known Irish archive for pre-Last Glacial Maximum vertebrate fauna.

Its recorded fauna includes woolly mammoth, reindeer, giant deer (*Megaloceros giganteus*), brown bear, wolf, Arctic fox, mountain hare, collared lemming, Norway lemming and spotted hyaena. Other southern Irish caves add important but smaller pieces to the picture, including evidence for horse and further cold-stage animals. Together these finds show that Ireland supported, at intervals during the later Pleistocene, an ecological assemblage far removed from the familiar modern fauna. Mammoth and lemmings point towards open, cold environments; reindeer and giant deer indicate large herbivores with extensive seasonal needs; wolves and hyaenas represent predators and scavengers able to exploit such prey.

That list must not be converted into a census for 31,850 BCE. Cave assemblages accumulate over long periods. Carnivores may drag bones inside; water, roof-fall and sediment movement can rearrange them; nineteenth- and early twentieth-century excavation methods rarely recorded contexts to modern standards. Improved radiocarbon pretreatment has also transformed the chronology. Redating of Castlepook, Foley and Shandon material showed that several earlier determinations were too young, sometimes by thousands of radiocarbon years. The resulting work securely places important southern Irish fauna in Marine Isotope Stage 3, while also demonstrating how cautious any fine-grained reconstruction must be.

Hyaenas and an Open-Country Food Web

Spotted hyaena is among Castlepook's most evocative inhabitants. Modern associations with African savannah can obscure its Pleistocene range: hyaenas occupied parts of temperate and cold Europe and could thrive in open landscapes where substantial carcasses were available. Their presence in County Cork is evidence for a food web capable of supporting large herbivores and powerful bone-processing carnivores. Gnawing and damage on some bones can illuminate scavenging, but it can also complicate attempts to identify human modification.

Recent reassessment suggests that giant deer and spotted hyaena may have been locally lost from Ireland before about 40,000 calibrated years before present. If that interpretation is correct, the Doneraile hyaenas are especially important for understanding the earlier part of the cave sequence, but they should not be placed automatically in the landscape of 31,850 BCE. Woolly mammoth, giant deer, reindeer and predators may have overlapped at some points, yet the present evidence cannot establish a single simultaneous "mammoth-steppe" scene for one calendar year. The most defensible image is of recurring open-country habitats and changing animal communities across many millennia.

The Human Question

Political affairs, diplomacy, kingdoms and organised warfare leave no identifiable trace in Ireland at this horizon. Nor is there evidence for farming, permanent villages, monuments, writing, formal religion or trade networks within the island. If people entered Ireland, they would have been mobile Upper Palaeolithic hunter-gatherers operating at very small scale, not members of a known Irish population or polity. Such a possibility must be distinguished from demonstrated occupation.

A reindeer femur from Castlepook has attracted attention because an incision on it has been interpreted as consistent with cutting by a sharp stone tool, and the bone has been presented as potentially very early evidence for human activity in Ireland. It is a significant research lead, not a licence to write a settled story of a camp at Doneraile. No securely associated stone-tool assemblage, hearth, built shelter, human burial or undisturbed occupation surface of this age has yet established a sustained human presence there. Cave deposits are precisely the kind of contexts in which the histories of an animal carcass, a mark on bone and a later excavation can be difficult to disentangle.

The distinction matters because a stone-tool cut, if confirmed, would show an encounter with a carcass rather than the full character of a society. It might indicate butchery, scavenging or temporary provisioning by a small visiting group. It would not tell us their language, kinship rules, beliefs, seasonal round or whether they returned. Comparison with contemporary Upper Palaeolithic groups in Britain and continental Europe can suggest that people possessed sophisticated stone technologies, social knowledge and extensive mobility, but it cannot fill the Irish silence with assumed camps, leaders or rituals.

Everyday Life Inferred, Not Seen

The animal evidence nevertheless gives a limited view of the practical opportunities and dangers that any human visitors would have encountered. Reindeer, hare and perhaps migratory large herbivores offered food, hides, sinew, antler and bone; mammoth carcasses, whether hunted elsewhere or scavenged, would have been exceptional resources. Predators, severe weather and the difficulty of travel imposed equally real constraints. A cave may have offered brief shelter, but it was also part of a carnivore landscape and cannot be presumed to have been a human home.

Economy and exchange are therefore subjects of potential rather than proof. A hunter-gatherer party could have carried stone, worked hides and shared food; none of these activities is presently demonstrated in Ireland at this date. Likewise, culture and learning undoubtedly existed among human communities elsewhere in Europe, but no Irish art, ornament, musical object or symbolic deposit belongs securely to this horizon. The responsible history is not empty: it is an account of what the physical archive can illuminate, and of the limits it places on imagination.

An Archive Still Being Tested


Modern excavation and re-examination at Castlepook are valuable precisely because they test old collections rather than merely repeating them. New dating, zooarchaeology, sediment study and careful recording can refine the history of each bone and layer. They may confirm, qualify or overturn earlier readings. The wider lesson for 31,850 BCE is that Ireland's deep past is neither a blank page nor a finished chronology. It is a difficult record from a landscape repeatedly altered by ice, water and time.

For this notional year, the most important development was environmental rather than political: Ireland lay within a changing Late Pleistocene world whose fauna demonstrates periodic links to wider north-west Europe, while glaciation was moving towards its later maximum. Doneraile's cave archive preserves traces of that world, especially its vanished animals. It also preserves a salutary uncertainty. Human presence around this point remains a carefully framed possibility, not an annually datable fact.

Chapter 052 of 100

31849 BCE

Maguirebridge's Interstadial Waters



The numbered year 31,849 BCE cannot be treated as a date that anyone in prehistoric Ireland could have recognised, nor can archaeology distinguish events in one exact calendar year so far back. It is best understood as a modern point within the Late Pleistocene, approximately 33,800 years before 1950 in the conventional 'BP' system. Calibration curves, laboratory uncertainty and the nature of surviving deposits mean that the responsible chronology is expressed in broad ranges. Around this notional date, Ireland lay within Marine Isotope Stage 3, a climatically volatile portion of the last Ice Age, before the later maximum expansion of the British–Irish Ice Sheet.

The record is exceptionally thin. There are no known Irish houses, hearths, tool assemblages, graves, named communities or monuments that can securely be assigned to this moment. Consequently, there is no basis for describing kingship, political institutions, diplomacy, organised warfare, formal religion, farming, trade networks or a settled population. What can be described is a changing cold-stage landscape, the animals that occupied parts of it, and one much-debated clue that people may have briefly reached the island.

An Interval, Not a Year

The most useful Irish evidence for the broad environmental setting comes from Derrynvree near Maguiresbridge, County Fermanagh. There, organic freshwater silts and sands occur between layers of glacial till. They preserve a rare indication that north-central Ireland experienced an ice-free interval before later ice advances. A published radiocarbon determination associated with the sequence calibrates broadly to about 36,900–31,700 cal BP. The nominal year considered here falls within that wide bracket, but that does not mean the sediments provide a diary entry for 31,849 BCE. They offer a time-window, not a snapshot.

Plant remains, pollen and insect evidence from such interstadial deposits point towards a treeless or very sparsely wooded environment. Sedges, grasses, herbs, mosses and low shrubs were better suited than closed forest to the cold, exposed conditions. Patches of wet ground, shallow water and streamside vegetation could nevertheless have been locally productive. The scene was not an undifferentiated white wilderness: season, shelter, slope, soil and proximity to water would all have mattered. Yet it was far removed from the temperate, wooded Ireland familiar today.

Climate across the North Atlantic changed sharply during Marine Isotope Stage 3. Shorter warmer episodes and colder stadials altered the reach of glaciers, the vigour of rivers, the distribution of vegetation and the routes open to animals. Irish evidence cannot resolve every oscillation at local scale. It does, however, show why a single map of an entirely ice-covered or entirely ice-free island is misleading. Conditions varied over time and from region to region. The glacial history recorded in tills, meltwater deposits, caves and offshore sediments is one of repeated advance, retreat and reorganisation.

Water, Silt and Open Ground

Derryvree's freshwater deposits are therefore important precisely because they are modest. In a landscape repeatedly eroded and buried by later ice, a protected body of silt can retain traces of organisms and conditions otherwise lost. It indicates freshwater standing or slow-moving water in the locality, with surrounding vegetation capable of supplying organic material. It also demonstrates that later ice did not simply erase every earlier landscape; fragments survived beneath till and can be read with careful stratigraphy, palaeobotany and dating.

At the scale of the island, however, the coastline and travel corridors remain difficult to reconstruct. Global sea level was lower than today during the Ice Age, exposing parts of the continental shelf, but ice margins, glacial lakes, rivers and unstable ground were as consequential as sea level. Whether a practical terrestrial route existed at a particular point depended on far more than a contour line. Researchers continue to debate changing connections among Ireland, Britain and the wider north-west European landmass. No evidence permits a confident account of a journey to Ireland in this specific year.

The later course of events gives the interval added significance. Major reconstructions place rapid growth of the British–Irish Ice Sheet after this phase, with Ireland becoming extensively glaciated by roughly 28,000 years ago and the ice sheet reaching its greatest overall area around 26,000 years ago. Thus the world suggested by Derryvree belongs to an earlier, precarious opening: land and freshwater habitats were available in places, but large-scale glaciation was approaching. The distinction matters. A fauna present in an interstadial was not necessarily able to remain through the ensuing ice-sheet maximum.

The Castlepook Fauna

The strongest direct evidence for life in Ireland around this broad period comes from cave collections, above all Castlepook Cave near Doneraile in north County Cork. Excavations conducted in the early twentieth century, and later work in previously explored and newly examined passages, produced a striking assemblage of Pleistocene animal remains. Reindeer, red deer, brown bear, Arctic fox, hare, lemming, wolf and spotted hyaena are among the species reported from the site; woolly mammoth material has also been recovered. Not every species need have lived together at precisely the same time, and antiquarian excavation methods complicate the original contexts. Still, the collection makes clear that parts of Ireland supported, or at least received, a varied cold-stage fauna.

Reindeer are especially evocative but should not be romanticised into proof of vast, predictable herds crossing every valley. Their bones demonstrate presence, not migration routes. Hyaena damage on bone points to carnivores using caves or bringing carcass parts into them. Bears may have used caves as seasonal refuges. Carnivore dens, deaths in shelter, water movement and later disturbance can all accumulate bones without a human camp. A cave assemblage is therefore a record of processes as well as animals: predation, scavenging, sheltering, transport, decay and sediment movement.

For people, Castlepook offers a tantalising but limited possibility. Ruth Carden's reassessment identified a deep mark on a reindeer femur, recovered from the cave, as consistent with cutting or chopping fresh bone with a sharp stone tool. The bone has been publicised as dating to roughly 33,000 years ago, close in broad terms to the date considered here. If that interpretation is upheld, it would be evidence that a person processed a reindeer in Ireland during the Upper Palaeolithic, far earlier than the formerly accepted archaeological record.

It is not, however, evidence for a permanent settlement, a family group, a village or an enduring Irish population. Nor does it establish the identity, language, ancestry, beliefs or material culture of whoever may have made the mark. No associated lithic toolkit, hearth, built structure or securely stratified occupation floor has yet supplied the wider context that archaeologists would wish for. The cave's deposits were disturbed by older excavations and natural processes, while several older radiocarbon dates from Irish faunal collections require reassessment under improved methods. The correct formulation is therefore cautious: Castlepook provides a proposed early signal of human activity, not a complete Palaeolithic chapter.

People Beyond the Evidence

If humans did visit the island during this interval, their activity was likely brief, mobile and organised around immediate survival in a cold environment. That is an inference from the likely meaning of a butchered limb bone and from Upper Palaeolithic lifeways elsewhere in north-west Europe, rather than a fact demonstrated by an Irish camp. A party might have exploited a carcass encountered near a cave, hunted locally, or carried portions of an animal to shelter. The single marked bone cannot choose among those possibilities.

Accordingly, everyday life is almost wholly beyond recovery. Clothing, shelters, fire-making, food-sharing, child care, language, social ties and ritual may all have been central to any visitors' lives, but Ireland has yielded no direct evidence from this date with which to describe them. It would be equally unsafe to project later Mesolithic maritime communities backwards by more than twenty millennia. The securely evidenced human presence at Alice and Gwendoline Cave in County Clare belongs much later, around 10,800–10,500 BCE, after the major ice-sheet episode and within a very different environmental context.

There is likewise no support for discussing an Irish economy or trade in the usual sense. No domesticated animals or crops were present; farming lay far in the future. A possible episode of animal processing would represent subsistence, not an identifiable commercial system. Nor can stone sources, ornaments or imported objects be used to map connections, because none are securely associated with the Castlepook reindeer bone. 'Ireland' itself is used here as a geographical convenience for the landmass of the modern island, not as a polity or a cultural community.

What This Date Can Mean

The historical importance of around 31,849 BCE lies in its limits. It directs attention away from retrospective national stories and towards evidence capable of surviving deep time: organic silts between tills, pollen and beetles, animal bones from caves, cut marks examined under magnification, and radiocarbon dates interpreted through calibration. Together they suggest that, during part of late Marine Isotope Stage 3, Ireland contained ice-free habitats occupied by cold-adapted animals and was not necessarily beyond human reach.

But the conclusion remains conditional. Derryvree documents an interstadial landscape within a broad date range. Castlepook documents Pleistocene fauna and preserves a potentially transformative indication of human butchery. Neither source authorises a year-by-year narrative in the ordinary sense. The great development was environmental: an exposed, unstable, biologically active island landscape existed before expanding ice again reshaped it. Continued excavation, secure stratigraphic recording, direct dating, ancient DNA and microscopic taphonomic analysis may refine that picture. For now, uncertainty is not a failure of the story; it is one of the most important facts about Ireland at this depth of time.

Chapter 053 of 100

31848 BCE

Maguirebridge's Buried Freshwater



The label 31,848 BCE is a modern chronological convenience, not a date that people in prehistoric Ireland could have recognised or recorded. It corresponds roughly to 33,800 calibrated years before 1950, but neither archaeology nor palaeoenvironmental science can resolve Irish events to a single calendar year at this depth of time. The responsible subject is therefore not an imagined annual episode but Ireland during the later part of Marine Isotope Stage 3: an unstable Ice Age interval preceding the Last Glacial Maximum.

No named inhabitants, rulers, communities or political territories can be identified. Indeed, there is no securely demonstrated settlement, hearth, house, burial, stone-tool assemblage or written evidence from Ireland that can be assigned to this particular point in time. What survives instead is a fragmentary archive of cave bones, buried sediments, pollen, insect remains, glacial landforms and dates with substantial margins of uncertainty. These traces illuminate a cold landscape repeatedly reshaped by climate; they do not permit a conventional national history.

A Date Within a Changing Ice Age

About 33,800 calibrated years ago, Ireland lay within the broad North Atlantic world affected by abrupt climatic shifts recorded especially clearly in Greenland ice cores. In that record, this approximate horizon falls close to the beginning of Greenland Interstadial 7, one of several comparatively milder interruptions within an overall cold glacial period. Such labels are valuable for comparison, but they must not be treated as a weather report for a given Irish valley or a single year. Climate signals took time to travel through different environments, while Irish terrestrial sequences are few and often difficult to date precisely.

The much more famous Last Glacial Maximum still lay ahead. Research on the British–Irish Ice Sheet indicates major expansion during the later part of the glacial cycle, with extensive ice reaching its maximum configuration principally around 27,000–23,000 calibrated years ago in different sectors. At the notional date considered here, therefore, Ireland should not simply be pictured as an island uniformly sealed beneath ice. Conditions varied sharply between regions and through time. Mountain glaciers, expanding ice masses, exposed ground, frozen soils, wetlands and seasonal meltwater channels could all have formed parts of the wider Irish environment.

Sea level was substantially lower than today because vast quantities of water were stored in global ice sheets. The outlines of the Irish Sea basin, Atlantic shelf and southern coast were consequently very different, with large areas of shelf exposed or transformed. Yet lower sea level does not by itself prove an easy land route into Ireland at this moment. The exact configuration of sea, ice, rivers and dry ground changed repeatedly, and evidence does not identify a particular crossing used by people or animals in 31,848 BCE.

The Derryvree Evidence

One of the most informative Irish records for the broader period lies at Derryvree near Maguiresbridge, County Fermanagh. Roadworks in 1969 cut through a drumlin and exposed freshwater silts and fine sands lying between two substantial sheets of glacial till. The deposit contained plant and animal remains and produced a radiocarbon determination of 30,500 radiocarbon years before present, with a large uncertainty range. It belongs broadly to the Middle Midlandian, or MIS 3, rather than offering a calendar-date snapshot.

The Derryvree flora and fauna indicate open tundra vegetation and a periglacial regime. In practical terms, this was not a wooded Irish countryside of familiar oak, hazel, pasture and field. It was a cold, largely treeless setting with wet ground, shallow pools and vegetation able to withstand short growing seasons. Palaeoecological interpretation has compared the setting to muskeg: waterlogged ground rich in mosses and sedges, broken by open water and subject to frost. Insects, pollen and plant macrofossils are especially important because they register local habitats more directly than the later landscape forms left by ice.

Derryvree cannot be made to stand for every part of Ireland. It is a northern inland site, its sediments were subsequently overridden or bordered by ice, and its radiocarbon age has to be calibrated and interpreted alongside stratigraphy. Nevertheless, it demonstrates a crucial point: parts of Ireland preserved non-glacial freshwater environments during MIS 3, before later ice deposited the till that enclosed them. It is powerful evidence for environmental change, not evidence for a village, a hunting camp or a local population at Maguiresbridge.

Animals in the Cave Archive

Limestone caves in the south provide another, very different archive. Castlepook Cave near Doneraile in north County Cork has yielded one of Ireland's richest collections of pre-Last Glacial Maximum vertebrate remains. Reassessment using improved radiocarbon methods has shown that several older cave chronologies were unreliable and that some animal remains are considerably older than formerly supposed. The result is not a simple, continuous sequence of animals walking through one cave chamber. Old excavations disturbed deposits, material moved within caves, and individual bones may have been brought in by carnivores, water or people.

Even with those cautions, the fauna establishes that Ireland was connected ecologically to the wider north-west European Ice Age world during portions of MIS 3. Reindeer are particularly relevant to the cold open habitats suggested by Derrynree. Other Castlepook material attests, at various times before the Last Glacial Maximum, to animals including brown bear, wolf, Arctic lemming, giant deer, woolly mammoth and spotted hyaena. These finds should not be converted into an annual list for 31,848 BCE. Some species may belong to substantially earlier episodes, and recent redating suggests that giant deer and spotted hyaena may have disappeared locally before about 40,000 calibrated years ago.

The cave record instead shows a shifting animal geography. Large herbivores required productive patches of grass, herbs, shrubs and wetland vegetation; predators and scavengers followed the opportunities they created. Caves themselves were not necessarily homes for every species represented within them. A hyaena den, carnivore scavenging place, natural trap, flood-affected cavity and humanly visited shelter can all leave bones, sometimes mixed together. Reading such deposits requires taphonomy: the study of what happened to remains from death to excavation.

The Human Question

The most intriguing evidence close to this broad timeframe is a reindeer femur from Castlepook Cave. The bone has been publicised as dating to roughly 33,000 years ago and as bearing a mark interpreted by its examiner as damage from a sharp stone tool during butchery. If both the dating and the anthropogenic interpretation withstand continuing scrutiny, it would suggest that Upper Palaeolithic people reached Ireland during a comparatively favourable phase before the Last Glacial Maximum.

That possibility matters greatly, but it must remain conditional. The femur derives from historic cave excavations rather than a modern excavation of an undisturbed occupation surface. No unquestionable stone tools, hearth, dwelling floor, human remains or repeated occupation deposits of the same age have yet been published from Ireland. A mark on bone must be distinguished from damage caused by carnivore teeth, sediment movement, trampling, excavation and later handling. The evidence could indicate a brief encounter between a small mobile hunting party and a reindeer; it cannot establish permanent settlement, continuous ancestry or a named ‘first Irish’ population.

There is consequently no basis for describing political affairs, diplomacy, warfare, law or social hierarchy in Ireland at this date. There were no states, kingships, churches, farms, ports, markets or monuments known from the evidence. Nor can religion, language, art, kinship systems or formal learning be recovered. Silence in these fields does not prove that visiting people lacked beliefs, stories, skills or social ties. It means that the surviving Irish record cannot responsibly describe them.

Life at the Margin


If people did enter Ireland during this phase, the most defensible comparison is with highly mobile Upper Palaeolithic hunter-gatherers elsewhere in north-west Europe. Their practical economy would have depended on knowledge of animal movements, weather, fuel, stone and shelter, rather than cultivation or livestock. Reindeer would have offered meat, hide, sinew, bone and antler, though none of these uses can be demonstrated from Castlepook beyond the disputed or provisional butchery inference. Exchange networks and sea crossings are conceivable in the wider European context, but no Irish artefact allows a trade route or place of origin to be reconstructed.

Settlement, in the durable archaeological sense, is absent. A short seasonal stop can leave almost nothing, especially in a terrain later eroded by glaciers, frost, rivers and rising seas. Conversely, the lack of evidence cannot be used to fill the gap with certainty. The most important historical development around 31,848 BCE was environmental, not political: Ireland was part of a fluctuating cold-world frontier, inhabited by changing animal communities and approaching a far more severe phase of ice-sheet growth. Derryvree's buried freshwater sediments and Castlepook's difficult bones are the traces from which that restrained history must be built.

Chapter 054 of 100

31847 BCE

Doneraile's Reindeer Landscape



The label 31,847 BCE creates a useful point of orientation, but it must not be mistaken for a date available to the people, animals or landscapes of Ice Age Ireland. No calendar, written record or archaeological sequence can distinguish one year from the next at this depth of time. In modern archaeological terms, the date falls roughly 33,800 calendar years before AD 1950, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), a long, unstable climatic interval conventionally spanning about 57,000 to 29,000 years ago. Evidence is dated in calibrated ranges, radiocarbon measurements and geological phases, often with uncertainties of centuries or more. The responsible history of Ireland at this point is therefore not a chronicle of events but an account of a changing environment, its sparse fossil archive, and the very limited possibility of human presence.

A Landscape Before the Ice Peak

Ireland was approaching, but had not yet reached, the maximum expansion of the last British–Irish Ice Sheet. That later maximum is now generally placed around 26,000 calendar years ago, with the greatest ice volume following several millennia later. Around the notional year considered here, cold conditions certainly prevailed, but neither temperature nor ice cover was uniform across the island. MIS 3 was punctuated by abrupt shifts between relatively milder interstadials and severe stadials. The island's terrain was consequently altered by frost, seasonal thaw, wind, snow and moving water as well as by the fluctuating margins of ice.

The best Irish evidence does not permit a map of conditions for 31,847 BCE itself. It does, however, show that some landscapes survived outside or between phases of glaciation. At Derryvree near Maguiresbridge in County Fermanagh, organic-rich freshwater silts and fine sands lay between two substantial tills. Their radiocarbon age, published as about 30,500 radiocarbon years BP, and their fossils

indicate a cold, periglacial setting with open tundra vegetation. The deposit belongs broadly to the same middle part of the last glacial cycle, rather than to a particular calendar year. Its importance is that it preserves a rare interval when freshwater pools, marshy ground and tundra plants existed in inland Ireland before later ice overrode or buried the landscape.

Such evidence cautions against imagining the whole country as either continuously ice-covered or wholly hospitable. Conditions were regional and temporary. Exposed ground may have included grass, sedges, mosses, dwarf shrubs and scattered hardy herbs, with little or no woodland. Frozen ground and short growing seasons restricted plant cover, while wind could redistribute silt and snow. Valleys and lowlands offered different opportunities from uplands, coasts and ice margins. Today's familiar rivers, soils, bogs and coastlines cannot simply be projected backwards: later glaciers scoured bedrock, shifted sediment, deepened basins and destroyed or concealed much of the older record.

The Cave Record of North Cork

The most evocative evidence for southern Ireland comes from Castlepook Cave, also known as Mammoth Cave or Doneraile Cave, in the Awbeg Valley below the Ballyhoura Hills in County Cork. Excavated principally in the late nineteenth and early twentieth centuries, its passages yielded a remarkable accumulation of animal remains. The original excavators recognised bones of reindeer, giant deer, mammoth, wolf, fox, brown bear, spotted hyaena, hare and lemmings. Later reassessment and radiocarbon dating have established that the cave contains material from more than one period. It is not a single sealed deposit or a snapshot of one Ice Age day.

That distinction matters. Some bones probably entered the cave through carnivore activity, natural deaths, water movement or the reworking of sediments; other material may have been disturbed by earlier excavation. A bone from the same passage is not automatically contemporary with every other bone. Modern studies have also shown that some earlier radiocarbon results from Irish caves required revision as laboratory pretreatment improved. Castlepook remains exceptionally important precisely because it is both rich and difficult: it records real Pleistocene animals in Ireland, yet demands careful separation of secure observations from attractive stories.

The fauna nevertheless illuminates an ecological world appropriate to broad MIS 3 conditions. Reindeer imply open, cold-country grazing habitats. Arctic and Norwegian lemmings, mountain hare and Arctic fox reinforce the picture of a treeless or sparsely vegetated environment. Wolf and spotted hyaena were major carnivores; hyaenas in particular could carry and accumulate bones in dens, complicating any claim that a cave was a human camp. Mammoth and giant deer demonstrate that Ireland periodically supported large herbivores, although fossil evidence does not prove that all listed species shared precisely the same locality or season. Their presence also shows that the island's animal history was not that of the much later, comparatively species-poor Ireland.

A Reindeer Bone and a Large Question

This period has special significance because a reindeer femur from Castlepook has been reported as bearing a single mark interpreted by zoologist Ruth Carden as a cut made by a sharp stone tool during carcass processing. County Cork heritage material presents the bone as dating to about 31,000 BCE. If that interpretation and broad dating are sustained, it would indicate that people reached Ireland far earlier

than the previously accepted Late Upper Palaeolithic evidence from Alice and Gwendoline Cave, County Clare. There, a brown-bear patella with cut marks has two independently obtained calibrated ranges of 12,810–12,590 and 12,810–12,685 cal BP.

The Cork bone is therefore directly relevant to a year around 31,847 BCE, but it must be described with restraint. Its reported date is approximate and does not establish activity in this exact numbered year. Nor does one modified bone prove a permanent settlement, a named archaeological culture, a continuous population or descent from those visitors to later Irish communities. No securely associated stone tool, hearth, dwelling surface, burial, human bone or extensive processing area of comparable age has yet been recovered from Ireland. The evidence supports, at most, a plausible episode of human interaction with a reindeer carcass during the wider MIS 3 period.

That possibility is still consequential. A sharp incision on fresh bone is consistent with cutting meat, separating joints or removing hide and sinew. If humans made it, the mark records practical knowledge and a stone edge rather than ceremony or monumental culture. Reindeer could provide food, fat, hides, tendon, antler and bone; a mobile hunting party elsewhere in north-west Europe would have understood those resources well. Yet it would be speculation to reconstruct their clothing, language, family structure, weapons, route into Ireland or length of stay from this isolated trace. The useful conclusion is modest: Ireland may have been visited and exploited intermittently, not demonstrably occupied as a settled homeland.

Mobility Without a Political Map

There can be no political history in the later sense for this date. There were no known kingdoms, chiefs, boundaries, treaties, diplomatic envoys or institutions in Ireland, and no evidence from which to infer them. Nor is there evidence for warfare between people. Conflict visible in the record is ecological: large herbivores negotiated cold, hunger and predation; wolves and hyaenas competed for carcasses; caves could be shelters, dens and traps for remains. To turn these relationships into a human political drama would be to invent what the archaeology does not contain.

The same limits apply to religion, art and learning. No ritual site, burial, rock art, musical instrument, ornament or symbolic object of this age has been securely identified in Ireland. The absence of such finds does not prove that visitors lacked beliefs, traditions or skilled knowledge; it shows only that none has survived in a recoverable Irish context. If people processed a reindeer, they would have possessed learned techniques of tracking, butchery and using stone, passed between individuals. Archaeology can responsibly recognise the likelihood of competence without assigning a particular identity or belief system to its bearers.

Crossings, Coasts and Lost Evidence

How animals, and perhaps people, reached Ireland remains a central problem. Lower global sea levels during the glacial cycle exposed large areas of the continental shelf and transformed the Irish Sea region. But lower sea level did not automatically create a broad, dry and enduring land bridge from Ireland to Britain or continental Europe. Ice, water depth, crustal movement and local topography all mattered. Research on later glacial and post-glacial sea levels finds no simple, long-lived route that can be assumed for every period. At 31,847 BCE, any connection or crossing route must remain a question for reconstruction, not a fact supplied by a modern map.

Much evidence may also be missing. Subsequent ice sheets eroded surfaces, while rising seas later submerged extensive former coastal plains and valleys. Acid soils destroy bone, and early cave excavations did not always record layers to modern standards. These processes help explain why Ireland's earliest record is so much thinner than that of parts of Britain or continental Europe. They do not, however, allow absence to be filled with imaginary camps. New excavation at Castlepook has sought undisturbed Pleistocene deposits, while museum collections and old excavation notebooks continue to yield information through improved dating, microscopy and zooarchaeological analysis.

An Archive, Not an Anniversary


For Ireland around 31,847 BCE, the leading story is not of a people who can be named but of a land at an environmental threshold. Tundra wetlands in Fermanagh, bone-bearing limestone caves in Cork and the wider evidence for growing ice sheets indicate a cold, variable island landscape before the last glacial maximum transformed it. Reindeer are the most important animal in the human question because one Castlepook femur may preserve a tool mark. Mammoth, hyaena, giant deer and lemmings are equally important for showing the unexpectedly varied Ice Age fauna that reached Ireland during the broader period.

Modern calendar precision is unavailable here. The numbered year should be read as an invitation to examine a calibrated prehistoric horizon, not as an anniversary on which an event can be placed. What survives is fragmentary but compelling: sediments, bones, cave passages and a possible human cut mark. Together they describe an Ireland exposed to climatic instability, inhabited at intervals by cold-adapted animals, and perhaps touched by mobile hunters whose presence is still more a promising archaeological question than an established chapter of settlement history.

Chapter 055 of 100

31846 BCE

Derryvree's Moss and Silt



“31,846 BCE” is a modern label imposed on a time far beyond written records, named rulers or usable calendar years in Ireland. Archaeology cannot identify an event that happened in that particular year, nor can it securely describe a population living through it. The responsible scale is broader: this notional date falls around 33,800 calendar years before 1950, within the later part of Marine Isotope Stage 3, a volatile interval of the last Ice Age. For Ireland, the strongest evidence is environmental and faunal, with a small but important body of material raising – not finally settling – the possibility of very early human visits.

The clearest contemporary archive is not a monument or settlement but a buried deposit beneath a drumlin at Derryvree, near Maguiresbridge in County Fermanagh. Its organic silts and fine sands were laid down beside freshwater in a cold landscape, then sealed between glacial tills. A radiocarbon determination of $30,500 \pm 1,170$ radiocarbon years BP has been calibrated in published discussion to a broad range of roughly 36,900–31,700 calendar years BP. That range encompasses the period represented by 31,846 BCE, but it does not pinpoint a single season, generation or event.

A Cold Landscape, Not an Empty One

Derryvree's pollen, plant macrofossils, mosses and insects provide a rare view of an Irish landscape before the great expansion of the last British-Irish Ice Sheet. They indicate open tundra or muskeg: wet, treeless ground with pools, sedges, grasses, herbs, mossy margins and low shrubs, rather than the oak, hazel and ash woods familiar from much later Irish prehistory. The evidence points to severe winters, short growing seasons and periglacial conditions in which frost was a major force shaping soil and watercourses.

This was not necessarily a uniform landscape across the island. Ireland's relief, exposure to Atlantic weather, proximity to ice and drainage patterns created regional variation. Yet the Derryvree record makes one point firmly: parts of the island could sustain freshwater habitats and vegetation even in a very cold phase. It is a corrective to the idea of an entirely barren or permanently ice-covered Ireland. At the same time, its plant record is local. It should not be enlarged into a precise map of every valley, coast or upland in 31,846 BCE.

Glacial history reinforces that caution. Research on the last Irish Ice Sheet suggests that substantial areas of Ireland were ice-free until at least about 34,000 years ago, before ice expanded greatly in subsequent millennia. Other reconstructions show an exceptionally rapid growth of the wider British-Irish Ice Sheet around 31,000–30,000 years ago. Thus the period around this article's nominal year was one of transition and uncertainty: local ice and snowfields may have been advancing, while some lowlands, caves, lakes and coastal margins still offered habitable ground for cold-adapted animals. There was no single Irish ice margin that can be drawn confidently for one calendar year.

The Animal World of Castlepook

In north County Cork, Castlepook Cave near Doneraile preserves Ireland's most important assemblage of pre-Last Glacial Maximum animal remains. Excavations conducted mainly in the late nineteenth and early twentieth centuries recovered bones from a cave system used and re-used over a very long period. Subsequent radiocarbon programmes have shown both the potential and the difficulty of this collection: many specimens are genuinely very old, but their original positions were disturbed by carnivores, water, sediment movement and antiquarian excavation. Bones found together cannot automatically be assumed to be of the same date.

The wider Castlepook fauna nevertheless demonstrates that Ireland formed part of a connected Ice Age ecological zone. Finds attributed to the pre-glacial-maximum period include reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, mountain hare, collared lemming, Norwegian lemming and spotted hyaena. The hyaena is especially striking: Castlepook is Ireland's only known site for the species. Such a community was not a collection of exotic curiosities. Herbivores depended upon seasonal grass, sedge and herb resources; predators and scavengers followed concentrations of prey and carrion; caves could serve as dens, refuges or places where bones accumulated after animals had died elsewhere.

It would be wrong, however, to imagine all these species standing together at the cave in 31,846 BCE. Improved radiocarbon pretreatment has revised some earlier Castlepook results by thousands of years. A 2020 reassessment argued that giant deer and spotted hyaena may have disappeared locally before the Last Glacial Maximum, perhaps around 40,000 calibrated years BP. The faunal list therefore establishes the character of a wider MIS 3 world and the succession of animals through it; it does not prove a single simultaneous herd, hunt or ecosystem at the nominal date.

The Human Question

The most provocative evidence is a reindeer femur from the Castlepook collection, publicised by County Cork heritage authorities as dating to about 31,000 BCE and bearing a mark identified by zooarchaeologist Ruth Carden as having been made by a sharp stone tool during butchery. If that

diagnosis and dating are sustained through further specialist study, it would be the earliest known indication of human activity in Ireland by many millennia. It would show that somebody used a cutting edge on a reindeer carcass in Ireland during the Upper Palaeolithic.

That is an important possibility, but it remains a very small one. The femur does not establish a permanent settlement, a continuous population, a named archaeological culture, a language or descent from later inhabitants. It does not tell us whether hunters killed the reindeer, found it dead, processed it in the open, or carried it to the cave. Indeed, a discarded limb bone could have been dragged into Castlepook by hyaenas or wolves. Nor have archaeologists yet published a securely associated stone-tool assemblage, hearth, built shelter, burial, human skeleton or occupation surface of this age from Ireland.

For this reason the National Museum of Ireland's cautious position remains significant: it states that clear evidence of Palaeolithic humankind in Ireland has not yet emerged. This does not erase the Castlepook claim; rather, it marks the distinction between an exciting, potentially transformative find and a fully demonstrated archaeological occupation. Renewed fieldwork at Castlepook has sought surviving Pleistocene sediments and undisturbed contexts in which such questions can be tested. The appropriate conclusion for this period is that brief human incursions are possible, perhaps even plausible, but unproven as a settled or recurrent presence.

No Politics, No Proven Trade

There is no evidence for political affairs, kingship, diplomacy, territorial states or organised warfare in Ireland at this time. There are no known Irish graves, shrines, art panels, dwellings or tool industries that can responsibly be assigned to 31,846 BCE. Consequently, claims about religion, social rank, marriage systems, leadership or formal learning would be inventions. If people did reach the island, they would have belonged to highly mobile Upper Palaeolithic hunter-gatherer worlds known elsewhere in north-west Europe; but that comparison is a context, not evidence that Irish groups copied any particular practice.

The same restraint applies to economy and exchange. Reindeer and other animals show that biological movement into Ireland occurred, but they do not demonstrate human trade routes. Lower global sea levels exposed more continental shelf than exists today, and changing sea, ice and coastal conditions may have reduced or altered crossings between Ireland, Britain and the European mainland. Yet no secure route can be assigned to a possible Castlepook visit. Travellers might have moved over exposed coastal plains, crossed narrowed stretches of water, used seasonal ice, or combined several routes. The available evidence cannot choose between them.

What This Date Can Mean

For Ireland, the importance of this era lies in its fragile archives. Derryvree's waterlogged silts show a cold, open, living landscape at a broad date range that includes the notional year. Castlepook's bones show that Ice Age mammals entered and survived in parts of the island during MIS 3. The disputed or still-developing evidence of a modified reindeer bone raises the prospect that humans did too. These are substantial discoveries, but they are not the foundation for a detailed national story.


Modern radiocarbon calibration makes the limits visible. A radiocarbon age is not identical to a calendar age, and calibration curves contain uncertainty, particularly so far back in time. The date 31,846 BCE should therefore be read as a useful point within a much wider prehistoric interval, not as a day on which Irish history can be narrated. At this distance, mosses, pollen, insects, animal bones and layered

sediments are the historical record. They reveal an Ireland of tundra wetlands, moving fauna and approaching ice – a place with the ecological capacity for life, but with human evidence still tantalisingly slight.

Chapter 056 of 100

31845 BCE

Castlepook's Open Season



The label 31,845 BCE gives a reassuringly exact appearance to a time for which exact calendar years are unattainable. No people in Ireland then used a calendar, no written record exists, and archaeology cannot identify an event that happened in this particular year. The date should instead be treated as a modern point within a broad Late Pleistocene span: Marine Isotope Stage 3 (MIS 3), a climatically variable interval of the last Ice Age. The responsible history of Ireland at this point is therefore one of dated ranges, sediments, animal bones and carefully limited inferences—not named leaders, battles or settlements.

A Date Within a Range

In archaeological convention, “before present” means before 1950, while radiocarbon measurements require calibration before they can be expressed as calendar ages. Those procedures produce probability ranges rather than annual anniversaries, especially this far back. Around 31,845 BCE—roughly 33,795 years before 1950—Ireland was approaching the major expansion of the last British–Irish Ice Sheet, but was not necessarily uniformly ice-covered. The island’s conditions differed greatly between regions and changed repeatedly over long human timescales.

The best direct environmental guide comes from northern Ireland. At Derryvree, near Maguiresbridge in County Fermanagh, road-cutting exposed organic freshwater silts and fine sands trapped between two separate sheets of glacial till. The deposits produced a radiocarbon determination of 30,500 +1,170/–1,030 radiocarbon years BP. Later discussion has placed its calibrated span broadly at 36.9–31.7 thousand calendar years BP: approximately 34,950–29,750 BCE. That wide interval includes 31,845 BCE. It demonstrates that freshwater habitats and ice-free ground existed in this part of Ireland sometime within that range, before later glacier advance covered the deposits.

Greenagho, also in Fermanagh, provides a related but older constraint. Organic material beneath till has been dated to about $32,500 \pm 300$ radiocarbon years BP, with a calibrated range cited as about 37.2–35.7 thousand calendar years BP. It does not date the target point itself, but confirms that north-central Ireland had experienced ice-free episodes during MIS 3. Such evidence is crucial because the later ice sheet eroded, buried or rearranged much of the earlier landscape, leaving a fragmentary record rather than a continuous history.

Not Yet the Ice Maximum

This was an Ice Age landscape, but not simply a white, static wilderness. Research on the British-Irish Ice Sheet indicates a long and uneven build-up. Some reconstructions infer that much of Ireland remained ice-free until about 34,000 years ago, while ice subsequently expanded over many millennia. The ice sheet reached its broadest limits later, with different sectors attaining maximum extent at different times, broadly between 30,000 and 22,000 years ago. Thus 31,845 BCE belongs to a transition into harsher glacial conditions, not to a single island-wide moment when all land was necessarily sealed beneath ice.

Cold, wind and seasonality were decisive facts of life for plants and animals. In open areas, the vegetation was likely a mosaic of grasses, sedges, herbs, dwarf shrubs and patches of bare ground, rather than the oak, hazel and elm woods familiar from later prehistoric Ireland. Local sheltered ground and wetlands could support different communities from exposed uplands or terrain near advancing ice. The Derryvree silts preserve the remains of a freshwater setting with a flora and fauna described as having a full-glacial character. That is evidence for a cold environment; it is not a detailed map of every valley, coast or season.

Sea level was substantially lower globally than today, so the outlines of the Irish coast and the adjoining shelf were different. Yet low sea level did not automatically create a dry, easy land bridge from Ireland to Britain or continental Europe. Ice, marine channels, changing shorelines and local topography all mattered. Any people or animals entering Ireland did so through a north-west European world whose routes shifted repeatedly. It is safer to speak of changing connections and barriers than to imagine a single permanent corridor.

Castlepook's Animal Archive

The closest archaeological evidence relevant to this era comes from Castlepook Cave near Doneraile in north County Cork, also known as Mammoth Cave. Its narrow limestone galleries and chambers yielded more than 2,000 animal bones during excavations undertaken principally between 1904 and 1918. The cave is Ireland's richest known repository for vertebrate evidence from the period leading towards the Last Glacial Maximum. Individual specimens span a very long interval—reported by Geological Survey Ireland as roughly 45,700 to 19,950 years BP—so the collection is an archive of repeated deposition, not a single occupation layer.

The Castlepook fauna includes woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena, with later material including Arctic fox, wolf and lemmings. These names establish that large herbivores and carnivores could occupy parts of Ireland during the broader Ice Age. They do not establish that every species was present together in 31,845 BCE, nor that the cave was a hunting camp. Bones can

arrive in caves through carnivore activity, natural death, water movement, collapse and human excavation. Spotted hyaena in particular may have contributed to the accumulation and modification of carcass remains.

The animal evidence nevertheless makes clear that Ireland was not biologically empty. Reindeer point towards open, cold-adapted grazing country; mammoth and giant deer signal a large-herbivore landscape; hyaenas, wolves and bears show that predators and scavengers were also part of it. Herd movements may have been seasonal, but the Irish record cannot specify their routes or calendar. To call this a “reindeer landscape” is a useful shorthand only if it is remembered that it means a changing ecological zone, not an uninterrupted herd-filled plain.

The Human Question

Castlepook matters to human history because a reindeer femur fragment from its collections was reported in 2021 as bearing deep marks interpreted as stone-tool butchery. The bone was reported as about 33,000 years old, placing the claim broadly close to 31,845 BCE. If the marks are correctly identified as anthropogenic, they would represent a remarkably early trace of human activity in Ireland: evidence that one or more people processed a reindeer carcass on the island during the Upper Palaeolithic. The claim is important precisely because the evidence is so slight.

That one bone cannot demonstrate a permanent population, a village, a hunting season, a named culture or an Irish ancestry continuing to later peoples. There is no securely associated hearth, worked-stone assemblage, dwelling floor, burial, ornament, artwork or human skeleton of this age in Ireland. Nor does a radiocarbon date on an animal bone identify the exact time at which it was cut, whether the animal was hunted locally, or how long people remained nearby. At most, the femur supports a cautious possibility of brief human presence and carcass processing.

Caution is especially necessary because Castlepook’s bones were recovered by early excavators from complex cave contexts. Improved collagen pretreatment and redating have shown that a number of earlier radiocarbon determinations from Castlepook and other southern Irish caves were too young, in some cases by thousands of radiocarbon years. This is not a reason to dismiss the collection; rather, it shows why its individual bones must be reassessed with modern methods and why associations inferred from old excavation records cannot be treated as secure.

Life Without a Recorded Society

If people did reach Ireland around this time, the most plausible model is a very small and mobile Upper Palaeolithic foraging party, not a settled farming community. Reindeer could yield meat, marrow, fat, hide, sinew, antler and bone. A sharp stone edge used on a limb bone would fit the practical dismemberment of a carcass. Such an episode might have followed a hunt, opportunistic scavenging or the transport of portions of an animal to shelter. None of those possibilities can presently be distinguished in Ireland.

It is tempting to fill the gap with the richer Upper Palaeolithic evidence known elsewhere in Europe: tailored clothing, complex stone technologies, personal ornaments, cave art, burial rites and long-distance movement of materials. Those broader comparisons show what human groups in Europe could do, but they are not evidence that these practices occurred at Castlepook. No object from Ireland around 31,845

BCE yet reveals language, kinship, ritual, leadership, gender roles, teaching or artistic tradition. The absence of evidence is partly a consequence of preservation and later glacial erosion, but it remains an absence.

For the same reason, there can be no meaningful account of political affairs, diplomacy or organised conflict in Ireland in this year. States, kingdoms, borders and institutions lay tens of thousands of years in the future. There is no basis for imagining tribal territories or relations with neighbouring groups. The relevant “politics” of the period, if the word is used at all, was ecological: access to shelter, game, fresh water and safe routes through an unstable cold-world landscape.

What Can Be Said Responsibly


At the notional date of 31,845 BCE, Ireland was part of MIS 3 and moving towards a more extensive glaciation. Calibrated ranges from Fermanagh support the existence of ice-free freshwater environments within the broader period, while the Castlepook caves document an exceptionally varied Ice Age fauna in the south. A cut-marked reindeer femur offers a potentially major, but still limited, indication of human activity close to this era. It does not prove continuous settlement.

The enduring significance of this point in Ireland’s past lies in that tension: the land was ecologically inhabited, archaeologically elusive and climatically unstable. Each redated bone, preserved silt bed and carefully excavated cave deposit can refine the picture. For now, the honest history is not of an Irish society in a precise year, but of a changing Ice Age island where animals certainly ranged and where people may briefly have entered, hunted or butchered—and then left almost no trace behind.

Chapter 057 of 100

31844 BCE

Derryvree's Frostbound Pool



31,844 BCE is not a date at which Ireland can be assigned an event, a ruler, a settlement or even a season. It is a modern calendar label projected onto a period for which no annual Irish chronology exists. In archaeological terms it falls roughly 33,800 calendar years before AD 1950, in the later part of the Late Pleistocene and Marine Isotope Stage 3. The responsible way to approach it is through broad, calibrated ranges and through the fragmentary records left by plants, animals, sediments and ice. Those records illuminate an Ireland that was cold, open, ecologically changeable and connected to a wider north-west European world, but they do not support a conventional year-by-year narrative.

The nearest particularly informative Irish evidence comes from Derryvree, near Maguiresbridge in County Fermanagh. Road-cutting in 1969 exposed organic silts and fine sands trapped between two substantial layers of glacial till inside a drumlin. The deposit produced a radiocarbon age of 30,500 years before present, with a published uncertainty of +1,170 and -1,030 years. Calibration places it broadly between about 36,900 and 31,700 calendar years before present. Thus 31,844 BCE lies near the younger end of a range that may be relevant to the deposit, rather than at a point that can be isolated within it. Derryvree is therefore a powerful environmental archive, not a diary of one year.

A Landscape Between Ice Advances

The position of the Derryvree beds is itself important. They lie between tills: sediments laid down by glaciers or ice sheets. They show that, before a later advance overrode the district, freshwater conditions existed in at least this part of Fermanagh. The discovery overturns any simple picture of Ireland as continuously entombed beneath ice throughout the whole last glacial period. Instead, the island experienced shifting arrangements of ice, bare ground, periglacial terrain, lakes, marshes and drainage

channels. Precisely how much of Ireland was ice-free at any particular moment around 31,844 BCE remains uncertain, because surviving deposits are rare and later ice repeatedly eroded or buried earlier landscapes.

“Periglacial” does not mean a benign landscape beside a picturesque glacier. It denotes ground shaped by severe cold, repeated freezing and thawing, sparse vegetation and seasonal instability. The Derryvree silts preserve a freshwater setting in such a regime: water was present, but the wider climate was cold enough to favour tundra rather than woodland. Mosses, herb pollen and plant macrofossils provide the chief evidence. Among the reported remains are Arctic-alpine plants including mountain avens (*Dryas octopetala*), alongside aquatic or wet-ground species. Poor pollen preservation limits fine reconstruction, yet the combined evidence indicates open vegetation, low woody cover and local pools or slow-moving water.

That evidence should not be expanded into an imagined panorama of uniform snowfields. Tundra is varied at close quarters. A shallow pool, damp sedge-rich edge, exposed gravelly slope and sheltered hollow can sustain different plants and insects. Seasonal meltwater may have been as decisive as average temperature. In northern Ireland, drumlin country and local relief could have created patches of shelter, drainage and wet ground within a generally harsh setting. At Derryvree, the buried freshwater deposit records one such patch of life, later sealed under ice-derived sediment.

Animals on an Open Island

Animal bones from caves in southern Ireland offer another window, though one with major qualifications. Castlepook Cave, near Doneraile in north County Cork, has yielded Ireland’s best-known pre-Last Glacial Maximum assemblage. Re-dating of identified bones has demonstrated that several animals were present in Ireland during Marine Isotope Stage 3. The assemblage includes woolly mammoth, reindeer, giant deer, brown bear, wolf, fox, Arctic fox, collared lemming, Norway lemming and spotted hyaena. Not every specimen was necessarily contemporary: antiquarian excavations disturbed deposits, and cave material can be redeposited or mixed. Nevertheless, the sequence establishes that Ireland supported a richer cold-stage fauna than was once securely recognised.

For a date around 31,844 BCE, reindeer and mammoth are especially evocative but must be handled with care. Reindeer were adapted to open, cold country and could exploit lichens, sedges and other tundra resources. Mammoths required extensive forage and were not creatures of unbroken permanent ice; their presence points instead to productive open ground somewhere within their range. Giant deer, despite the later popular name “Irish elk”, was neither uniquely Irish nor an elk. Its fossils show that this great deer formed part of Ireland’s Pleistocene fauna, although recent reassessment indicates that some species, including giant deer and spotted hyaena, may have disappeared locally before the Last Glacial Maximum.

The predators matter because they complicate any easy assumption that caves were human shelters. Castlepook appears to have functioned at least in part as a carnivore den. Hyaenas and other scavengers could drag bones into its chambers; gnawing, breakage and the separation of body parts can therefore reflect animal behaviour. A cave bone is evidence of an animal’s presence in the region, but not necessarily of where it died, nor of a human occupation beside it. Wolves, bears and hyaenas belonged to the ecological story in their own right, competing for carcasses and shelter in a landscape where food, safety and movement were seasonal concerns.

The Human Question

There is no securely dated dwelling, hearth, stone-tool assemblage or cemetery in Ireland that can be assigned to 31,844 BCE. There were no states, named communities, political institutions, diplomatic relations or recorded conflicts of the kind later historical writing can describe. There is likewise no basis for discussing Irish religion, language, learning, trade or art as distinct institutions at this date. If people were present, they were mobile Upper Palaeolithic hunter-gatherers, operating in very small groups and leaving an exceptionally light archaeological signature. That is an interpretation derived from wider European evidence, not a demonstrated description of a resident Irish population.

The most provocative clue is a reindeer femur from Castlepook bearing a deep mark interpreted by its researcher as a cut or chop made with a sharp stone tool during butchery. The bone has been reported as dating to around 31,000 BCE. If both the date and human origin of the modification are sustained by further analysis, it would indicate that people reached Ireland far earlier than the traditionally recognised post-glacial settlement record. It might represent a brief hunting visit or the processing of a carcass, not a village, an enduring population or an identifiable migration. No associated Palaeolithic stone tools have yet been recovered from the cave, and the century-old excavations make the bone's precise original context difficult to reconstruct.

This distinction is essential. A modified bone can be strong evidence for an action, but it cannot alone reveal the number of people involved, their sex or age, their route, their language, the duration of their stay or their beliefs. Nor can it establish an annual cycle of reindeer hunting in Ireland. The discovery instead directs research towards a possibility long obscured by later glaciation: that occasional human groups may have entered the island during more favourable intervals of the Ice Age. Continued investigation at Castlepook has sought surviving undisturbed sediments precisely because new, controlled evidence is needed to test that proposition.

Routes, Shores and Regional Change

At this time Ireland's geography was not that of the modern island. Global sea level was lower during the glacial period, exposing parts of the continental shelf around north-west Europe. Yet lower sea level does not automatically prove an easy dry route from Ireland to Britain or the continent. Relative sea level depended also on the weight of nearby ice and on the rise or depression of the land. Ice margins, proglacial lakes, tidal channels and unstable coasts could obstruct travel as effectively as open sea. Later modelling suggests that Ireland remained connected to Britain until roughly 16,000 calendar years ago, but the arrangement around 33,800 years ago was more complex and is less securely resolved.

What can be said is that Ireland's fauna was not isolated from the larger European ecosystem. Mammals had arrived by routes that changed with ice and water, and any human visitors would have faced the same regional geography. The exposed shelf may have enlarged lowland habitats in some directions while ice constrained movement in others. A journey to or from Ireland need not imply one uninterrupted land bridge; it could have involved a mosaic of terrestrial corridors, coastal margins and water crossings. The evidence does not presently allow one route to be chosen with confidence.

Economy, in the modern sense, did not exist here. There is no evidence for farming, stock-keeping, metalworking, markets, long-distance commodity exchange or permanent territorial control. Subsistence, if humans entered Ireland, would have depended on knowledge of animal movements, stone resources, weather, fuel, shelter and safe passage. Reindeer carcasses could provide meat, marrow, hide, sinew and

bone, but that practical observation should not be mistaken for proof that Castlepook hunters exploited every resource in this way. It is a reasonable possibility grounded in Upper Palaeolithic practice elsewhere, not an Irish fact established for this date.

A Date Defined by Evidence Limits

The larger trajectory gives 31,844 BCE its historical significance. Ireland was approaching, but had not yet reached, the Last Glacial Maximum, when the British–Irish Ice Sheet expanded dramatically between roughly 27,000 and 23,000 years ago and covered much of the island. That later ice was an agent of destruction as well as deposition. It removed many surface traces of earlier landscapes and any ephemeral camps that may once have existed. Caves, protected sediment pockets and subglacial organic layers are consequently disproportionate witnesses to this deep past.

For this reason, Derryvree’s frostbound pool and Castlepook’s cave bones deserve more attention than any invented episode could. They show an Ireland of tundra plants, freshwater niches and cold-adapted animals, subject to climatic swings and eventual glacial transformation. They also preserve a carefully bounded human question: perhaps people briefly used or passed through this landscape, perhaps they butchered a reindeer, but the case remains incomplete. Around 31,844 BCE, Ireland has no recoverable politics or calendar history. It has instead a demanding scientific history, assembled from deposits whose dates are ranges, from bones whose contexts require scrutiny, and from landscapes that ice almost erased.

Chapter 058 of 100

31843 BCE

Derryvree's Freshwater Window



The label 31,843 BCE is a modern chronological convenience, not a year that anyone then living in Ireland could have named, recorded or experienced as a calendar date. It corresponds only roughly to 33,800 calibrated years before present, conventionally counted from 1950. At this depth of time, even excellent scientific dating normally produces ranges rather than a single year. The responsible history of Ireland at this point is therefore not a story of a particular ruler, battle or settlement, but of a changing Ice Age landscape reconstructed from buried sediments, cave deposits, animal bones and regional ice-sheet models.

A Date Within a Range

This was the later part of Marine Isotope Stage 3, a long and climatically unstable interval of the Late Pleistocene. Ireland was approaching, but had not yet reached, the fullest expansion of the last British-Irish Ice Sheet. Modern reconstructions show that ice growth and retreat were uneven between regions rather than one simple island-wide advance. The principal maximum came later, broadly between about 27,000 and 23,000 calibrated years before present, although individual sectors behaved differently. Around the notional year in question, ground in some areas was still available to plants and animals, while glaciers and ice masses were expanding elsewhere.

The closest particularly informative Irish evidence comes from Derryvree, near Maguiresbridge in County Fermanagh. Road works there exposed organic freshwater silts and fine sands trapped between two layers of glacial till within a drumlin. The sequence produced a radiocarbon determination of $30,500 \pm c. 1,100$ radiocarbon years BP. Calibration gives a broad range of approximately 36,900–31,700

calendar years BP: in BCE terms, roughly 34,950–29,750 BCE. The nominated year lies within that span, but the deposit cannot identify conditions in precisely that one year. It nevertheless offers an unusually valuable window on north-central Ireland during the general period.

A Treeless Freshwater Landscape

Derryvree was not a familiar green Ireland. Pollen, plant macrofossils and animal remains from the organic beds point to an open, cold landscape with tundra-like vegetation and periglacial conditions. Mosses survived around freshwater and wet ground; herbaceous plants dominated the pollen record. Sparse vegetation may have occupied drier surfaces, but there is no basis for imagining extensive woodland. The deposit is often described as indicating muskeg or wet tundra: a setting of sedges, mossy ground, shallow water, seasonally active soils and exposed mineral surfaces.

This evidence is local, not a complete map of the island. It cannot tell us that every valley, coast and upland looked identical. Yet it decisively demonstrates that this part of Fermanagh supported a freshwater environment before later ice buried it. Its position between tills is crucial: the lower till records an earlier glacial episode, the organic bed an interval when water and vegetation returned, and the upper till the subsequent advance that sealed the evidence. Derryvree is thus both a landscape archive and a warning against treating the Ice Age as a single unchanging freeze.

Crag Cave in County Kerry provides complementary evidence for climatic fluctuation rather than a direct scene at Derryvree. Uranium-thorium dates on cave calcite show episodes of speleothem growth during Marine Isotope Stage 3. Because calcite deposition in this shallow cave required liquid water and conditions sufficiently mild for it to circulate, these phases support the wider conclusion that glacial Ireland experienced pronounced, repeated shifts rather than uninterrupted extreme cold. They do not prove identical weather in Fermanagh, but they strengthen the case for regionally variable and rapidly changing conditions.

Animals Before the Ice Peak

Irish cave collections show that sizeable mammals reached the island during parts of the pre-Last Glacial Maximum period. Castlepook Cave, near Doneraile in north County Cork, is especially important. Its old collections include bones attributed to mammoth, spotted hyaena, reindeer, giant deer, brown bear, wolf, fox and lemmings. The Irish Quaternary Fauna Project used accelerator radiocarbon dating to show that a broad range of mammals occurred in Ireland between at least about 45,000 and 20,000 years ago, though individual cave deposits are often disturbed and cannot always be read as intact living communities.

That qualification matters. A cave is not necessarily a campsite, nor even a natural sample of every creature outdoors. Carnivores may have dragged carcasses inside; animals may have died in fissures; water, collapse and excavation can mix material of different ages. The Castlepook bones reveal that Ice Age fauna existed in Ireland over a lengthy period, but they do not establish that mammoth, hyaena, reindeer and every other recorded species stood together in one herd at 31,843 BCE. Nor should animal abundance in a bone deposit be translated automatically into abundance across the landscape.

Even so, the faunal evidence makes clear that Ireland was not biologically empty. Reindeer and cold-adapted small mammals are consistent with open country, while mammoth and hyaena demonstrate connections with wider north-west European faunal worlds during favourable intervals. Later genetic and morphological reassessment has also shown why identification must remain careful: several supposed pre-

Last Glacial Maximum red-deer specimens proved to be reindeer. The distinction changes interpretations of habitat and movement, and illustrates how conclusions improve when old collections are re-examined with new methods.

The Human Question

There is no securely dated house, hearth, stone-tool assemblage, burial, human skeleton or settlement in Ireland that can be assigned to this calendar label. There were no known political territories, rulers, diplomatic relations or institutions. It would be misleading to write of an Irish people, tribe, religion, language or economy in the usual historical sense. The evidence does not support them.

A reindeer femur from Castlepook has nevertheless made the question of human presence more complicated. Ruth Carden identified a deep mark on the bone as consistent with cutting or chopping fresh bone using a sharp stone tool, and public heritage accounts have associated the specimen with a date of around 33,000 years ago. If that interpretation is sustained, it may indicate an Upper Palaeolithic human visit or episode of carcass processing in Ireland during this broad period. It would be an important discovery, but it is not proof of permanent occupation. The specimen comes from an old cave collection, without a securely associated occupation floor, hearth or tool-kit. The animal's radiocarbon date establishes when it died, not automatically when a mark was made or how long people may have remained nearby.

The most responsible conclusion is therefore deliberately narrow. Small groups may have reached Ireland, perhaps following animal resources or moving through a wider, low-sea-level north-west European landscape. But such a possibility cannot demonstrate a stable population, a migration route, regular trade, social hierarchy or cultural tradition on the island. Low sea levels exposed wide areas of the surrounding continental shelf, altering coastlines and potential routes, but relative sea level, ice cover and the practical availability of a land connection varied through time and remain subjects of specialist modelling.

Life Without a Recorded Society

If humans did visit, their subsistence would have depended on immediate opportunities: animals, freshwater, fuel, raw stone and shelter. This is an inference from hunter-gatherer lifeways elsewhere in Upper Palaeolithic Europe, not direct evidence from an Irish camp. The Derryvree wetlands could have offered water and plant cover; open terrain could have made grazing animals visible; limestone caves provided protected spaces but also attracted predators and trapped bones. None of this establishes a local settlement, seasonal round or exchange network.

There is likewise no evidence for ceremonial places, art, formal burial, farming, herding, pottery, metalworking or written learning in Ireland at this time. Religion and culture cannot responsibly be reconstructed beyond the universal observation that any visiting people would have brought knowledge, skills and social practices with them. Archaeology can sometimes recover actions—such as the deposition of a bone or the growth of cave calcite—without recovering the beliefs behind them. Silence in the record is not proof that people lacked culture; it is a limit on what Ireland's surviving evidence can reveal.

An Approaching Transformation

The larger development was environmental. In the millennia after this horizon, the last Irish ice sheet expanded greatly. Offshore and onshore evidence indicates major advances to the Atlantic and Celtic Sea shelf margins by about 27,000–25,000 years ago, while the timing and thickness of ice varied substantially by sector. The advancing ice eroded older landforms, reworked sediments and destroyed or concealed much of the surface evidence that might otherwise have survived from early human activity.

That later glaciation helps explain why the record is so fragmentary. Derrynvree survived because younger till protected its freshwater beds; cave crevices protected selected bones; offshore cores preserve traces of ice movement long after the ice vanished. Around 31,843 BCE, Ireland's story is consequently a story of survival in the archaeological sense: not a documented society surviving against the cold, but scattered environmental records surviving the erosive power of the ice that followed.


What Can Be Said Securely

Ireland around this notional date belonged to a severe but changeable Late Pleistocene world. Fermanagh preserves direct evidence for ice-free freshwater conditions and treeless, wet tundra within a calibrated range that includes this point. Cave collections demonstrate the presence of varied large and small mammals during the wider pre-maximum interval. The possibility of an early human encounter at Castlepook is significant but remains far too slight to carry a narrative of settlement. Political history begins here only in the loosest sense: landscapes, animals, ice and possible human movement were creating the constraints from which all later Irish history would eventually emerge.

Chapter 059 of 100

31842 BCE

Awbeg Valley Faunal World



The label 31,842 BCE is a modern way of locating a point far beyond the reach of historical calendars. No event in Ireland can be assigned to that individual year, and no person, community or political act can responsibly be named for it. In archaeological terms, it lies roughly 33,800 years before AD 1950, during the Late Pleistocene and broadly within Marine Isotope Stage 3, an unstable interval of the last Ice Age. The evidence is measured in deposits, animal bones and scientific date ranges rather than annual records. This is therefore a portrait of conditions around the date, not an account of a year that contemporaries could have recognised.

A Landscape Not Yet Frozen Over

Ireland was approaching, rather than already deep within, the Last Glacial Maximum. The great British–Irish Ice Sheet later attained its greatest extent during roughly 27,000–19,000 years ago, but its growth was neither instantaneous nor uniform. Evidence from glacial landforms, offshore sediments and dated deposits points to a prolonged expansion from initially less extensively ice-covered conditions. At this earlier horizon, parts of Ireland could still support freshwater environments, vegetation and large mammals, even as colder conditions and advancing ice were reshaping the island.

That broad picture must not be mistaken for a map of every valley in 31,842 BCE. Ice margins moved, climates oscillated and deposits have survived unevenly. Northern Irish sites are especially valuable because organic sediments were sealed beneath later glacial material. At Derryvree in County Fermanagh, organic-rich silts between tills yielded a radiocarbon determination calibrated to approximately 36,900–31,700 cal BP. The range broadly embraces the notional date considered here. It indicates that, before subsequent ice overran the locality, waterlogged ground and vegetation existed there. It cannot tell us what happened in a particular season, nor prove that the whole island was ice-free at once.

Nearby deposits at Greenagho and Hollymount, also in Fermanagh, reinforce the essential point: the Ireland of this phase was not simply a blank white sheet. Freshwater silts, plant remains, pollen and insects record cold, open environments between episodes of glaciation. Older reconstructions describe treeless, northern-looking vegetation, including grasses, sedges, dwarf shrubs and tundra plants. The precise correlation of every Irish sequence with continental climatic phases remains debated, but the evidence supports a generally exposed, cold and highly seasonal terrain rather than later Ireland's wooded Atlantic landscape.

What the Animal Record Shows

The clearest direct witnesses to this world are animal remains, particularly those from limestone caves in southern Ireland. Castlepook Cave, near Doneraile in north County Cork and overlooking the Awbeg Valley, is central to the discussion. Its old collections include bones attributed to reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, hare, lemmings and spotted hyaena. These species should not be turned into a literal roll-call for one day or year. Caves may act at different times as dens, traps, shelters, drainage routes and places where bones are redeposited. Nevertheless, improved radiocarbon methods have shown that some Castlepook fauna belongs to Marine Isotope Stage 3, well before the glacial maximum.

Reindeer are particularly evocative. Their presence is strong evidence for open, cold-adapted habitats with enough forage to sustain grazing and browsing herds. Mammoth and giant deer remains likewise show that, at intervals, substantial herbivores could enter and live in parts of Ireland. Their predators and scavengers mattered too. Spotted hyaena remains from Castlepook demonstrate that Ireland was connected to a wider north-west European animal world; hyaenas could accumulate and modify bones in caves, complicating any simple account of how individual specimens arrived there. Wolves, bears and foxes belonged to an ecological setting in which carcasses were contested resources.

This fauna implies movement across a changing north-west European landscape, but it does not settle the exact routes. Lower sea levels and the changing configuration of ice, coasts and shallow seas created opportunities for animals to disperse between Ireland and Britain or the continental shelf. Yet the presence of a species does not prove a permanent land bridge at a precise date. Nor can fossil finds establish population sizes, migration routes or whether all the named animals overlapped at Castlepook. The responsible conclusion is narrower and more important: Ireland contained, or was repeatedly reached by, a cold-stage mammal community long before the final retreat of the last ice sheet.

The Castlepook Human Question

Castlepook has acquired special importance because a reindeer femur from the cave has been reported as bearing a deep incision interpreted as a cut mark made by a sharp stone tool while the bone was fresh. County Cork heritage material has presented the specimen as evidence of human activity in Ireland about 33,000 years ago. If that interpretation is confirmed, it would place people in Ireland dramatically earlier than the previously recognised Late Upper Palaeolithic evidence from Alice and Gwendoline Cave in County Clare, where a butchered brown-bear patella has calibrated ranges of 12,810–12,590 and 12,810–12,685 cal BP.

For a date around 31,842 BCE, however, the Castlepook reindeer bone must be handled with care. A radiocarbon result dates the animal's death, not necessarily the instant when a mark was made, the place where it was killed, or the length of any human visit. Identifying an incision as a stone-tool cut is a

separate taphonomic judgement: natural damage, animal teeth, trampling and excavation history all require assessment. Much of Castlepook's celebrated material was recovered during early twentieth-century excavations, before the stratigraphic standards now expected. The Irish Quaternary Fauna Project warned that many old cave deposits had been disturbed, and modern work at Castlepook has sought surviving undisturbed sediments precisely because context is crucial.

Thus the reindeer femur is best described as a potentially momentous but isolated indication of human butchery, not as proof of a settled Irish population. No securely associated hearth, stone-tool assemblage, dwelling floor, burial, food store or built shelter of this age has been found in Ireland. There is no demonstrated chain of occupation linking any possible visitors of this period with the hunter-gatherers who returned much later after the ice retreated. The distinction is not pedantry: an animal bone with a possible tool mark can reveal a brief encounter, whereas a settlement requires repeated and securely contextualised traces of life.

People, If Present

If people did reach the Awbeg Valley or another Irish locality around this horizon, the most reasonable interpretation is of a small, mobile Upper Palaeolithic foraging party, not a village or tribe in the later sense. The reindeer bone, if humanly modified, suggests carcass processing: the removal of meat, hide, sinew or marrow. It does not establish whether the animal was hunted, found dead, taken from predators or processed inside the cave. Nor does it disclose the group's language, identity, kinship system, clothing, rituals or route of arrival.

There is consequently no evidence for political affairs, rulers, diplomacy, warfare, law or territorial boundaries in Ireland at this time. It would be misleading to imagine competing Irish peoples, even though people elsewhere in Upper Palaeolithic Europe certainly made social alliances, shared skills and negotiated dangerous landscapes. No Irish evidence identifies such institutions. Equally, there is no basis for claiming trade, regular exchange or seafaring. Any crossing to Ireland, if one occurred, might have been over land exposed by lower seas, across narrow water, or by a combination of routes; the evidence does not presently decide between these possibilities.

Everyday Survival Without a Settlement

Daily life can therefore be discussed only as conditional inference. A party exploiting a reindeer carcass would have needed sharp stone edges and practical knowledge of animal anatomy. In a landscape of wind, frost, sparse cover and large predators, mobility, fuel, shelter and seasonal timing would have been decisive. Caves could offer temporary protection, but Castlepook's bones do not show that people lived there. Open-air camps, if they existed, were vulnerable to later glacial erosion, sediment movement and sea-level change; their absence is meaningful but cannot prove that no visitor ever came.

Religion, art, storytelling and learning leave no identifiable Irish trace for this period. There are no cave paintings, portable artworks, monuments, graves or symbolic objects securely dated to around 31,842 BCE. This silence should not be read as evidence that any possible people lacked culture. Rather, the archaeological record is too thin to recover it. The same is true of economic life: wild animals and local plant resources were the only demonstrable potential basis of subsistence, while farming, herding, pottery, metalwork and permanent settlement lay many millennia in the future.

An Island of Evidence and Uncertainty


The most important development around this date was environmental rather than political: Ireland remained capable, in some regions and intervals, of sustaining a cold-adapted fauna while the last ice sheet was gathering strength. Fermanagh's inter-till deposits preserve wet, treeless landscapes; Castlepook preserves the remains of animals that ranged through a far broader Ice Age world. The reported reindeer cut mark adds the provocative possibility that humans briefly shared that world.

But possibility is not certainty. Modern calendar-year precision is unavailable, and calibrated ranges are essential rather than decorative. Around 31,842 BCE, Ireland was not yet a historical society waiting to be named. It was a shifting Pleistocene environment, known through silt, pollen, bones, cave sediments and the disciplined uncertainty of scientific dating. Future excavation and microscopic analysis may strengthen, alter or overturn the human interpretation at Castlepook. For now, the evidence supports an Ice Age fauna and changing glacial landscape with confidence, and a possible fleeting human presence with caution.

Chapter 060 of 100

31841 BCE

Castlepook's Uncertain Visitors



The label 31,841 BCE is a modern way of locating a moment roughly 33.8 millennia before AD 1950; it was not a year recognised by anybody then. Ireland had no written records, rulers, states, calendars or named peoples that can be connected to such a precise date. Nor can archaeology distinguish what happened in one particular year at this depth of time. The responsible subject is therefore Ireland during the broader Late Pleistocene interval surrounding this nominal date: a fluctuating phase of the last Ice Age conventionally placed within Marine Isotope Stage 3 (MIS 3), before the Last Glacial Maximum.

Evidence is sparse, discontinuous and often difficult to date. It comes chiefly from animal bones in caves, deposits of silt and organic material trapped beneath later glacial sediments, cave calcite, landforms and the wider North Atlantic climate record. These sources can reveal changing environments and animal communities. They cannot furnish an annal of political events, a map of tribes, or a confident account of a settled human population. Around 31,841 BCE, Irish prehistory is best understood as a landscape and ecological history, with one especially provocative but still limited possible human trace.

A Date Range, Not an Event

Radiocarbon dates are normally expressed in years before AD 1950 and must be calibrated against independently dated records of past atmospheric carbon. Calibration produces ranges rather than a single exact historical year, and the uncertainties become especially important this far back. The modern IntCal20 calibration curve reaches to 55,000 calibrated years before present, but it does not convert an Ice Age bone into evidence for activity in one numbered BCE year. The numerical date in this article should thus be read as an approximate pointer within a much longer span.

MIS 3, broadly about 60,000 to 27,000 years ago, was not a uniform ‘cold age’. Greenland ice cores show repeated abrupt shifts between colder stadials and relatively milder interstadials. Irish evidence records the consequences only imperfectly. Speleothems from Crag Cave in County Kerry grew episodically during the last glacial period, with phases of deposition corresponding broadly to milder episodes. Organic deposits preserved beneath later glacial sediments in northern Ireland likewise show that, at some points in the Midlandian glaciation, parts of the island supported vegetation and freshwater environments rather than lying continuously beneath ice.

That does not permit a simple island-wide weather report for 31,841 BCE. The British–Irish Ice Sheet was dynamic before its later maximum, and its extent during MIS 3 remains less securely known than its Last Glacial Maximum history. The maximum cold-stage ice sheet belongs principally to the later interval of roughly 26,500–19,000 calibrated years before present. At the earlier horizon represented by this nominal year, conditions varied by region and through time. The safest conclusion is that habitable, though severe, terrestrial environments existed in Ireland during portions of MIS 3, while glaciers and periglacial conditions repeatedly reshaped the wider landscape.

The Castlepook Archive

Castlepook Cave, also called Mammoth Cave or Doneraile Cave, near the Awbeg Valley in north County Cork, is central to this story. It is Ireland’s richest known cave archive for vertebrate life before the Last Glacial Maximum. More than 2,000 bones have been recovered from its chambers and galleries, including remains attributed to woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena, as well as later cold-adapted animals such as Arctic fox, wolf and lemmings. These finds establish that Ireland was, at intervals, part of the north-west European world of large Ice Age mammals.

The cave’s importance is matched by its complications. Much of its material was excavated by antiquarians in the early twentieth century, before modern standards of stratigraphic recording, sieving and sampling. Water movement, roof openings, scavengers and later disturbance could move bones between deposits. A cave may be a carnivore den, a natural trap, a shelter, a drainage route and a sediment archive at different times. Consequently, the Castlepook animals did not necessarily live together, die together or enter the cave by the same route.

Modern re-dating has made this warning sharper. Reassessment of selected Castlepook, Foley and Shandon cave bones using improved pretreatment methods found that several earlier radiocarbon determinations were substantially too young. At Castlepook, some new results were between about 5,000 and 12,000 radiocarbon years older than the old measurements. The revision strengthens the case for a substantial MIS 3 fauna in southern Ireland, but it also demonstrates why older date lists must not be treated as fixed facts. Archaeological confidence here rests not on one spectacular specimen, but on repeated direct dating, secure provenance and careful taphonomic analysis.

Reindeer and a Single Incision

The closest possible human evidence to this broad period is a reindeer femur from Castlepook. It has been reported as approximately 33,000 years old and bears a deep mark interpreted by Ruth Carden as an incision made with a sharp stone implement during carcass processing. County Cork heritage material presents it as a possible Palaeolithic indication that hunters dealt with reindeer in the Doneraile area around 31,000 BCE. If that interpretation is sustained, the find would move the potential human story of Ireland far earlier than the better-known terminal-Pleistocene evidence from County Clare.

Yet this is not proof that people occupied Ireland permanently in 31,841 BCE, nor even that activity occurred in that exact year. The radiocarbon result dates the animal's death, not automatically the cutting of the bone. The femur comes from an older cave collection rather than a modernly excavated occupation floor. No securely associated hearth, dwelling, stone-tool assemblage, human burial or camp surface of comparable age has been identified at Castlepook. The cave itself may have received discarded bones through animal scavenging after any butchery took place elsewhere.

It is therefore reasonable to describe the femur as a potentially momentous trace of human butchery, while retaining the word 'potentially'. Ireland has no securely demonstrated Aurignacian or Gravettian settlement equivalent to the better documented Upper Palaeolithic sites of Britain or continental Europe. The contrast matters. A cut-marked brown-bear patella from Alice and Gwendoline Cave in County Clare has two independently obtained calibrated ranges of 12,810–12,590 and 12,810–12,685 cal BP, making it robust evidence for a much later, terminal-Pleistocene human presence. Castlepook's possible human signal is older and more consequential, but currently less supported by an archaeological context.

Landscape of Mobile Animals

What, then, can be said about daily life? For animals, rather more than for people. Reindeer suggest open country with accessible forage, likely a mosaic of grasses, herbs, sedges, dwarf shrubs and patches of more sheltered vegetation rather than woodland comparable to modern Ireland. Mammoth and giant deer point to substantial grazing resources at some stages, while hyaena, wolf and Arctic fox testify to a food web in which carcasses were contested, scavenged and transported. Brown bears and smaller mammals complicate any simplistic picture of a wholly barren tundra.

These species should not be assembled into a single illustrated 'day in the life'. Their dated remains span many millennia, and animal ranges alter with climate, season and geography. Some are more securely represented at Castlepook than elsewhere; absence from the small Irish fossil record is not always proof of ecological absence. Nevertheless, the faunal evidence decisively rejects the idea that pre-maximum Ireland was an empty, featureless wasteland. It contained changing habitats capable of supporting mobile mammals, although their populations may have been thin and vulnerable to climatic deterioration.

If people did reach the island during this part of MIS 3, they would have been highly mobile hunter-gatherers rather than farmers or village dwellers. A reindeer carcass could have supplied meat, marrow, hide, sinew and bone, but that is an inference from the animal and the proposed cut mark, not a directly excavated Irish camp economy. There is no evidence for cultivation, domesticated animals, pottery, metalworking, monuments, long-distance commercial exchange or permanent built settlement. Low sea levels altered coastlines, exposing land on continental shelves, but no demonstrated dry land bridge across the Irish Sea can simply be assumed. Any movement between Britain and Ireland remains an unresolved question of changing sea, ice and coastal conditions.

No Politics, No Recorded Religion

Political affairs, diplomacy and organised warfare leave no identifiable record for Ireland at this date. It would be misleading to invent clans defending territories, chiefs bargaining over herds or rival groups fighting for caves. Equally, no evidence identifies a religion, language, art tradition or formal learning

system on the island. Caves can acquire ritual significance in later prehistory, but Castlepook's Ice Age deposits are not evidence of ceremony. They are principally a record of geological processes, animal lives and possible brief human contact.

The cultural achievement visible to archaeologists is instead modern scientific work: direct accelerator radiocarbon dating, improved collagen purification, microscopic study of bone surfaces, ancient-DNA analysis, stable-isotope research, cave mapping and renewed excavation. These methods have transformed old museum collections from curiosities into testable evidence. They have also made the limits of those collections more apparent. At Castlepook, newly investigated and less disturbed deposits may eventually clarify whether the modified reindeer bone belongs to a genuine human episode, a particular climatic phase, or a more complex sequence of natural deposition.

An Island Before History

For Ireland around 31,841 BCE, the most important development was not a documented human event but the persistence of life in a volatile Ice Age setting before the great expansion of the last ice sheet. Southern cave archives show that mammoth, reindeer, giant deer, hyaena and other mammals reached the island during the wider MIS 3 world. Castlepook's marked reindeer femur raises the possibility that people also arrived, perhaps only briefly, to exploit that animal-rich landscape.

That possibility deserves attention precisely because it remains uncertain. The evidence does not yet justify a story of continuous settlement, an ancestral population or a named Palaeolithic society. It does, however, make Ireland's deep past more interesting: not an unchanging blank before the Mesolithic, but a sparsely preserved frontier where climate, animals, sea routes, ice and perhaps transient human visitors repeatedly shaped what could survive and what archaeology can still recover.

Chapter 061 of 100

31840 BCE

Derryvree's Fossil Bogbean



31,840 BCE is a modern numerical label, not a year that can be recovered from Ireland's prehistoric record. No Irish calendar, written account, named ruler, settlement, journey or conflict can be assigned to it. At this depth of time, responsible history works with broad archaeological and environmental intervals. The date falls roughly 33,790 years before the conventional radiocarbon reference year of 1950, in the later part of Marine Isotope Stage 3 (MIS 3), a long and climatically variable phase of the last glacial period. It was before the Last Glacial Maximum, when ice later reached its greatest extent across Ireland and the surrounding seas.

The best Irish evidence relevant to this broad period comes not from monuments or tools, but from buried sediments, fossils and landforms. It provides a vivid but incomplete view of an island repeatedly reshaped by cold, ice, water and shifting sea levels. Around the modern label of 31,840 BCE, Ireland cannot be described as a nation, a kingdom or even a settled human landscape. It is better understood as a changing north-west European environment in which animal movements, ice-sheet fluctuations and rare pockets of preservation have left faint traces.

A Date Range, Not an Anniversary

The difficulty begins with chronology. Radiocarbon determinations are not calendar dates: they measure the remaining carbon-14 in organic material and must be calibrated against changing atmospheric carbon levels. For periods more than 30,000 years ago, the resulting calendar ranges can be broad. The most relevant Irish reference point is the Derryvree freshwater deposit near Maguiresbridge in County Fermanagh. Organic silts and fine sands there produced a conventional radiocarbon age of 30,500 years BP, with a substantial uncertainty range. Modern calibration places such an age within a several-thousand-year calendar interval rather than at a single securely identifiable year.

Therefore, 31,840 BCE should not be treated as the date of the Derryvree deposit, nor as proof that every plant or animal found there was alive at that precise moment. It lies within the wider chronological neighbourhood illuminated by the deposit and by other Irish MIS 3 evidence. The strongest formulation is that the evidence helps reconstruct conditions in parts of Ireland during a pre-Last Glacial Maximum cold phase, broadly around 34,000 years ago.

Freshwater Beneath a Drumlin

Derryvree is exceptionally important because the evidence was found between two thick till sheets within a drumlin. Tills are sediments laid down directly by ice. Their position above and below the freshwater layer shows that, at different times, glacier ice crossed this part of Fermanagh; between those glacial episodes, however, a local basin held water and accumulated silts, sands and organic remains. Later ice covered and preserved the deposit, even as it erased or disturbed much other evidence from this period.

The deposit does not reveal a tranquil lake in a mild, wooded Ireland. Its plant and animal remains were interpreted by the original investigators as evidence for open tundra and a periglacial regime: ground affected by severe cold and seasonal freezing, but not necessarily buried beneath permanent ice at the time the sediments accumulated. Fossil pollen, seeds, mosses and insect remains point towards wet, open ground with pools and abundant plant matter. It has often been described as a muskeg-like environment: waterlogged, mossy and sedge-rich terrain, with shallow freshwater and saturated soils.

Among the most evocative finds is bogbean, a plant associated today with wetland margins. Other recorded traces include mountain avens, lesser clubmoss, grasses, sedges, juniper and herbaceous plants. These remains do not allow a photographic reconstruction of every hillside. Pollen can travel, plant distributions shift, and a small basin records its local catchment more clearly than distant country. Yet together they strongly support a treeless, cold and patchy landscape rather than a closed forest. In sheltered wet places, vegetation could establish itself; on exposed ground, wind, frost and sparse cover would have been major forces.

An Island on an Ice-Age Margin

Ireland's physical geography was very different from that of the present. Global sea level was lower during the glacial period, exposing much wider continental shelves around north-west Europe. The Irish Sea basin and the Celtic Sea were altered landscapes, not the familiar maritime barriers of today. But lower sea level did not automatically create a simple, dry land bridge from Ireland to continental Europe. Ice, rivers, wetlands, marine channels and unstable coastal margins all changed through time. Routes available to animals or people in one phase may have been blocked or dangerous in another.

Nor was the British–Irish Ice Sheet a single unchanging blanket. Marine, terrestrial and geochronological research shows an ice mass capable of growth, retreat, reorganisation and renewed advance. The greatest expansion associated with the Last Glacial Maximum came later, principally between about 26,500 and 19,000 years ago. At the time relevant here, Ireland was within a wider glacial world, but its local conditions were uneven. Derryvree demonstrates that at least one inland Fermanagh locality experienced an ice-free freshwater interval before later glaciation overran it.

This matters because it corrects two misleading extremes. Ireland was neither a stable green island nor necessarily everywhere a featureless ice sheet. It was a dynamic mosaic whose habitable zones, vegetation and routes changed on timescales far longer than any one calendar year. The enduring Irish landscape of

drumlins, scoured rock, erratics, lake basins and thick glacial sediments is in part the legacy of those later advances and retreats.

Animals in a Sparse Record

Irish cave collections offer another window into MIS 3, especially in the south. Castlepook Cave, also known as Mammoth Cave or Doneraile Cave, in north County Cork has yielded remains attributed to mammoth, reindeer, giant deer, brown bear, Arctic fox and spotted hyaena, among other animals. The Irish Quaternary Fauna Project showed that a varied mammal fauna reached Ireland between at least about 45,000 and 20,000 years ago. Such animals imply episodes when the island, or accessible parts of it, could support substantial herbivores and their predators.

However, cave assemblages require caution. Bones may have been carried in by carnivores, water or people; they may derive from different millennia; and many were recovered during early excavations that did not meet modern recording standards. Improved radiocarbon pretreatment has also changed the apparent ages of several Castlepook specimens, in some cases by thousands of years. Castlepook is therefore powerful evidence for Ice-Age animal presence in Ireland, but not a reliable census of one valley in 31,840 BCE.

The combination of Derryvree's wet tundra indicators and southern cave fauna nevertheless makes broad ecological sense. Open vegetation could sustain grazing and browsing animals, while caves and rocky ground offered denning places, traps for remains or routes by which carcasses accumulated. Predators such as hyaenas would have occupied a very different ecological role from anything in modern Ireland. But no evidence permits a claim that mammoths, reindeer and hyaenas all stood together beside the Derryvree pools at the date in question.

The Human Question

Human history at this date must be stated even more carefully. Modern humans were present elsewhere in Europe during MIS 3, using sophisticated Upper Palaeolithic stone technologies, maintaining long-distance social connections and producing symbolic culture. Ireland's evidence is far thinner. A reindeer bone from Castlepook bearing a possible cut mark has been presented as evidence of human activity around 33,000 years ago. If that interpretation is accepted, it would push evidence for human presence on the island much farther back than the terminal Pleistocene evidence at Alice and Gwendoline Cave in County Clare.

Yet one marked bone cannot establish a camp, a permanent population, a named cultural group or continuous settlement. Its archaeological context is limited, and the distinction between a deliberate stone-tool incision and other damage is consequential. The responsible conclusion is that people may have reached Ireland during this wider period, perhaps briefly and opportunistically, but no securely excavated hearth, tool-making floor, dwelling, burial or substantial butchered assemblage documents a resident community in 31,840 BCE.

Accordingly, there is no evidence for political affairs, diplomacy, organised warfare, religious institutions, formal learning, trade systems or permanent settlement in Ireland at this point. Nor is there evidence from which everyday domestic life can responsibly be reconstructed. If humans were present, their movements would have depended on weather, game, terrain, shelter and access across a volatile glacial landscape. That is an inference from the environmental setting and wider European comparison, not an observed Irish event.

Economy, Culture and the Limits of Evidence

Words such as economy and trade can mislead when applied to this date. There is no Irish evidence for farming, herding, pottery, metalworking, seafaring exchange or managed woodland. The only possible human economy would have been mobile foraging and hunting, but even that remains unproven locally. Animal bones document the presence or movement of fauna more securely than human subsistence. The Derrynvree plants document an ecosystem, not its use by people.

Likewise, religion and culture leave no identifiable Irish trace from this precise horizon. It would be wrong to project the cave art, burials or ornament traditions known in other parts of Upper Palaeolithic Europe onto Ireland. Absence of evidence does not demonstrate that no person ever crossed into the island; it does demonstrate that Irish archaeology has not yet recovered material allowing those practices to be described. In a landscape repeatedly glaciated after this time, that scarcity is itself historically significant.

What Survived the Ice


The central development relevant to 31,840 BCE is therefore environmental, not political: parts of Ireland experienced cold, open and wet conditions during MIS 3, while the expanding and contracting ice-sheet system repeatedly determined what could live, move and survive. Derrynvree's buried freshwater silts are a rare survival from that world. The bogbean seed, mosses, insect traces and pollen are modest objects, but they preserve evidence of life in an otherwise largely erased interval.

For Ireland, this is history before communities can be named and before events can be dated to a year. The most accurate account is one of periglacial wetlands, tundra vegetation, mobile Ice-Age animals and an uncertain human threshold. Later ice would transform the island again, covering extensive areas and destroying many earlier deposits. What remains beneath a Fermanagh drumlin and in Cork cave collections is enough to show that Ireland had an Ice-Age past of ecological complexity, but not enough to turn 31,840 BCE into an anniversary.

Chapter 062 of 100

31839 BCE

Cork Cave-Bone Archive



The label 31,839 BCE cannot denote an event in Ireland in the way that a medieval or modern year can. No written calendar, annual record or securely year-specific archaeological horizon exists for this time. It is a retrospective modern date, roughly 33,800 years before AD 1950, and should be treated only as a point within a much wider prehistoric interval. The responsible frame is Marine Isotope Stage 3 (MIS 3), a climatically unstable part of the Late Pleistocene, rather than a particular season or year. Evidence from Ireland is sparse, often recovered from caves excavated long ago, and usually dated as ranges of centuries or millennia after calibration.

What can be said is that the island's southern cave record preserves traces of an Ice Age animal world preceding the Last Glacial Maximum. Around the notional date represented by 31,839 BCE, Ireland was not the settled, wooded island of later prehistory. It was part of a cold North Atlantic region in which climate, ice extent, coastlines and animal distributions changed repeatedly. Its archaeological significance lies less in human history securely documented for that year than in the difficult work of determining what landscapes and creatures existed before later ice sheets reworked or destroyed much of the evidence.

A Date Within MIS 3

MIS 3, broadly between about 57,000 and 29,000 years ago, contained sharp shifts between comparatively milder interstadial episodes and colder stadials. These changes matter greatly for Ireland. Whether a valley, cave entrance or coastal lowland could support plants and grazing animals depended on temperatures, snowfall, permafrost, sea level and the proximity of glaciers. A calendar label such as 31,839 BCE therefore conveys a false exactness. Radiocarbon determinations require calibration against internationally maintained curves, and their probability ranges are not interchangeable with an invented BCE anniversary. Geological and ice-core chronologies provide broad correlation, not a diary of Ireland.

The island's status was also unlike that of later millennia. During glacial low sea levels, the Irish Sea basin and surrounding shelves were radically different landscapes and seaways. Yet low global sea level did not automatically create a simple, permanent land bridge to Britain or continental Europe. Local crustal depression under ice, changing shorelines and marine incursions complicate any map. Research on raised beaches in southern Ireland indicates that relative sea level was affected by glacial loading and changing ice margins during MIS 4 and MIS 3. The exact configuration at any one point near 31,839 BCE remains uncertain.

What the Caves Preserve

The most informative Irish evidence comes from limestone cave systems, especially in the south and south-east. Castlepook Cave, near Doneraile in north Cork, together with caves at Shandon in County Waterford and Foley Cave in south-east Ireland, has yielded Pleistocene animal remains. These are valuable precisely because bone and sediment can survive in caves when open-air deposits are eroded, dissolved or later overridden by ice. They are not, however, straightforward snapshots. Many were excavated in the late nineteenth or early twentieth century, before present-day recording standards. Bones could have been moved by animals, water, sediment collapse or earlier investigators; deposits may mix material of different ages.

Modern reassessment has made the cave collections more useful and more demanding. Re-dating of selected bones with improved pretreatment methods showed that some previous radiocarbon results were too young. At Castlepook, revised dates made parts of the fauna between roughly 5,000 and 12,000 radiocarbon years older than dates obtained in the 1990s. This transformed the interpretation of the assemblage: animals once placed in the final stages of the Ice Age may instead belong to MIS 3. The result is an important warning against using an old date as a fixed historical fact, but it is also strong evidence that southern Ireland hosted a richer pre-Last Glacial Maximum fauna than once supposed.

The Irish Quaternary Fauna Project had already demonstrated the wider point: mammals reached Ireland during the period from at least about 45,000 to 20,000 years ago, though the precise timing varied markedly by species and site. Subsequent re-dating has refined, and in places overturned, parts of that chronology. The relevant conclusion for 31,839 BCE is careful but significant. Ireland was not necessarily empty of large mammals in this broad phase; its caves preserve evidence of repeated animal presence. They cannot establish that every species known from an assemblage was alive in every Irish region in the same year.

An Unsettled Animal Landscape

The pre-Last Glacial Maximum Irish fauna documented or proposed from cave material includes brown bear, reindeer, giant deer, horse, red deer, mountain hare, Arctic fox, lemmings and spotted hyaena. The list should not be imagined as a single harmonious herd beside every river. It combines material from separate sites and periods, and species responded differently to cold, vegetation and access routes. In particular, newer work suggests that spotted hyaena and giant deer may have disappeared locally before the Last Glacial Maximum, perhaps around 40,000 calibrated years ago. If so, they may not have shared the Irish landscape at the notional date of 31,839 BCE. Further direct dating is needed.

Even so, the fauna gives the best available sense of everyday ecology. Reindeer and horse point towards open habitats capable of supporting grazers; hare, lemmings and Arctic fox indicate cold-adapted conditions in at least some phases. Brown bear and hyaena remains show that caves were not merely

shelters awaiting people: they were parts of animal territories, dens, hibernation spaces or places where carcasses and bones accumulated. Fossils reveal presence, diet and sometimes age or seasonality; they do not by themselves reveal the exact appearance of the countryside. Descriptions such as ‘tundra’, ‘steppe’ or ‘shrub tundra’ are useful environmental interpretations, not photographs recovered from the ground.

Vegetation would have been shaped by severe cold, wind and short growing seasons, with the balance between grasses, sedges, herbs, low shrubs and bare ground changing through climatic oscillations. There is no basis for picturing extensive closed forest. Nor should Ireland be reduced to an unbroken white wilderness. Ice-free patches, sheltered valleys, wetlands and exposed uplands would have offered sharply different conditions. Such environmental mosaics governed where animals could feed and where sediments could survive long enough to enter the modern archaeological record.

Ice in Motion, Not a Fixed Backdrop

The growth of the British–Irish Ice Sheet is central to the story, but its early development is still debated. Recent syntheses agree that the approach to the Last Glacial Maximum was asynchronous: ice did not expand uniformly across Ireland, Britain and the continental shelf. Modelling experiments for later, early-MIS-2 conditions show small ice caps developing over high ground in north-west Ireland before much more extensive ice-sheet growth. Other research argues, from raised beaches, ice-rafted debris and wider regional evidence, for significant glaciation and retreat–advance behaviour earlier in the last cold stage, including MIS 3. These are reconstructions from different kinds of evidence, not a precise map for 31,839 BCE.

That uncertainty is historically important. Later glaciation profoundly altered the chances of discovery. Moving ice eroded soils, displaced stones and sediments, and buried or removed land surfaces that might once have held camps, footprints, hearths or tools. The scarcity of Irish evidence from this period is therefore not proof that no people ever entered the island; equally, it is not licence to assert an undocumented population. The record has been filtered both by prehistoric processes and by survival.

People: The Necessary Caution

No secure settlement, house, hearth, tool assemblage, burial or artwork can currently be assigned to Ireland around 31,839 BCE. Consequently there is no evidence from which to describe Irish political authority, diplomacy, organised conflict, religion, language, learning, trade or domestic society at this date. There were no known Irish kingdoms, tribes or institutions. Claims about chiefs, hunting parties, ritual caves or exchanges across the Irish Sea would be imaginative reconstruction rather than history.

There is also no reliable year-specific case for humans processing the Castlepook MIS 3 fauna. A reindeer femur from the cave has been discussed because of a possible incision, but the mark’s origin and significance have been contested. It cannot bear the weight of a narrative about a 31,839 BCE hunting episode. Other alleged very early Irish stone artefacts have proved to be glacially transported, geologically derived or otherwise unsuitable evidence for occupation. The clearest published indication of human activity in Ireland is vastly later: cut marks on a brown-bear kneecap from Alice and Gwendoline Cave, County Clare, directly dated to about 12,810–12,590 calibrated years BP. Even that interpretation has prompted debate.

People certainly lived elsewhere in north-west Europe during the Upper Palaeolithic, adapting their technologies and movements to changing game, climates and coastlines. Such neighbouring evidence makes occasional contact with Ireland conceivable, especially where sea crossings were manageable. But

‘conceivable’ is not ‘demonstrated’. The island may have been visited intermittently, may have been bypassed, or may yet yield evidence lost in museum stores or protected cave deposits. For the present, human life in Ireland near this date must remain an unanswered question.

History Before History


Thus the most important development around 31,839 BCE was environmental rather than political: an island-region undergoing pronounced Late Pleistocene change, inhabited at least episodically by Ice Age mammals and approaching the climatic conditions from which the Last Glacial Maximum would emerge. Caves in Cork and neighbouring counties are the principal archive. Their bones, sediments and revised dates reveal both the depth of Ireland’s prehistory and its limits.

The appropriate historical picture is not of an Irish society whose events have been forgotten. It is of landscapes, animals and ice processes whose traces survive unevenly, with human presence unproven. Each new direct radiocarbon date, sediment study and careful re-excavation may change that balance. Until then, 31,839 BCE belongs to a long, cold interval before securely documented settlement: a time illuminated by cave-bone evidence, disciplined by uncertainty, and resistant to the false certainty of a single numbered year.

Chapter 063 of 100

31838 BCE

Castlepook's Bone Chambers



31,838 BCE is not a year that can be recovered from Ireland's archaeological record in the way that a medieval annalistic year can. It is a modern calendar label projected far back into the Late Pleistocene. In archaeological terms it falls roughly 33,787 calendar years before AD 1950, or about 33.8 thousand calibrated years before present (cal BP). That conversion is useful for orientation, but it must not create false precision: radiocarbon results have uncertainties, must be calibrated, and often date a bone or sediment rather than a single event. For Ireland at this depth of time, evidence illuminates broad phases, landscapes and animal communities—not a dated day, season or political episode.

The most relevant period is Marine Isotope Stage 3 (MIS 3), part of the long last glaciation, known in Irish terminology as the Midlandian. It was not a single unchanging "Ice Age". Climate shifted abruptly between colder and relatively milder intervals, ice margins changed, and the extent of habitable ground varied from region to region. Around the nominal date, the great British–Irish Ice Sheet was approaching its later maximum expansion, rather than necessarily already covering every part of Ireland. Newer reconstructions place major ice-sheet growth after about 31,000 cal BP, with near-complete Irish coverage emerging by around 28,000 cal BP and the overall maximum later still. Those are modelled regional reconstructions, however, not a guarantee that every valley followed the same timetable.

A Country of Evidence, Not Kingdoms

There were no Irish kingdoms, chiefs, borders, treaties or named peoples that can responsibly be assigned to this date. There is no evidence for a permanent population, village, house, burial ground, shrine, tool-making floor, hearth or cultivated field in Ireland in c. 31,838 BCE. Nor can archaeology

identify an Irish language, religion, artistic tradition or system of learning at this time. Such absences are historically important. They mean that political affairs, diplomacy, formal conflict, trade and institutions are not merely unknown in detail: they are unsupported categories for this particular Irish horizon.

What survives instead is a difficult archive of cave deposits, animal bones, glacial sediments, fossil insects, pollen, plant remains and landforms. These materials have their own histories. A bone in a cave can have been carried there by a carnivore, washed in by water, disturbed by later digging, or moved within the cave long after the animal died. A radiocarbon date establishes the age of the sampled organic material, not automatically the age of every mark on it or the moment it entered its final resting place. The work of Pleistocene archaeology is therefore as much about testing routes of deposition as it is about identifying species.

The Castlepook Assemblage

Castlepook Cave, also called Mammoth Cave or Doneraile Cave, in north County Cork is central to any account of Ireland around this broad period. Excavations and quarrying there produced a remarkable collection of Late Pleistocene animal remains, much of it recovered in the late nineteenth and early twentieth centuries and now principally associated with the National Museum of Ireland's natural-history collections. Modern reassessment and improved radiocarbon pretreatment have made the cave more significant, but also more complicated: several older dates on Irish cave faunas have proved too young when re-tested.

The Castlepook material demonstrates that southern Ireland supported, at intervals before the Last Glacial Maximum, a substantial cold-stage fauna. The assemblage includes woolly mammoth, reindeer, spotted hyaena, brown bear, wolf, Arctic fox, hare and lemmings, alongside giant deer in the broader Irish Pleistocene record. These animals should not be imagined as a single herd gathered together on one ordinary day. Cave assemblages accumulate over time, and different species may represent different climatic episodes or the feeding habits of predators. Nevertheless, the combination is powerful evidence for open, cold landscapes capable of sustaining grazing and browsing animals, their predators and scavengers.

Spotted hyaena is especially revealing. Its presence at Castlepook strongly suggests that caves could function as carnivore dens or scavenging places, rather than human homes. Hyaenas can transport large bones and leave tooth damage; wolves and other carnivores may also alter a carcass assemblage. Mammoth bone at the site has attracted attention partly because of apparent damage consistent with carnivore activity. This makes Castlepook a record of animal movement, predation and scavenging as well as a potential place of human interest.

The Reindeer Femur Question

A reindeer femur from Castlepook has become the most debated object associated with this era. It has been described as carrying an incision consistent with a sharp stone tool, and public heritage accounts have presented it as possible evidence that Palaeolithic hunters butchered reindeer in Ireland around 33,000 years ago. If that interpretation were confirmed through further contextual and microscopic work, it would be extraordinarily important: it would indicate a human visit to Ireland more than twenty millennia before the traditionally recognised post-glacial settlement evidence.

Yet the responsible wording is *possible*, not proven. No securely associated stone tool, hearth, dwelling surface, human bone, repeated kill site or clearly stratified butchered assemblage of comparable age has been recovered from Ireland. The old excavation history of Castlepook limits what can be reconstructed about the femur's original layer and associations. The bone itself can be dated; the proposed human action depends on interpreting a single surface modification and excluding natural alternatives. It would be wrong to turn that possibility into a settled story of a resident hunting community.

Comparison sharpens the distinction. At Alice and Gwendoline Cave near Ennis, County Clare, a brown-bear kneecap with several cut marks was independently radiocarbon dated to approximately 12,810–12,590 cal BP and has been argued to provide evidence for a late Upper Palaeolithic human presence. That find is much later than 31,838 BCE, but it shows the standard required: direct dating, detailed bone-surface analysis and explicit consideration of depositional history. Castlepook may eventually enlarge Ireland's human story, but at present it is better understood as an important research problem than as proof of a 33,000-year-old settlement.

Open Tundra and Wet Ground

Environmental evidence from Derryvree near Maguiresbridge in County Fermanagh provides another window onto the wider Midlandian world. There, organic freshwater silts and fine sands lay between two tills within a drumlin. Their radiocarbon determination of 30,500 radiocarbon years BP is not identical with the nominal date in this article; once calibrated, it represents a broad and earlier calendar range. The deposits nevertheless belong to the same late MIS 3 environmental setting and demonstrate that at least this part of Ireland was ice-free between glacial advances.

Derryvree's plant and animal traces point to a treeless, periglacial muskeg: wet, moss-rich ground with open pools, sedges, grasses, herbs and sparse juniper or low shrub cover. Such evidence does not permit a photographic reconstruction of all Ireland. Fermanagh was not Cork, and environmental conditions changed through time. But it decisively counters the idea of an unbroken, featureless ice sheet across every Irish landscape throughout the glacial period. In suitable intervals there were wetlands, exposed ground and vegetation—enough ecological productivity to support small animals and, elsewhere, the large mammals represented at Castlepook.

The seasons would have been severe. Periglacial conditions imply long cold winters, freeze–thaw action, limited tree growth and a strongly seasonal food supply. Mammoth, reindeer and horse-like grazing animals, where present, would have depended on open vegetation; carnivores followed prey rather than political territories. Their movement across the wider north-west European world was an ecological process, not evidence for any organised Irish economy. We cannot show whether a particular reindeer passed through the Awbeg valley in this year, but we can say that the faunal and botanical record makes a cold, open and locally wet Irish landscape more plausible than a forested one.

Sea, Movement and Isolation

Lower global sea levels exposed large areas of the continental shelf, changing coastlines and widening the land available to cold-adapted animals. Ireland nevertheless remained separated from Britain by water during the Pleistocene. Any human arrival, if the Castlepook mark proves anthropogenic, would therefore have involved a sea crossing rather than an easy walk over a permanent land bridge. That inference makes the find potentially important for understanding Upper Palaeolithic mobility and watercraft, but it cannot supply evidence for regular routes, exchange networks or trade.

For the same reason, the term “settlement” needs restraint. A fleeting hunting or scavenging expedition, an unsuccessful colonising attempt, seasonal visits, or no people at all remain different possibilities. The later expansion of ice would have erased, buried or submerged much evidence, while also making sustained habitation exceptionally difficult. Archaeological silence is not proof that no person ever stood in Ireland during MIS 3; but neither is it permission to fill the silence with clans, camps and cultural identities.

What This Date Can Mean


The historical significance of c. 31,838 BCE lies in the threshold it represents. Ireland was part of a dynamic north-west European Ice-Age environment, with open habitats, wetlands, mobile animal populations and an ice sheet growing towards a later maximum. Castlepook’s bone-rich chambers preserve the strongest southern Irish faunal testimony to that world. Derryvree preserves a northern environmental archive showing ice-free, tundra-like conditions between glaciations. Together they reveal a country shaped by climate, animals and geological change long before securely documented communities.

That is a smaller story than a year of kings and battles, but not a lesser one. It is the precondition for every later Irish history: the making and remaking of the land itself, the survival of life in harsh conditions, and the fragile traces from which archaeologists must build their arguments. At this date, the most honest conclusion is also the most compelling: Ireland’s human past may have a deeper beginning than once believed, but the evidence is still asking to be tested.

Chapter 064 of 100

31837 BCE

Castlepook's Scored Femur



Modern calendar-year precision is not available for Ireland in 31,837 BCE. The label is a retrospective convenience, not a date that anyone then could have recognised, and it corresponds only approximately to 33,786 years before AD 1950. At this depth of time, the responsible unit is a broad calibrated interval, measured in millennia rather than seasons or years. Ireland lay within the Late Pleistocene, broadly Marine Isotope Stage 3, during an unstable later phase of the last Ice Age. The most relevant Irish evidence is not a written record, settlement plan or battlefield, but a difficult cave archive at Castlepook near Doneraile, north County Cork.

That archive makes this moment important. A reindeer femur from Castlepook has been directly radiocarbon dated to roughly 33,000 years ago and bears a deep incision interpreted by zooarchaeologist Ruth Carden as a cut or chop mark made with a sharp stone implement while the bone was fresh. If that interpretation is sustained, it is evidence that people processed an animal in Ireland during the period before the Last Glacial Maximum. It is not evidence for a town, a permanent population, a named culture or a particular hunt in 31,837 BCE. The bone comes from old, disturbed cave deposits, and no associated stone tool, hearth, dwelling or human remains has yet been recovered to demonstrate an occupation surface. The distinction is fundamental.

A Date Range, Not a Diary Entry

Radiocarbon determinations are not calendar dates in themselves. They must be calibrated against changing atmospheric carbon levels, and at more than 30,000 years ago the resulting ranges can be broad or irregular. The current IntCal20 calibration framework extends to 55,000 calendar years before present,

but it does not turn a single bone into an exact annual timestamp. The Castlepook femur should therefore be understood as belonging to a period around the mid-30th millennium before present, rather than as proof that butchery occurred in this particular numbered BCE year.

The cave's wider chronology is similarly long. Direct dates obtained from Castlepook animals extend across a substantial part of the middle and later Ice Age: Geological Survey Ireland summarises individual results spanning approximately 45,700 to 19,950 years BP. Such a spread means that the celebrated collection was accumulated through many generations of animals and changing environments. Water movement, nineteenth- and early twentieth-century excavation methods, and later disturbance have mixed or obscured relationships between bones. Castlepook is exceptionally valuable, but it is not a neatly layered campsite.

The Cave Above the Awbeg

Castlepook is a limestone cave system in lowland north Cork, near the Awbeg valley. Its galleries acquired evocative names during early exploration, among them Elephant Hall and Hyaena Hall. Between 1904 and 1918, Richard J. Ussher and colleagues excavated large quantities of animal remains; later work has re-examined surviving museum collections with modern dating and zooarchaeological methods. The early excavation recovered bones in very large numbers, but it did not employ the stratigraphic recording, sieving and spatial plotting expected today. Consequently, the collection can reveal which animals reached the cave and approximately when some lived, but often cannot say exactly how each bone arrived or which specimens were contemporary.

This is why the scored reindeer femur matters so much and must be handled so carefully. Its modification is unlike a simple species list: a fresh-bone incision consistent with a stone edge raises the possibility of human butchery. Yet the interpretation remains evidence of an action, not a complete social scene. A small travelling party might have killed or found a reindeer, removed meat or divided a carcass, and left little more than one modified element. Alternatively, further analysis may refine how the mark was made. Future excavations in undisturbed parts of Castlepook are especially important because securely stratified tools, hearth residues or repeatedly modified bones could test the case directly.

Animals of a Cold Mosaic

The Castlepook fauna provides the strongest picture of Ireland's living landscape around this broad interval. It includes woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, spotted hyaena, mountain hare and both Norwegian and collared lemmings. No single list proves that all these creatures shared the same valley at the same time. The cave accumulated remains over many millennia, and predators as well as water helped create the deposit. Nevertheless, the dated assemblage demonstrates that Ireland supported a far richer Pleistocene mammal community before the peak glaciation than the modern island does.

Reindeer and lemmings point towards open, cold environments, while mammoth and giant deer suggest extensive grazing opportunities. The most reasonable reconstruction is not a uniform sheet of snow or a continuous forest, but a shifting mosaic of grassland, herb-rich tundra, sedge-rich wet ground, exposed soil and scattered low shrubs. Seasonal snow cover, hard winds and marked variations in food would have structured animal movement. Carnivores followed the herbivores and, in the case of hyaenas, may have used caves as dens or feeding places. Castlepook itself may often have been more a carnivore and bone-collecting location than a human shelter.

Climate across the North Atlantic changed abruptly during Marine Isotope Stage 3. Ice-core records distinguish colder stadials from relatively milder interstadials, but translating a Greenland signal into a local Cork weather report would overstate the evidence. What can be said is that Ireland around c.34,000 calibrated years BP stood before the fullest expansion of the last British–Irish Ice Sheet. Research on ice-sheet growth indicates that northern and western sectors changed rapidly around 31,000–30,000 years ago, while evidence from southern Ireland also points to considerable regional variation in the timing and extent of ice. The future glacial maximum was approaching, but it had not yet erased the faunal world represented at Castlepook.

People at the Edge of Evidence

If the femur was butchered by people, they were almost certainly highly mobile hunter-gatherers using perishable equipment as well as stone. Their presence need not imply year-round residence. At this latitude and in this climate, small groups could have moved opportunistically through favourable terrain, tracking animal concentrations and exploiting sheltered places. Reindeer offered meat, fat, hide, sinew and bone; the mark on the femur may represent only one stage in a larger process of dismembering a carcass and carrying selected portions away.

But the evidence does not permit confident statements about houses, clothing styles, language, kinship, leadership or population size. No securely associated lithic assemblage identifies a particular Upper Palaeolithic tradition in Ireland at this date. Nor can archaeologists infer a direct ancestry between such possible visitors and the much later Mesolithic communities whose more substantial record begins after the Ice Age. Repeated ice advance, erosion, rising and falling seas, and the small number of targeted excavations all help explain why the record is so sparse. Absence of sites is not proof of absence of people, but neither is one modified bone proof of enduring colonisation.

Sea, Ice and Connection

Ireland's position on Europe's north-western margin shaped every possibility of movement. Lower global sea levels exposed broad continental shelves, but the Irish Sea was not automatically a simple dry land bridge. Geological studies have long questioned whether a reliable terrestrial crossing linked Ireland and Britain in the Late Quaternary; ice, sea level, isostatic change and local topography created a changing, hazardous geography. Any people reaching Cork may have travelled through landscapes and coastlines now drowned, transformed or buried beneath later glacial deposits. The route is unknown, and it should not be imagined as a settled road from Britain or mainland Europe.

Nor is there evidence for trade in the later prehistoric sense. A travelling hunting group could carry stone, skins, tools and knowledge over long distances without maintaining formal exchange networks or political ties. "Diplomacy", tribal territories and warfare are likewise beyond the evidence. Encounters between groups may have occurred, but no Irish material from this period identifies alliances, conflicts, leaders or institutions. The most that can responsibly be said is that survival depended on social cooperation: shared knowledge of animals, weather, raw materials and safe routes would have mattered greatly to any human visitors.

No Monuments, No Recorded Belief

There are no Irish monuments, burials, artworks or written traditions attributable to this time. It would be wrong to project later Irish sacred landscapes, Celtic traditions or medieval place-names back into an Ice-Age world separated from them by tens of thousands of years. Caves can acquire ritual meanings in many human societies, but Castlepook offers no evidence that it was a shrine. Its known significance is palaeontological and archaeological: it preserves a rare, imperfect record of animals, carnivores and perhaps people living before the island was engulfed by later ice.

Learning, in the sense relevant here, was embodied expertise rather than literacy. If people did process reindeer at Castlepook, their knowledge included the practical understanding required to approach dangerous large animals, use sharp stone edges, divide a carcass efficiently and navigate a severe landscape. That is an inference from the possible butchery evidence and comparative hunter-gatherer archaeology, not a directly observed Irish tradition. No language, myth or ceremony can be recovered from the femur.

An Island Before Its Later Histories


The year 31,837 BCE therefore cannot be given a conventional annual narrative. There were no Irish kingdoms, farms, churches, ports or recorded peoples. Its historical value lies in a threshold: Castlepook shows that pre-maximum Ice-Age Ireland was not necessarily an empty, featureless margin. A diverse fauna occupied parts of the island, and one reindeer bone plausibly preserves the trace of a human tool. Yet the cave's mixed deposits require restraint. The strongest conclusion is not that Ireland had a known permanent population, but that human presence or activity around the mid-30th millennium before present is a serious and consequential possibility awaiting firmer in-situ confirmation.

For now, Castlepook's scored femur is best treated as both discovery and question. It pushes Irish history far beyond the conventional horizon of post-glacial settlement, while reminding us that the earliest past is reconstructed from fragments: collagen, cut surfaces, cave sediment, animal teeth and the changing edge of ice. Around this point in deep time, that is the responsible history of Ireland.

Chapter 065 of 100

31836 BCE

Maguirebridge's Tundra Record



A Date Beyond Calendar Precision

The label 31,836 BCE gives a useful position on a modern timeline, but it cannot identify an event in Ireland during a particular year, season or generation. There are no written records, settlements, graves or securely dated occupation surfaces from which such precision could be claimed. In conventional “before present” notation, where present means 1950, the calendar arithmetic places this notional year at about 33,785 years BP. That is not itself a laboratory age. Radiocarbon measurements carry statistical uncertainty and must be calibrated against changing atmospheric carbon-14 levels; at this depth of time, their calendar ranges can span centuries or millennia.

The responsible setting is the later part of Marine Isotope Stage 3, within the Midlandian cold stage of Irish Quaternary history. Ireland was approaching, but had not yet reached, the Last Glacial Maximum, when the British-Irish Ice Sheet expanded dramatically between roughly 27,000 and 23,000 calibrated years BP. The evidence does not permit a single national weather report for 31,836 BCE. It does, however, reveal a cold, highly seasonal and environmentally varied Ireland in which some land was ice-free, large mammals moved through open country, and the next great advance of ice had not yet erased much of that world.

Silts Beneath a Drumlin

The closest dated environmental archive is at Derryvree near Maguiresbridge in County Fermanagh. Road works in 1969 cut through a drumlin and exposed freshwater silts and fine sands trapped between two separate tills: deposits left by ice before and after the sediments accumulated. The organic layer

yielded a conventional radiocarbon determination of 30,500 years BP, with a substantial uncertainty. Later calibration places it broadly around 36,900–31,700 calibrated years BP. The notional year 31,836 BCE therefore falls near the younger end of that wide bracket, rather than at a point that can be singled out within it.

Derryvree is important because its pollen, plant macrofossils and insect remains record an actual local environment rather than merely an inferred climate. The assemblage indicates treeless tundra or muskeg: wet, mossy ground around shallow freshwater, with sedges and other hardy herbs, and sparse vegetation on drier surfaces. A few pollen grains from trees such as pine and hazel occur, but these may have been reworked from older deposits rather than proving nearby woodland. The stronger conclusion is that south Fermanagh was open, cold and periglacial. Winter freezing, thawing, poorly developed soils and seasonal meltwater mattered more to the shape of daily landscapes than any forest canopy.

This was not a featureless snow desert. Mosses, wetland plants and herb-rich patches could support invertebrates and grazing animals during favourable seasons. Yet the evidence also warns against an idyllic reconstruction. Vegetation was probably discontinuous, exposed ground was extensive, and conditions could change sharply over short distances according to drainage, aspect and shelter. The buried Derryvree sediments survive precisely because later ice and sediment sealed them; much comparable evidence elsewhere was scoured away by subsequent glaciation.

Castlepook and the Animal World

Over 300 kilometres to the south-west, Castlepook Cave near Doneraile in north County Cork supplies Ireland's richest and most discussed pre-Last Glacial Maximum animal archive. Its nineteenth- and early twentieth-century excavations recovered a remarkable mixture of bones and teeth, including mammoth, reindeer, giant deer, brown bear, wolf, mountain hare, Arctic fox, lemmings and spotted hyena. The list conveys a world unlike modern Ireland, but it must not be converted into a single scene. Caves accumulate remains over long periods; animals may die in them, drag prey into them, den there, or have their bones moved by water, sediment and later excavators.

Modern redating has made that caution especially necessary. Improved collagen pretreatment showed that several earlier determinations on southern Irish cave fauna had produced ages that were too young, sometimes by thousands of radiocarbon years. The revised results strengthen the case for a diverse Irish MIS 3 fauna, while also suggesting that some animals once assumed to overlap may not have done so. In particular, giant deer and spotted hyena may have disappeared locally before about 40,000 calibrated years BP. They are therefore part of the longer pre-glacial record, not animals that can securely be placed together at 31,836 BCE.

Reindeer are more directly relevant. A Castlepook reindeer femur has been publicly reported as about 33,000 years old and to bear a deep incision interpreted as a cut made with a sharp stone tool on fresh bone. If that interpretation is upheld, it would be exceptionally early evidence that people handled or butchered a reindeer in Ireland. Its importance is obvious: it would shift the island's known human story far beyond the better-supported terminal Pleistocene evidence from County Clare.

But the claim has limits. The bone came from a historically excavated cave collection, not from a newly excavated, intact camp floor. A radiocarbon date measures the death of the animal, not the precise instant at which any mark was made. Identifying a line on bone as a tool cut rather than carnivore damage, breakage or later abrasion is a separate specialist judgement. No securely associated hearth, stone-tool

assemblage, dwelling, burial or repeated occupation horizon of this age has yet been demonstrated at Castlepook. The find may signal a brief visit or carcass-processing episode; it does not establish a permanent population, a named people, continuity with later inhabitants, or an Irish hunting society.

People, Power and Belief: What Cannot Be Seen

For this period, conventional headings such as politics, diplomacy, warfare, religion and learning largely describe absences in the record rather than recoverable institutions. There is no evidence for chiefs, kingdoms, borders, treaties, organised conflict, monuments, formal ritual places, writing, named languages or social ranks in Ireland around this date. It would be misleading to supply them by analogy with later prehistoric Ireland or with the rich Upper Palaeolithic records of France and Iberia.

If people did reach Ireland, their likely social world can be discussed only at the most general level. Elsewhere in north-west Europe, small mobile groups used stone tools, shared practical knowledge through face-to-face networks and followed seasonal opportunities involving animals, plants, fuel and shelter. Such comparisons help explain what a short Irish visit might have involved, but they are not evidence that every practice, technology or artistic tradition was present here. Ireland currently offers no securely dated cave art, portable art, house, hearth or lithic assemblage attributable to about 33,800 calibrated years BP.

Movement Across a Changing Geography

Nor should modern geography be projected backwards without qualification. Global sea level was lower during the glacial world, and large parts of the continental shelf that are now submerged formed dry land or were affected by ice. Ireland, Britain, the Irish Sea basin and the Atlantic shelf were being reshaped by fluctuating ice margins, rivers, marine waters and crustal movement. Lower sea level made animal and possible human movement less improbable than it would be today, but it does not prove a broad, stable land bridge or a particular route from Britain or continental Europe.

The animal evidence demonstrates that dispersal occurred at some points during MIS 3. Mammoth and reindeer did not originate in an isolated modern island ecosystem. Yet animals could have moved during different climatic episodes and across different routes, while a human party could have arrived by a route no longer visible. The prudent conclusion is one of connectivity, not certainty: Ireland was tied to a changing north-west European landscape, but the precise corridors, duration and frequency of those connections remain contested.

An Economy of Survival, Not a Reconstructable Society

There is no evidence for farming, stock-keeping, pottery, metalworking, permanent houses, managed fields, formal trade or long-distance exchange in Ireland at this time. Any human economy, if humans were present, would have depended on immediate survival in an unstable cold environment: finding food, usable stone, fuel, water and shelter, and responding to animal movements and weather. The possible reindeer cut mark is relevant to hunting or scavenging, but it cannot tell us whether the animal was killed nearby, transported to the cave, shared among a group, or processed by one individual.

For the non-human inhabitants, the landscape was itself an economy of movement. Grazers and browsers exploited patchy plant resources; predators and scavengers followed them; caves and limestone fissures became accidental archives of those relationships. Hyena-chewed bones at Castlepook remind us

that people, if present, were not necessarily the principal agents behind bone accumulations. The Ice Age environment was not a backdrop awaiting human history. It was an active force, setting the limits within which animals and any visitors could survive.

Approaching Erasure

The greatest development relevant to Ireland around 31,836 BCE was not a datable political event but an environmental trajectory. Within several millennia, the Last Glacial Maximum would transform much of the island and its surrounding shelf under the British-Irish Ice Sheet. Glacial erosion removed or disturbed many older deposits, helping to explain why the record is so fragmentary. Derryvree survived beneath later till; cave deposits survived in protected chambers; scattered bones survived because collectors recovered them before quarrying and natural decay destroyed them.

Thus Ireland at this notional year is best understood through carefully bounded evidence. Derryvree provides a calibrated window onto cold, treeless, wet tundra in Fermanagh. Castlepook documents an extraordinary MIS 3 fauna in Cork and preserves a potentially momentous, but still limited, clue to human activity. Together they show an Ireland that was environmentally inhabited, regionally connected and on the threshold of profound glacial change. They do not yet reveal a calendar-year event, a settled community or a political history. The uncertainty is not a failure of the story; it is the central historical fact of this deep past.

Chapter 066 of 100

31835 BCE

Doneraile's Reindeer Ledger



The label 31,835 BCE is a modern chronological convenience, not a date that anyone in prehistoric Ireland could have named or recorded. There was no Irish calendar, writing, polity or historical chronicle from which a year-specific event can be recovered. In simple calendar arithmetic it corresponds to about 33,785 years before AD 1950, the conventional “present” used in archaeological dating. But that apparent precision is misleading: evidence of this age is normally expressed through radiocarbon determinations and calibrated ranges, not as a securely identifiable single year.

The responsible setting is the later part of the Late Pleistocene, broadly within Marine Isotope Stage 3 (MIS 3), a long and climatically unstable portion of the last Ice Age. Ireland was approaching, but had not necessarily yet reached, the fullest extent of the last British–Irish Ice Sheet. The evidence is too patchy to reconstruct every locality in one notional year. It can, however, illuminate the kinds of environments, animals and possible human movements that existed across parts of Ireland during the wider period around 34,000 calibrated years ago.

Dating a Deep Past

Radiocarbon dating does not deliver a direct calendar anniversary. A measurement estimates the remaining radioactive carbon in once-living material; it must then be calibrated against independently built records of changing atmospheric carbon. The resulting calendar range can be broad, particularly this far back in time. Moreover, a date on a bone establishes, within statistical limits, when the animal died. It does not automatically date a human action on that bone, identify where the animal was killed, or prove that people lived nearby.

That distinction matters acutely in Ireland. Much of the relevant evidence was recovered from caves during nineteenth- and early twentieth-century excavations, before modern standards of layer-by-layer recording, sediment sampling and spatial plotting. Caves are not simple time capsules. They may serve as animal dens, traps, shelters, drainage routes and repositories for material moved by carnivores, water, sediment collapse or later excavation. Recent improvements in pretreatment of bone collagen have shown that some earlier Irish radiocarbon dates were too young by several thousand years. The chronology is therefore a field of continuing refinement, not a finished ledger.

A Cold, Changing Island

Around this broad horizon, Ireland was part of a northern European world repeatedly reshaped by cold phases, milder intervals, changing sea levels and expanding ice. The Last Glacial Maximum, when the British–Irish Ice Sheet attained its greatest overall extent, came later, broadly between about 26,500 and 19,000 years ago. Reconstructions of ice-sheet growth show that conditions at about 31,000 years before present remained regionally variable and that some ice margins are poorly constrained. It would be wrong either to picture the whole island as a single unbroken ice cap or to imagine a familiar green, wooded countryside.

Where land was exposed and ecologically productive, it supported cold-adapted life. The best evidence suggests open landscapes rather than extensive closed forest: ground vegetation, grasses, sedges, herbs, dwarf shrubs, patches of bare mineral soil, wet hollows and seasonally frozen ground. Growing seasons were short, winters harsh and shelter unevenly distributed. Such country could still be biologically rich in particular places and seasons, especially where grazing animals found forage and predators or scavengers followed them.

Its geography also differed from that of modern Ireland. Global sea level was lower during glacial conditions, exposing far more of the continental shelves. Ireland was not necessarily joined to Britain or continental Europe by a dependable dry-land bridge at this precise stage, and the changing Irish Sea basin cannot be reduced to a single simple route. Yet lower seas altered coastlines, distances and potential pathways for animals and, possibly, people. This is evidence for a changing physical setting, not proof that a particular group crossed it in 31,835 BCE.

Derryvree's Periglacial Record

The clearest Irish environmental archive for the broader MIS 3 period lies far from County Cork, at Derryvree near Maguiresbridge in County Fermanagh. Roadworks in 1969 exposed freshwater silts and fine sands enclosed between two sheets of glacial till within a drumlin. The deposits produced a radiocarbon determination of $30,500 \pm 1,170/1,030$ radiocarbon years before present. That is not an exact calendar equivalent to the date considered here, but it belongs broadly to the same Middle Midlandian, MIS 3 world.

Pollen, plant remains, mosses and insects from Derryvree indicate a treeless, tundra-like and periglacial environment. Grasses and sedges were important, while moss-rich, waterlogged ground and open pools have prompted comparison with muskeg. The record is valuable precisely because it provides direct local environmental evidence rather than an imagined national landscape. It does not mean every Irish valley looked identical. Rather, it demonstrates that freshwater habitats and cold open vegetation could persist in parts of Ireland before later glacial advance covered and sealed the deposits.

In everyday ecological terms, water and seasonality mattered. Pools and marshy ground could sustain plants, insects and birds; better-drained patches could provide grazing; limestone caves and rock features offered shelter to some animals but also hazards and traps. The land was not empty merely because it was cold. It was a demanding mosaic in which food and refuge were distributed unevenly.

Castlepook and the Animal World

For southern Ireland, Castlepook Cave near Doneraile in north County Cork is indispensable. Also known as Mammoth Cave, it was explored in the early twentieth century and yielded a substantial assemblage of Late Pleistocene animal remains. Subsequent study and redating have made it one of the most important Irish records of fauna from before the Last Glacial Maximum. The cave has preserved remains attributed across a long span of time, rather than from one simultaneous animal community.

Its wider assemblage includes evidence for reindeer, brown bear, fox, hare, Arctic lemming, spotted hyaena and woolly mammoth, alongside other mammals. These names should be handled carefully. Their presence establishes that appropriate habitats and movement corridors existed at particular times in the broader glacial cycle; it does not show that all species stood together in the Awbeg Valley in 31,835 BCE. Some animals may have used the cave themselves, died naturally, or been carried in by scavengers. Spotted hyaena, notably, is known in Ireland from Castlepook and could accumulate bones in a den, complicating any attempt to read a bone deposit as a human campsite.

Nevertheless, the fauna changes the scale on which this early Irish landscape must be imagined. Reindeer indicate cold-country grazing opportunities. Mammoth remains point to an ecosystem far richer in large Pleistocene mammals than later Ireland. Carnivores and scavengers reveal an active food web in which carcasses were contested resources. Giant deer, hyaena and mammoth are not symbols of a timeless 'Ice Age'; the redated evidence suggests that some may have disappeared locally before the glacial maximum. Each specimen must therefore be assigned to its own date and context wherever possible.

The Reindeer Femur Question

One Castlepook find is especially relevant to this date: a reindeer femur bearing a deep incision interpreted by zooarchaeologist Ruth Carden as a mark made by a sharp stone tool during carcass processing. County Cork heritage material has presented the bone as dating to about 31,000 BCE, while public reporting has described it as roughly 33,000 years old. It raises the striking possibility that Upper Palaeolithic people handled or butchered reindeer in Ireland far earlier than the previously recognised late-glacial evidence for human activity.

The claim deserves attention, but also restraint. The femur came from an old cave collection, not from a newly excavated, intact occupation floor. No securely associated stone-tool assemblage, hearth, dwelling, human skeleton, burial, ornament or food-preparation area of comparable age has yet been recovered. A bone date and a proposed cut mark are important evidence, but they do not establish permanent settlement, continuous population, ancestry from those visitors to later Irish people, or a named archaeological culture.

If the mark is confirmed as anthropogenic and contemporary with the animal's death, the most economical interpretation would be a brief visit by a small, mobile hunting or foraging party, perhaps processing a carcass obtained nearby or elsewhere. Reindeer could provide meat, marrow, fat, hide, sinew,

antler and bone. That inference fits wider Upper Palaeolithic practices in north-west Europe, but it remains an inference. Ireland has not yielded the accompanying evidence needed to describe the visitors' language, kinship, clothing, ritual or length of stay.

Society Beyond the Evidence

There is no basis for describing political affairs, diplomacy, warfare, chieftainship, law or territorial states in Ireland at this point. Nor is there direct Irish evidence for farming, fields, trade ports, formal religious monuments, schools or durable settlements. These absences are not minor gaps in an otherwise familiar national story: they define the nature of the record. The most important 'politics' recoverable here are environmental pressures—access to food, shelter, safe passage and seasonal resources—rather than institutions or rulers.

Likewise, no artefacts allow a responsible account of artistic traditions, ceremonial practice or learning. Continental Europe preserves spectacular Upper Palaeolithic art and ornament, but these cannot be transferred automatically across the sea to Ireland. The absence of such evidence may partly reflect later glacial erosion, changing coastlines and the limited survival or discovery of suitable sites. It remains absence, however, and should not be filled with invented caveside rituals or imagined tribes.

An Archive Still Opening


The historical importance of this horizon lies in its uncertainty as much as in its drama. Derryvree preserves hard-won evidence for a cold, open freshwater landscape; Castlepook preserves an unusually rich faunal archive and a potentially transformative trace of human butchery. Modern excavation at Castlepook has sought surviving undisturbed Pleistocene deposits that may test older claims through better stratigraphy, dating and microscopic analysis.

For Ireland around 31,835 BCE, the firm conclusion is modest but significant. Parts of the island supported cold-climate ecosystems during MIS 3, and animals moved through landscapes whose form and coastlines differed greatly from those of today. A reindeer femur from Doneraile offers a serious, though not yet fully contextualised, possibility of human activity. It is not an annual event, a settlement story or the beginning of an unbroken Irish population. It is a fragmentary clue from a deep past whose most responsible history remains one of evidence, calibration and careful doubt.

Chapter 067 of 100

31834 BCE

Derryvree's Arctic Sediments



31,834 BCE cannot be treated as a year in the ordinary historical sense. No written record, settlement sequence, political chronology or archaeological layer allows Ireland to be described on that single calendar-year scale. The date is best understood as a modern conversion, roughly 33,800 calendar years before 1950, within the later part of the Middle Weichselian or Midlandian cold stage, commonly correlated with Marine Isotope Stage 3. The responsible question is therefore not “what happened in Ireland that year?”, but what the surviving geological and palaeontological evidence can say about conditions across a broad interval surrounding it.

That evidence presents an Ireland in a changing Ice Age world: sometimes open enough to sustain tundra vegetation and a striking community of cold-adapted animals, yet increasingly vulnerable to renewed glaciation. It also offers no secure basis for describing an Irish people, polity or permanent settlement at this date. The island’s story is preserved instead in cave bones, freshwater silts, pollen, mosses, glacial sediments and the difficult work of dating them.

Beyond Calendar-Year History

Dates this remote are produced by scientific measurements with margins of uncertainty, not by calendars. Radiocarbon ages must be calibrated against changing atmospheric carbon levels; even then, the results are ranges, sometimes broad ones. Sediments can be displaced by ice, bones can be redeposited within caves, and material from different episodes can become mixed. A fossil collection labelled “Ice Age” is not automatically a single living community or a single moment in time.

For this reason, 31,834 BCE should not be attached to a named Irish event. It lies within an interval when the British–Irish Ice Sheet was developing unevenly and when the evidence before about 31,000 years ago is notably sparse. Major recent reconstructions can map ice-sheet behaviour in thousand-year

steps from 31,000 years ago, but explicitly stress the large uncertainties affecting earlier margin positions. They suggest that ice accumulated on high ground in northern Ireland by around 31,000 years ago; they do not provide a precise map for every part of the island two or three millennia earlier.

The familiar Last Glacial Maximum, when ice reached its greatest late-glacial extent, belongs mainly to a later span, broadly after about 26,000 years ago. In 31,834 BCE Ireland was approaching that harsher phase, not yet standing at its simplest or most uniform climatic peak. The key fact is variability: ice, sea, vegetation and animal habitats altered over centuries and millennia, while the chronology available to archaeologists is much coarser.

A Patchwork of Ice and Open Ground

It would be misleading to imagine the whole island either as a single white ice cap or as a wholly open plain. The British–Irish Ice Sheet was dynamic. Its growth and retreat responded to shifts in temperature, snowfall, sea level, topography and the behaviour of fast-flowing ice streams. Marine and land-based evidence indicates that glaciation occurred before the later maximum and that advances and retreats took place during Marine Isotope Stage 3. Yet the size and exact limits of those earlier ice masses remain debated.

Southern Ireland is especially important because caves and coastal deposits there preserve evidence that some land was at times available to animals. The limestone country around Doneraile in north Cork, for example, contains Castlepook Cave, also called Mammoth Cave, whose deposits have yielded an exceptional Pleistocene fauna. That does not mean that every animal represented there shared one landscape at one time. It does show that, during the broad 45,000–20,000-year interval documented by direct dating of Irish cave fauna, Ireland could support mammals normally associated with open, cold European environments.

In Fermanagh, the Derryvree deposits beneath a drumlin provide another kind of evidence. Roadworks exposed freshwater silts and fine sands containing plant and animal remains. Their reported conventional radiocarbon age of $30,500 \pm 1,170/1,030$ years BP is not a calendar date for 31,834 BCE; once calibrated, its uncertainty spans millennia. Nevertheless, the deposit is highly relevant to the wider period. Its pollen, moss macrofossils and fauna point to open tundra and a periglacial climate before later ice covered the site. Fine-grained sediment accumulated in cold freshwater conditions, only to be buried and protected beneath glacial material.

What the Fossils Show

The strongest evidence for everyday ecology is animal rather than human. Castlepook has produced remains attributed to woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, spotted hyaena, mountain hare and lemmings. The list should be read carefully. It records species known from the cave deposits across a long and complicated span, not a census for one day or one year. Some remains may be older or younger than others, and caves are places where predators, scavengers, water, sediment and later excavators can combine materials.

Even with that caution, the assemblage transforms the popular image of prehistoric Ireland. This was not a forested landscape inhabited by the later, familiar Irish fauna. The Derryvree evidence instead supports sparse herb-rich tundra or steppe-tundra vegetation, with sedges, grasses, herbs, mosses and low

shrubs in suitable places. Exposed soils, seasonal wetlands and frost-shattered ground would have formed a demanding mosaic. Trees, if present locally during milder episodes, were not the dominant closed woodland of the post-glacial world.

Large herbivores could exploit that open country. Reindeer were suited to highly seasonal terrain; mammoths and giant deer indicate that enough forage existed, at least intermittently, to support substantial grazing and browsing animals. Carnivores reveal a food web rather than a peaceful game park. Wolves and hyaenas competed with each other and scavenged or hunted; caves could serve as dens, shelters or traps for remains. Their presence also warns against assuming that a bone in a cave necessarily represents human activity.

People: An Unresolved Possibility

At this date there is no securely established settlement, hearth, tool assemblage, burial or dwelling in Ireland from which to reconstruct families, language, ritual or social organisation. The National Museum of Ireland continues to state that clear evidence for human presence in the Irish Palaeolithic has not emerged. That judgement reflects the very high standard rightly required: a convincing human occupation needs securely dated artefacts or unequivocal traces of human action in reliable context.

A reindeer femur from Castlepook has nevertheless made the question more interesting. Reassessment identified a single mark interpreted as potentially made by a sharp stone tool during carcass processing. If that interpretation is sustained and if the bone's chronological association is demonstrated, it could indicate a fleeting Upper Palaeolithic human visit much earlier than Ireland's formerly accepted record. But one mark on a cave bone is not proof of a resident population. Natural damage, excavation history, dating association and the absence of accompanying artefacts all matter. It is evidence under evaluation, not a foundation for a narrative of Irish hunters in 31,834 BCE.

The contrast with the better documented terminal Pleistocene is useful. At Alice and Gwendoline Cave in County Clare, a cut-marked brown-bear bone has produced calibrated ranges of 12,810–12,590 and 12,810–12,685 cal BP from two laboratories, providing firm evidence of human activity far later than the date considered here. Such calibrated ranges demonstrate both the power and the limits of archaeological chronology: even excellent evidence gives an interval, not an entry in an annual annal.

No Kingdoms, Markets or Monuments

Political affairs, diplomacy and organised warfare cannot responsibly be described for Ireland in 31,834 BCE. There are no rulers, tribal names, boundaries, alliances or institutions in the evidence. Nor is there support for agriculture, stock-keeping, pottery, metalwork, monuments, trade networks or religious shrines. Those belong to vastly later chapters of Irish prehistory.

If people did occasionally reach the island during this phase, their economy would have depended on mobile foraging: observation of animals, use of stone, wood and hide, and rapid adjustment to weather and season. That is an inference from Upper Palaeolithic lifeways elsewhere in north-west Europe, not a demonstrated Irish social system. Any visitors would have faced a maritime barrier or shifting coastal passages, dangerous weather and an ecosystem dominated by large animals and predators. The low diversity of Ireland's known Pleistocene mammal fauna compared with Britain also suggests that colonisation by land animals was episodic and constrained.

There is likewise no direct evidence for religious practice or formal learning. Yet the skills required to survive in such a world—reading snow, wind, animal tracks, water, stone sources and seasonal movement—would have been profound forms of practical knowledge wherever human groups existed. It would be wrong, however, to claim those skills specifically for Ireland without a secure archaeological population.

An Island Becoming Legible


The lasting importance of this remote date is not an event but a threshold. Around this broad period, Ireland was part of a north-west European environmental system repeatedly reshaped by ice-sheet growth, low sea levels, exposed shelves and changing routes for animals. The island's later physical character—its scoured rock surfaces, drumlin fields, sediment-filled basins and altered drainage—was being prepared by glacial processes, although many individual landforms belong to later advances and retreats.

Derryvree's silts and Castlepook's bones make that hidden history legible. They show that Ireland was neither empty geological backdrop nor a settled human homeland. It was an unstable cold-world landscape with freshwater hollows, open vegetation and visiting or resident animal communities, while ice gathered and advanced elsewhere. For 31,834 BCE, that is the honest historical picture: not a dated episode, but a carefully bounded reconstruction from evidence that survives only in fragments.

Chapter 068 of 100

31833 BCE

Derryvree's Sedge Marsh



31,833 BCE is a modern calendar label, not a date that can be recovered from the Irish archaeological record with year-by-year precision. There were no written calendars, named communities or documentary events in Ireland at this depth of time. In the conventional system of years before AD 1950, the label falls about 33,783 calendar years BP. The responsible historical scale is therefore a broad Late Pleistocene interval, not a single year. It belongs to Marine Isotope Stage 3, a volatile phase of the last Ice Age, before the fullest expansion of the British–Irish Ice Sheet.

The evidence for Ireland at this point is primarily geological, palaeoenvironmental and faunal. It comes from buried freshwater sediments, cave-bone collections, pollen, plant remains, insects and the landforms left by later ice. These sources can illuminate climates, habitats and animal movements. They cannot identify a government, a tribe, a diplomatic agreement, a battle, a religious rite or a settled village. The most important development around this notional year was environmental: parts of Ireland still supported cold-stage landscapes and animal communities, but conditions were changing towards the much more extensive glaciation that would later remodel the island.

An Interval Rather Than an Event

The best Irish chronological anchor is the Derryvree sequence near Maguiresbridge in County Fermanagh. Roadworks in 1969 cut through a drumlin and exposed organic freshwater silts and fine sands trapped between two substantial layers of till, sediment laid down by ice. This order is crucial. It records glaciation, then an ice-free freshwater environment, followed by another glacial advance. Derryvree is not a record of all Ireland, but it decisively complicates any simple image of an island continuously buried beneath ice.

The original radiocarbon determination from Derryvree was 30,500 radiocarbon years BP, with a large uncertainty. Radiocarbon years are not calendar years: atmospheric carbon-14 levels have changed through time, so dates require calibration against internationally maintained curves. Later calibration places the deposit broadly at about 36,900–31,700 calibrated years BP. The modern label 31,833 BCE falls within that wide span. That does not mean a particular layer, plant or animal can be assigned to this exact year; it means that the Derryvree environment is relevant to the larger period in which that year falls.

Greenagho, near Belcoo in the same county, provides a related indication of ice-free north-central Ireland. Organic material from lacustrine deposits beneath till has been calibrated to roughly 37,200–35,700 years BP. Taken together, these sites support the interpretation that substantial inland areas remained free of the final great Irish ice expansion until at least around 34,000 years ago. The precise pattern of earlier ice cover, however, remains debated. Ancient deposits are rare, frequently disturbed and difficult to date; later glaciers destroyed much of the evidence that might have settled the question.

A Cold, Open Country

Derryvree's biological remains describe a severe but living landscape. Its flora and fauna have been interpreted as evidence for open tundra and a periglacial climate: ground affected by intense frost, seasonal thaw and short growing seasons, rather than by permanent local ice. Mosses, sedges, grasses, herbs and low shrubs could survive where dense woodland could not. Wet hollows and shallow water lay among exposed ground. The useful modern comparison is not a uniform snowfield but a patchwork of sedge-rich marsh, frost-shattered soil, sparse vegetation and freshwater margins, changing sharply with season and shelter.

This should not be turned into a precise weather report. The Derryvree deposit represents a local basin, and pollen may travel or be redeposited. Yet plant macrofossils, pollen and insect evidence from comparable Irish cold-phase deposits consistently indicate open, treeless or very sparsely wooded settings. The landscape was likely highly seasonal. Summers could briefly support vegetation attractive to grazing animals; winters brought prolonged cold, frozen ground and restricted food. Rivers, pools and wet ground were important ecological refuges, even as they accumulated the silts that now permit this reconstruction.

Marine Isotope Stage 3 was climatically unstable across the North Atlantic world. Its warmer and colder oscillations affected sea level, vegetation, snow accumulation, glacier margins and the routes available to animals. Ireland's local record cannot match every Greenland climatic shift to a named valley or decade. What it does show is variation rather than permanence. At about 31,833 BCE, the island was not yet the fully ice-covered terrain of the later Last Glacial Maximum, but neither was it approaching a temperate landscape. It was part of a northern cold-world frontier in transition.

Animals at Castlepook

The principal evidence from southern Ireland comes from Castlepook Cave, also called Mammoth Cave, near Doneraile in north County Cork. Its old collections, supplemented by modern reassessment, contain one of Ireland's most important Pleistocene faunal assemblages. Remains attributed to reindeer, giant deer, woolly mammoth, brown bear, wolf, Arctic fox, mountain hare, lemmings and spotted hyaena show that, at different times during the later Ice Age, Ireland was ecologically connected to the wider north-west European world.

That list must be handled carefully. A cave is not necessarily a settlement, nor even a single contemporaneous animal community. Carnivores may drag carcass parts inside; animals can die in caves; water and sediment can move bones; nineteenth- and early twentieth-century excavations often lacked the recording standards now expected. The Castlepook collections are therefore evidence for the presence of species over lengthy intervals, not a census for 31,833 BCE. Reindeer and mammoth should not be imagined automatically sharing the same valley, season or herd.

Nevertheless, the fauna matters. Reindeer point to open, cold habitats and mobile grazing resources. Hyenas and wolves indicate predators and scavengers able to exploit carcasses in this landscape. Mammoth and giant deer remains suggest that parts of Ireland could, at favourable moments, support large herbivores. The animal world was richer and more continental in character than Ireland's later historic fauna. Its existence also indicates that barriers of water, ice and terrain were not absolute over the long term, though the precise routes and timing of colonisation remain matters for palaeogeographical reconstruction.

The Human Question

A reindeer femur from Castlepook has made this period unusually important for Irish archaeology. Zooarchaeologist Ruth Carden identified a deep mark on the bone as consistent with a cut made by a sharp stone tool during carcass processing. County Cork heritage material dates the bone broadly to about 31,000 BCE and presents it as potential evidence that Palaeolithic hunters handled reindeer in Ireland. If sustained, this interpretation would push possible human activity on the island dramatically earlier than the better-established Late Palaeolithic evidence from County Clare and the substantial Mesolithic settlement record beginning millennia later.

The claim is promising, but its limits are fundamental. The specimen derives from an old cave collection rather than a modern excavation of an intact occupation surface. A radiocarbon date establishes the age of the animal's death, not automatically the moment when the mark was made, the number of people involved, or the place where the animal was killed. Identifying a line on bone as a stone-tool cut, rather than carnivore damage, sediment abrasion, weathering or later damage, is a specialist taphonomic judgement. No securely associated hearth, stone-tool assemblage, dwelling floor, grave or repeated processing area of comparable age has been demonstrated in Ireland.

The evidence can therefore support only a restrained possibility: people may have made a brief visit to Ireland during this broad cold-stage period and may have butchered a reindeer. It cannot support a permanent population, a named archaeological culture, a continuous line of descent to later inhabitants or a settled hunting camp at Castlepook. Further excavation of undisturbed deposits, direct dating and microscopic analysis of bone surfaces are needed before the tentative trace can bear more historical weight.

Society Beyond the Evidence

There is no responsible basis for describing political affairs in Ireland in 31,833 BCE. No state, kingship, chieftdom, territorial boundary or diplomatic system is evidenced. Equally, there is no material proof of organised warfare, formal religion, monuments, farming, domestic architecture, metalworking, exchange institutions or long-distance trade. These are not absences that archaeology can always prove absolutely; rather, the surviving record is far too slight to make such claims.

If the Castlepook cut mark proves anthropogenic, it would imply a highly mobile and small-scale form of activity: people with a sharp stone edge, knowledge of animal anatomy and the ability to reach a difficult cold-stage landscape. Such an inference concerns a practical act of carcass processing, not a complete way of life. It is reasonable to say that any visitors would have depended on flexible movement, clothing, fire, shelter and social cooperation, as other Upper Palaeolithic groups did in northern Europe. It is not reasonable to claim those things as directly observed in Ireland, where none has yet been recovered for this period.

Approaching the Great Advance


The longer trajectory is clearer than the notional year. Reconstructions of the British–Irish Ice Sheet indicate major growth after the interval represented by Derryvree. By the local Last Glacial Maximum, roughly 27,000–23,000 years BP in many reconstructions, ice had expanded across almost all of Ireland and far onto the surrounding continental shelf. Its movement eroded older landscapes, rearranged sediments and left the drumlins, tills, meltwater channels and rock-scoured surfaces that dominate much of the island’s physical geography.

In that sense, Derryvree’s buried sedge marsh is a precious survival from before the great remaking. Around 31,833 BCE, Ireland’s history is not one of rulers and recorded deeds but of freshwater basins, wandering animals, frost-driven ground and gathering ice. The archaeological record offers a landscape in which human presence is, at most, a disputed flicker. Its strongest testimony is to ecological possibility and approaching environmental change—an Ice Age Ireland that was harsh, inhabited by animals, locally ice-free, and soon to be transformed again.

Chapter 069 of 100

31832 BCE

Doneraile's Incised Reindeer Femur



Modern calendar-year precision is not available for Ireland in 31,832 BCE. Nobody on the island used this year-number, and no document, settlement layer or dated event can be tied to it. The label is a modern point on a much wider timescale: approximately 33,780 calibrated years before AD 1950, or c. 33.8 thousand calibrated years BP. At this depth in time, calibrated ranges, deposits and laboratory measurements are more meaningful than an apparent single year. Ireland belonged to the Late Pleistocene world of Marine Isotope Stage 3 (MIS 3), a long, climatically unstable portion of the last glacial cycle.

The evidence is fragmentary but significant. Cave bones in the south and waterlogged sediments in the north show that parts of Ireland supported cold-climate animal and plant communities before the Last Glacial Maximum. They do not yield a political narrative or prove a settled human population. Yet they illuminate a landscape far older than farming, monuments, Irish kingdoms or even the post-glacial hunter-gatherer communities more securely known from later millennia.

A Date Within Ranges

The conversion of 31,832 BCE into a scientific age should not imply false exactitude. Archaeologists conventionally express radiocarbon results in years before present, where “present” means AD 1950. Radiocarbon ages also require calibration because the amount of carbon-14 in the atmosphere has varied over time. For this remote period, the calibration curve is built from several independently dated natural archives rather than from a continuous local Irish record. A laboratory date may therefore translate into a broad calibrated interval, not a single calendar year.

Nor do the relevant Irish deposits form a neat annual sequence. An animal bone can date the death of an animal, but not necessarily the moment at which it entered a cave. A cave may have been a carnivore den, a trap, a refuge, a place through which water and sediment passed, or all of these in different phases. Many of the bones from Castlepook Cave near Doneraile, County Cork, were recovered in antiquarian and early twentieth-century excavations, before modern expectations of stratigraphic recording. Their scientific value is real, but so are the limits on reconstructing precisely associated events.

Before the Ice Sheet's Peak

About 33.8 thousand calibrated years ago, Ireland had not yet reached the Last Glacial Maximum, the later interval when ice sheets attained their greatest broad extent. Reconstructions of the British–Irish Ice Sheet show that its advance and retreat varied markedly between regions; the fullest Late Pleistocene ice expansion belongs largely to the period after this notional year, especially c. 26,500–19,000 years ago in global terminology. The island around 31,832 BCE should therefore not be pictured simply as a uniform white cap of ice.

That does not make it a mild or stable country. MIS 3 was an interval of pronounced climatic shifts, and the distribution of ice, snow, permafrost, vegetation and animals could alter over centuries and millennia. Lower global sea levels exposed large areas of the continental shelf. Ireland's coastlines and its connections with neighbouring lands were consequently unlike those of today, although the exact routes available at any one time remain uncertain. It is reasonable to see the island as part of a wider north-west European ecological zone; it is not responsible to draw a fixed land bridge or a precise shoreline for this one nominal year.

Glacial processes were already shaping the terrain that later generations would inherit. Moving ice, meltwater and frost broke rock, shifted sediments and remodelled valleys and lowlands. Much of the familiar modern surface of Ireland is a legacy of later glacial erosion and deposition. This destructive power also helps explain the archaeological silence: open-air camps, fragile hearths and small stone artefacts would have had poor prospects of surviving subsequent ice advance, erosion and acidic soils.

Derryvree's Open Country

One of the best Irish environmental records for the broader period lies at Derryvree near Maguiresbridge in County Fermanagh. Roadworks in 1969 exposed freshwater silts and fine sands sealed between two substantial sheets of till within a drumlin. The organic sediments produced a radiocarbon determination of 30,500 radiocarbon years BP, with a sizeable error range. They cannot be assigned precisely to 31,832 BCE, but they offer important evidence for the Middle Midlandian, broadly corresponding to MIS 3.

The plants and small animals preserved at Derryvree indicate open tundra vegetation and a periglacial regime rather than woodland. In practical terms, this was a treeless, exposed environment with wet ground and freshwater habitats, subject to severe cold and seasonal constraints. Mosses, sedges and other low vegetation could sustain herbivores in favourable patches, while shallow water, silt and peat-like organic deposits recorded local conditions with an accidental durability unavailable to most Ice Age landscapes.

Derryvree is evidence for a particular environment in a particular region, not a complete map of Ireland. The record warns against imagining the whole island as identical. Altitude, drainage, shelter, proximity to ice and local water systems would all have mattered. Nevertheless, its central lesson is

secure: areas of Ireland were not continuously buried beneath ice throughout MIS 3, and cold open habitats existed during an interval that broadly includes this date.

The Castlepook Faunal Archive

In north County Cork, Castlepook Cave—also called Mammoth Cave or Doneraile Cave—provides the richest known Irish archive of vertebrate life before the Last Glacial Maximum. Its assemblage includes remains of woolly mammoth, giant deer, reindeer, brown bear, wolf and spotted hyaena, among other animals. These species did not necessarily live together at one moment. The cave accumulated material across a long span, and improved radiocarbon methods have shown that some earlier determinations underestimated the true ages of bones by thousands of years.

The revised chronology nevertheless establishes an important point. Large mammals reached Ireland during MIS 3, in some cases well before the maximum expansion of the later ice sheet. Their presence implies routes into the island's wider region and sufficient food and habitat at least intermittently. Reindeer are particularly apt indicators of open, cold-country conditions, while hyaena and wolf remains also remind us that carcasses were contested resources. A cave assemblage records animal movement, scavenging and deposition as much as it records the surrounding living community.

There was no prehistoric “Irish elk” in the cultural sense sometimes suggested by the popular name. Giant deer, *Megaloceros giganteus*, were a widespread Eurasian species, and their Irish bones are a valuable part of the Pleistocene record. Mammoth similarly evokes an Ice Age world now absent from the island, but its remains must not be used to fill every valley with mammoth herds. The evidence demonstrates occurrence over long periods, not a census of wildlife in 31,832 BCE.

The Mark on a Reindeer Bone

A reindeer femur from Castlepook has acquired special importance because it has been dated to roughly 33,000 years ago and bears a deep incision interpreted by Ruth Carden as a cut mark made with a sharp stone tool during butchery. County Cork heritage material presents it as possible evidence that Palaeolithic hunters handled reindeer in the Doneraile area far earlier than the long-established post-glacial record of human activity in Ireland. If the interpretation is confirmed through further research, it would be an exceptionally early trace of people on the island.

The necessary caution is as historically important as the discovery. The bone did not come from a recently excavated, intact occupation floor with associated tools, hearths and food debris. The radiocarbon result dates the animal's death, not automatically the making of the incision, the place where it was killed or the length of any human visit. No securely associated Upper Palaeolithic stone-tool assemblage, dwelling, burial or human bone has yet established a resident community in Ireland at this date. The best formulation is that short-lived human activity is possible, perhaps involving the processing of reindeer, while permanent settlement remains unproved.

If people did reach Ireland, they should not be given later ethnic names or imagined as ancestors of a continuous population. They would have been mobile hunter-gatherers operating in a demanding Ice Age landscape. Their immediate economy, insofar as the marked bone hints at one, would have centred on the acquisition and processing of animal resources rather than cultivation. There is no evidence here for crops, livestock, pottery, metalworking, built villages, regular overseas trade or managed fields.

What Cannot Be Recovered

Political affairs, diplomacy and organised conflict cannot responsibly be described for Ireland in this year. There are no named groups, rulers, laws, territories, alliances or battle sites. Predators competed for animals and shelter; any people present would have faced weather, hunger and risk. Such ecological pressures are not evidence of warfare or government. Equally, no Irish monument, ritual deposit, cave art, ornament, inscription or ceremonial structure is securely dated to this period.


Upper Palaeolithic communities elsewhere in Europe possessed skilled technologies and rich traditions of art and symbolism. That wider context makes it possible that visitors to Ireland had knowledge, customs and social ties beyond the island. It cannot prove that a particular artistic, religious or linguistic tradition existed at Castlepook. Absence of local evidence does not show an absence of imagination or belief; it defines the boundary between responsible inference and invention.

The history of Ireland around 31,832 BCE is thus not a story of a named event. It is the history of an unstable cold-age environment, of tundra wetlands at Derryvree, of large mammals entering southern Ireland, and of a single incised reindeer bone whose interpretation may yet alter the chronology of human arrival. Its strongest lesson is methodological: the deeper the past, the more carefully evidence, probability and possibility must be kept distinct.

Chapter 070 of 100

31831 BCE

Derryvree's Tundra Silt



31,831 BCE is not a year that can be recovered from the Irish archaeological record in any literal sense. It is a modern calendar label, equivalent as bookkeeping to roughly 33,780 calendar years before AD 1950, the conventional reference point for “BP”. Neither people nor animals in Ice-Age Ireland left evidence that can be assigned to one season, let alone one numbered year. The responsible subject is therefore Ireland during the later part of Marine Isotope Stage 3 (MIS 3), a long and climatically unstable interval of the last glacial cycle. The closest evidence consists of dated deposits, bones and cave sediments whose ranges span centuries or millennia. They illuminate a world of cold open ground, freshwater hollows and mobile animals, not an annual chronicle.

A Date Within a Long Cold Stage

MIS 3 broadly covers the interval before the most extensive phase of the last British–Irish Ice Sheet. It was not a single, unchanging “Ice Age”. Greenland ice-core records and Irish cave mineral deposits both indicate abrupt alternations between colder stadials and relatively milder interstadials. At Crag Cave in County Kerry, uranium-thorium dates show that stalagmites formed episodically during the last glacial period. Because liquid water was needed for their growth, these phases provide strong evidence that south-west Ireland sometimes experienced conditions above freezing, although they do not by themselves reveal the precise appearance of the landscape outside the cave at 31,831 BCE.

The numerical year should not be mistaken for a calibrated archaeological date. Radiocarbon determinations measure remaining carbon-14, then require calibration against an internationally maintained curve. At depths of more than 30,000 years, the relationship between radiocarbon and calendar

age is especially not a simple one-for-one conversion, and uncertainty ranges matter greatly. The modern IntCal20 curve extends to 55,000 calendar years BP, but it does not turn a broad environmental episode into a datable historical year.

Derryvree's Freshwater Record

The most informative Irish setting for this broad period lies at Derryvree, near Maguiresbridge in County Fermanagh. Road works in 1969 exposed a remarkable sequence through a drumlin: organic freshwater silts and fine sands lay between two thick tills, the deposits left by separate glacial advances. The organic layer produced a radiocarbon age of 30,500 years BP, with a reported uncertainty of $+1,170/-1,030$ years. That is a radiocarbon result rather than a direct calendar equivalent, but it places the deposit within the middle part of the last glacial cycle and makes it highly relevant to the environmental world surrounding the nominal date.

Its contents are more revealing than its bare age. Pollen, plant macrofossils and animal evidence indicated a full-glacial, periglacial environment: open tundra vegetation, sparse dry-land cover and wet ground resembling muskeg. Mosses and herbaceous plants mattered in such a landscape. They stabilised patches of soil, occupied wet depressions and supplied forage to the food web. A few grains from trees such as pine and hazel were not secure proof of local woodland; they may have travelled far or derived from older material. Derryvree therefore does not support pictures of a forested Ireland. It supports an exposed, cold and locally waterlogged country in which freshwater basins could preserve organic evidence before later ice buried it.

That sequence also teaches an important lesson about change. The lower and upper tills show that this was not a stable tundra lasting unchanged for generations beyond count. Ice advanced, sediment accumulated in an ice-free or less heavily glaciated interval, and ice later overrode the locality again. Much of the island's older surface archaeology would have been scoured away, reworked or sealed beneath glacial deposits. The scarcity of evidence is consequently part of the history, rather than proof that the landscape was empty of life.

Animals on Open Ground

Irish caves provide a second, more fragmentary archive. The Irish Quaternary Fauna Project concluded that a wide range of mammals reached Ireland between at least about 45,000 and 20,000 years ago. Later re-dating has demonstrated that several older cave radiocarbon results require revision, especially at Castlepook Cave near Doneraile in north Cork. Modern sample preparation produced dates substantially older than some 1990s results, and the revised work places important elements of the southern Irish fauna in MIS 3.

Among the animals represented in the wider southern cave record are reindeer, giant deer, horse, brown bear, wolf, hare, woolly mammoth and spotted hyaena. This is not a checklist for a single day at one Irish valley. Bones recovered in antiquarian cave digs can be mixed across time, carried in by scavengers, displaced by water or excavation, and dated specimens are only a fraction of an assemblage. Nevertheless, the fauna is decisive evidence that Ireland could sustain large grazing and browsing mammals, their predators and scavengers during portions of MIS 3. Reindeer in particular suit the picture from Derryvree: mobile herds exploiting open, herb-rich country rather than closed woodland.

Castlepook is especially valuable and especially difficult. Early twentieth-century excavators recovered abundant Ice-Age bones there, but their methods removed much of the original context. Recent work has sought surviving sediments in both upper and lower passages; it has confirmed the need for cautious micromorphological and chronological study rather than assuming that every old bone belongs together. Castlepook is best understood as a complex natural bone archive, potentially including carnivore activity, not as a securely excavated camp.

The Reindeer Femur Question

One object makes this period unusually important for Irish prehistory: a reindeer femur from Castlepook. It has been reported as approximately 33,000 years old and bears a deep mark interpreted by zooarchaeologist Ruth Carden as a cut made by a sharp stone tool during butchery. If that interpretation is confirmed, it would be the earliest known evidence for human activity in Ireland, dramatically earlier than the securely evidenced terminal-Pleistocene human presence at Alice and Gwendoline Cave in County Clare, dated to about 12,810–12,590 calibrated BP.

“If” is essential. The Castlepook femur is compelling but isolated. No associated stone tool, hearth, dwelling floor, human bone or undisturbed hunting surface has yet been published from the same context. A mark on bone must be distinguished from damage caused by trampling, carnivore teeth, sediment movement, excavation tools or later handling. Nor does a butchered limb demonstrate that a kill occurred in the cave: a hyaena or other scavenger could have transported discarded material there. The reported mark justifies renewed investigation; it cannot responsibly sustain an invented story of a named hunting party, a settlement or a migration in 31,831 BCE.

People Without a Political History

Should the reindeer mark prove anthropogenic, the minimum conclusion would be modest but momentous: one or more Upper Palaeolithic people reached Ireland during MIS 3 and processed animal tissue with a sharp implement. They may have been highly mobile hunters, but whether they came seasonally, briefly explored, or lived here for any length of time remains unknown. There is no evidence from this date for population size, kinship, language, ethnicity, leadership, territorial boundaries or enduring communities.

Accordingly, political affairs, diplomacy and organised conflict cannot be written for this Irish date. There were no recorded polities, no inscribed agreements and no monuments that can be assigned to this interval. Warfare cannot be inferred merely because people may have hunted large animals or travelled through harsh country. Similarly, religion, art, formal learning and ritual are archaeologically invisible here. Such practices may have existed among any people who visited Ireland, as they did among Upper Palaeolithic societies elsewhere in Europe, but Irish evidence does not identify them. To supply shamans, chiefs or ceremonies would be fiction presented as history.

Subsistence, Movement and a Changing Coast

What can be discussed is the material logic of survival. In a cold, largely treeless environment, animal movement, sheltered ground, freshwater and workable stone would have mattered. Reindeer, horse and perhaps other large mammals offered meat, fat, hide, sinew and bone; yet no Irish assemblage of tools or

camp debris presently demonstrates how people obtained or divided these resources around this time. “Economy” therefore means potential subsistence opportunities, not trade routes or a proven system of exchange. There is no evidence for agriculture, herding, pottery, metalworking or permanent village life.


Regional geography was also in flux. A British–Irish Ice Sheet reconstruction begins at 31,000 years BP, later than the nominal date but close enough to show the direction of rapid climatic change: ice was building in parts of the region, while its exact earlier Irish extent remains poorly constrained. The same reconstruction models sea level at 31 ka as roughly 50–100 metres below present around the archipelago. Exposed shelves would have altered coastlines and routes, but this is not evidence for a simple, continuous land bridge into Ireland at 31,831 BCE. Any crossing by people, animals or ice depended on shifting local topography, sea conditions and glaciation.

The central development, then, was environmental precariousness. Ireland possessed habitable pockets and a substantial Ice-Age fauna during parts of MIS 3, while repeated cold shifts and advancing ice threatened to erase those opportunities. Derryvree’s silt preserves a tundra wetland; Castlepook’s bones preserve animals and a tantalising possible human action. Together they offer not a year’s events, but the proper scale of this deep past: a changing island landscape in which evidence survives in small, difficult fragments.

Chapter 071 of 100

31830 BCE

Castlepook's Lone Incision



31,830 BCE is a modern numerical label, not a year that can be recovered from the Irish archaeological record. No person in Ireland marked such a date, and no excavation can identify a political decision, journey or season with calendar-year precision at this depth of time. In calendar terms it falls roughly 33,780 calibrated years before AD 1950 (cal BP), within the later part of Marine Isotope Stage 3 (MIS 3), the long and climatically unstable interval conventionally placed between about 57,000 and 29,000 years ago. The responsible history of Ireland at this point is therefore a history of evidence: bones, cave sediments, pollen, beetle remains, landforms and changing ice.

It was not yet the Last Glacial Maximum, the period when the British–Irish Ice Sheet reached its greatest extent, generally dated to roughly 27,000–21,000 years ago, though regional reconstructions use slightly differing ranges. Around 31,830 BCE, the ice sheet was developing rather than standing at its later maximum. Conditions across and around Ireland changed repeatedly, and the survival of deposits is uneven. Much of the evidence has been scoured, buried or displaced by later ice advances, leaving caves and rare sediment sequences as exceptionally important, but difficult, archives.

A Date Without an Annal

Radiocarbon dating does not produce a simple ancient calendar. A conventional radiocarbon age measures remaining carbon-14 relative to AD 1950; it must then be calibrated against a curve built from independently dated natural archives. Beyond about 14,000 years ago, those calibration curves rest on combinations of floating tree-ring sequences, lake and marine sediments, corals and cave deposits rather than an unbroken annually counted chronology. At around 34,000 calendar years ago, calibrated ranges are consequently far more meaningful than a single reconstructed year.

This distinction matters particularly for Castlepook Cave, near Doneraile in north County Cork, also known as Mammoth Cave. Its Pleistocene collection was gathered largely through antiquarian excavations, not modern recovery from a fully intact occupation floor. Subsequent re-dating has shown that some earlier radiocarbon determinations for Irish cave fauna were substantially too young. The cave is invaluable, but each bone has to be assessed for its own date, identification, surface modification and depositional history. A bone dates an animal's death; it does not automatically date the arrival of a human, predator or flood that later moved it.

An Open, Cold Landscape

The most defensible environmental picture is of a cold, largely open landscape, not of the familiar green and wooded Ireland of later millennia. Irish Quaternary sequences associated with this broad phase, including organic silts beneath later glacial deposits at Derryvree in County Fermanagh, have been interpreted as records of treeless, wet tundra or muskeg-like ground. Other northern deposits have yielded plant and insect evidence consistent with cold, seasonal conditions. These sites do not furnish a weather report for 31,830 BCE, nor can they be assumed to have been exactly contemporary with a Cork cave deposit. Together, however, they establish the kind of environments that existed in Ireland during the wider interval.

Low shrubs, sedges, grasses, herbs and patches of damp ground would have offered forage in favourable seasons. The terrain was shaped by frost, meltwater, exposed rock and unconsolidated sediments, while tree cover was at best very limited. The sea also stood very differently from today. Lower global sea levels exposed parts of the continental shelf around north-west Europe, making the modern coastline a poor guide to the geography of the time. Yet exposed shelf does not prove an easy, continuous land bridge from Britain to Ireland. Ice, sea channels, shifting shorelines and local relief all affected access. The arrival of land animals demonstrates ecological connections at some stage, not the precise route they followed in any particular year.

The Castlepook Fauna

Castlepook provides the richest Irish indication of the animal world before the height of the last glaciation. Its assemblage includes reindeer, woolly mammoth, giant deer, brown bear, wolf, Arctic fox, mountain hare, collared lemming and Norwegian lemming. Spotted hyaena is especially striking: Castlepook is the principal Irish site for this formidable scavenger and predator. Such a list must not be converted into a single illustrated tableau in which every species meets at once. Cave deposits may combine material accumulated over long periods, and different animals occupied different habitats and seasons. Nonetheless, the fauna shows that Ireland formed part of a wider north-west European cold-stage ecosystem.

Reindeer are especially relevant to the broad period because they were mobile grazers suited to open country and because their remains occur at Castlepook. Mammoths and giant deer point to substantial herbivore resources, while wolves and hyaenas reveal a landscape in which carcasses were contested and caves could become dens, traps or natural bone accumulators. Carnivores may have dragged prey into a cave; water may have carried bones in; animals may have died naturally in fissures. These processes are not archaeological inconveniences but part of the history being reconstructed. They explain why a cave rich in bones is not, by itself, proof of a human camp.

The Reindeer Bone Question

The most consequential, and most limited, possible human evidence is a reindeer femur from Castlepook. It has been publicly reported as dating to about 33,000 years ago and as bearing a deep incision interpreted by the palaeozoologist Ruth Carden as a cut made with a sharp stone tool during butchery. If that interpretation is upheld, it would indicate that people handled a reindeer in Ireland during the Ice Age, dramatically earlier than the long-established evidence for sustained Mesolithic settlement after the final retreat of the ice.

It would not demonstrate a settled community. No securely associated hearth, stone-tool assemblage, dwelling, burial, food-preparation area or stratified occupation surface of the same age has yet been identified at Castlepook. Nor can one marked bone tell us whether visitors crossed from Britain, arrived by a now-submerged route, stayed briefly, hunted regularly or left descendants. Even the exact dating language requires care: popular statements that the bone is “33,000 years old” do not substitute for a published calibrated range tied to the specimen, its laboratory measurement and the latest calibration curve. The find is best treated as a potentially transformative trace of butchery, rather than a licence to populate Ireland with an imagined tribe.

People Beyond the Evidence

Across north-west Europe, *Homo sapiens* communities of the Upper Palaeolithic used stone tools, exploited large animals, made clothing and shelters, maintained social ties over considerable distances and, in some regions, produced ornaments and cave art. Those wider comparisons make a short human visit to Ireland conceivable. They cannot establish any of those practices in Ireland at this date. There is no Irish evidence from around 31,830 BCE for named groups, languages, kinship systems, ritual places, artistic traditions, territorial boundaries or enduring settlements.

Accordingly, political affairs, diplomacy and organised conflict are not hidden chapters awaiting a more colourful retelling: they are absent from the present evidence. A reindeer carcass may have been scavenged, hunted or processed; it cannot reveal leadership or alliances. Nor is there evidence for exchange in the ordinary archaeological sense of traded objects or identifiable imported materials. The most that can responsibly be said is that any humans present would have depended on knowledge, movement and social connections extending beyond a single cave, because survival in a cold and variable landscape required them. That is an inference from Upper Palaeolithic lifeways elsewhere, not a demonstrated feature of Irish society.

Approaching the Great Freeze


The longer trajectory gives the period its importance. After this broad phase, ice expanded across Ireland and the surrounding shelves, eroding older surfaces and helping to explain why evidence for very early people is so scarce. At the Last Glacial Maximum, Ireland was extensively ice-covered. The later recolonisation of the island by animals and people occurred in altered landscapes and along changing coasts; it should not be assumed that any possible visitors of MIS 3 formed a continuous ancestral population.

For Ireland around 31,830 BCE, therefore, the central development was environmental rather than political: a cold, open Pleistocene world supported mobile herds and large predators while climatic deterioration and growing ice transformed the possibilities of movement and survival. Castlepook's animal bones securely attest that world. Its lone marked reindeer femur may preserve a human action within it. Keeping those two levels of certainty separate is not a failure of historical imagination. It is the means by which this extraordinarily early Irish past can be described honestly.

Chapter 072 of 100

31829 BCE

Derryvree's Sedgewater Archive



The modern label 31,829 BCE should not be mistaken for a date that anyone in prehistoric Ireland could have known, or that archaeology can resolve to a single year. It represents roughly 33,800 calendar years before 1950, during Marine Isotope Stage 3 of the last Ice Age. At this depth of time, radiocarbon measurements carry substantial uncertainties, must be calibrated, and date the death of sampled organisms or the formation of deposits rather than a named historical event. Ireland has no year-by-year human record here. The responsible history is therefore a reconstruction from sediments, fossils, cave deposits and ice-sheet evidence: local records that illuminate a changing island, not a calendar diary.

An Island Between Ice Advances

This was long before the Last Glacial Maximum, when the British–Irish Ice Sheet covered Ireland and extended over the surrounding continental shelf. Recent syntheses place the broad build-up of that ice sheet between about 31,000 and 26,000 years ago, with its largest overall extent reached later, around 26,000 calendar years before present. The ice did not advance as a single, uniform wall. Different sectors grew, flowed and retreated on different schedules, while climatic shifts changed the balance between snow accumulation, melting and iceberg calving. Around the notional date in question, Ireland was entering a consequential phase of that long expansion, but the available evidence does not support a simple picture of the whole island already sealed under continuous ice.

Northern Ireland provides the clearest corrective. At Derryvree near Maguiresbridge in County Fermanagh, roadworks exposed organic-rich freshwater silts and fine sands trapped between two thick beds of glacial till. The lower till records an earlier ice advance; the organic layers show that a freshwater environment subsequently developed; the upper till demonstrates that ice later returned or expanded over

the locality. A conventional radiocarbon determination from the organic deposit, about $30,500 \pm 1,100$ radiocarbon years before present, has been discussed in calibrated terms as approximately 36,900–31,700 calendar years before present. That broad interval overlaps the numerical point represented by 31,829 BCE. It does not prove the precise condition of Derryvree in that particular year, but it securely places the site within the environmental world relevant to it.

Greenagho, also in County Fermanagh, adds an older neighbouring indication. Organic detritus in a lake deposit beneath till has been calibrated to roughly 37,200–35,700 calendar years before present. Taken with Derryvree and other northern sequences, it supports the conclusion that parts of north-central Ireland had ice-free ground during portions of Marine Isotope Stage 3 before the major late-glacial ice-sheet expansion. This is a regional conclusion, not a map of every valley and upland. Later glaciers eroded much of the earlier physical record, and deposits preserved beneath till are exceptional survivals.

Moss, Sedge and Open Water

Derryvree is valuable because it preserves more than a date. Its fossil plant and insect evidence points to a cold, open and largely treeless freshwater landscape. Sedges, grasses, dwarf shrubs, herbs and mosses grew around shallow pools and wet ground; juniper pollen is among the indicators of sparse vegetation. Insects include species with northern, cold-climate affinities. Earlier researchers called the setting “muskeg”, meaning waterlogged peat-forming ground with mossy vegetation, pools and plant-rich sediment. In everyday visual terms, this was not the green, wooded Ireland familiar today: it was a harsh, seasonal mosaic of wet hollows, exposed ground and low vegetation.

Such evidence does not establish a single island-wide climate. A sediment basin has its own catchment, water chemistry and preservation history. Nor should treeless pollen diagrams be read as proof that no tree stood anywhere in Ireland. They do, however, establish that the Derryvree locality was not a temperate forest landscape, and that sufficiently unfrozen water, plants and insects existed for organic sediments to accumulate. The landscape was cold enough to favour northern species, yet locally productive enough to support wetland plant communities. That combination is important: Ice Age Ireland was environmentally severe, but not simply lifeless.

Cave minerals from farther south reinforce the picture of fluctuation rather than permanent uniform cold. At Crag Cave in County Kerry, uranium-thorium dating has shown that calcite speleothems formed episodically through Marine Isotope Stage 3. Because their growth depended on liquid water moving through soil and rock, these episodes are evidence for intervals of ameliorated cave hydrology. They cannot provide a weather report for Fermanagh, nor can an individual calcite date be tied to 31,829 BCE. Their significance is broader: Ireland’s climate repeatedly altered on millennial scales during this period, responding to the abrupt interstadial and stadial rhythms visible across the North Atlantic world.

The Castlepook Animal World

At Castlepook Cave near Doneraile in north County Cork, a very different archive survives: a large assemblage of animal bones from limestone chambers. The fauna attributed to the older, Marine Isotope Stage 3 component includes woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, mountain hare, Norwegian lemming, collared lemming and spotted hyaena. The combination is striking. Reindeer and lemmings fit the cold, open environments suggested by northern deposits, while mammoth and giant deer indicate that parts of the Irish landscape could support large herbivores. Wolves, bears and hyaenas reveal a food web with formidable scavengers and predators.

Yet Castlepook must be handled with unusual care. Much of the material was excavated in the late nineteenth and early twentieth centuries, when recording standards differed markedly from modern archaeological practice. Bones came from complex passages and chambers, and could have been moved or accumulated by carnivores, flowing water, sediment disturbance and excavation itself. Later radiocarbon reassessment has shown that some earlier Irish cave dates required revision, and new work at Castlepook continues to investigate the deposits. The cave is compelling evidence that these animals occurred in Ireland during the wider interval; it is not an undisturbed snapshot of one hunt, one season or one coexisting herd.

The hyaena evidence is especially revealing. Castlepook is Ireland's principal site for spotted hyaena, an animal now associated with Africa but then part of Late Pleistocene north-west European faunas. Chewed bones and the uneven representation of skeletal parts are consistent with a cave used by carnivores as a place to consume or transport carcasses. That interpretation makes the cave an archive of animal behaviour as well as species presence. It also warns against treating every bone mark as human work. Carnivore tooth damage, trampling, breakage and excavation damage must be separated from cuts made by stone tools.

A Possible Human Trace

The question of people is consequently both important and unresolved. A reindeer femur from Castlepook has been reported as bearing an incision interpreted as a cut or chop mark made with a sharp stone tool, and the bone has been publicised as dating to about 33,000 years ago. If that interpretation is accepted, it would constitute evidence that humans processed an animal in Ireland in the wider Marine Isotope Stage 3 period, vastly earlier than the island's formerly accepted post-glacial evidence. It would not demonstrate a permanent settlement, a village, a named group or continuous occupation.

The limits matter as much as the possibility. The bone derives from an old cave collection rather than a freshly excavated, sealed occupation surface. No associated hearth, stone-tool assemblage, dwelling, burial, artwork or repeated camp horizon securely describes the people who may have made the mark. A single modified bone can support a cautious claim for an episode of human activity if the mark and dating withstand scrutiny; it cannot furnish a social history of a population. The most accurate description is therefore tentative human presence or visitation, not an established Irish community at this date.

No Kingdoms, No Recorded Faith

There is no evidence from Ireland around this time for political institutions, leaders, territorial states, diplomacy, formal warfare, law or organised religion. Nor is there evidence for farming, metallurgy, writing, monuments, long-distance trade systems or schools. To supply chiefs negotiating alliances, rival tribes fighting over hunting grounds, or ritual specialists directing ceremonies would be to turn gaps in the record into fiction. Even if small Upper Palaeolithic groups did reach Ireland, their language, kinship arrangements, beliefs, social identities and routes of travel remain unknown.

Economy, in the narrow sense supported by evidence, belonged overwhelmingly to wild ecosystems. Herbivores converted seasonal vegetation into animal biomass; predators and scavengers followed them; any human visitors would have depended upon foraging, hunting or scavenging and portable technologies rather than cultivated fields. Reindeer are often associated elsewhere in Upper Palaeolithic Europe with mobile hunters, but analogous continental practices cannot be simply imported into Ireland without Irish

camps, tools and stratified food remains. The sea likewise cannot be assumed to have been an easy highway or a dry bridge. Lower global sea levels exposed broad shelf areas, but Ireland's changing relation to Britain was shaped by complex topography, local ice loading and sea level.

What This Date Can Mean


The principal development around 31,829 BCE was environmental rather than political: Ireland was part of a volatile North Atlantic Ice Age landscape in which cold open ground, freshwater basins and large mammals persisted in some areas while the ice sheet that would later overwhelm the island was building towards its maximum. Derryvree offers the most appropriate local emblem of that condition—sedges and mosses accumulating in water between episodes of glaciation. Castlepook extends the view to a southern animal community and raises the consequential, still cautious possibility of human contact.

That is not a lesser history because it lacks kings and battles. It is the deep setting from which Ireland's later inhabited landscape eventually emerged. The sediments show water and vegetation where later ice passed; the bones record animals whose Irish populations disappeared; the uncertain reindeer mark tests the outer edge of the human story. At this chronological distance, honesty about uncertainty is not an obstacle to history. It is the means by which the surviving evidence is allowed to speak.

Chapter 073 of 100

31828 BCE

Elephant Hall's Mammoth Rib



“31,828 BCE” is a modern calendar label, not a year that can be isolated in Ireland’s archaeological record. Converted simply into the convention used by archaeologists, it lies about 33,778 calendar years before present, with “present” fixed at 1950. That conversion is only a chronological aid: it does not mean that a dated Irish deposit can be assigned to this exact year. At this depth in time, radiocarbon measurements have wide uncertainties and require calibration against changing atmospheric carbon levels; environmental sequences and cave finds commonly represent intervals of centuries or millennia. The responsible subject, therefore, is Ireland in the broad vicinity of the early thirty-fourth millennium years ago, during the Late Pleistocene and Marine Isotope Stage 3 (MIS 3), rather than an imagined event in one numbered year.

A Cold Landscape, Not a Frozen Blank

Ireland was in the last Ice Age, but it should not be pictured automatically as a uniform white wilderness or as an island continuously buried beneath ice. MIS 3 was climatically unstable. Ice margins, sea level, vegetation and animal ranges altered repeatedly over long timescales. The later Last Glacial Maximum, when ice became far more extensive over Ireland, lay in the future. Modern reconstructions of the British–Irish Ice Sheet begin their detailed sequence at 31,000 years ago and demonstrate a dynamic history of growth and retreat rather than a single, unchanging advance. For the earlier point represented by 31,828 BCE, local conditions remain less securely resolved.

What can be said is that some parts of Ireland supported cold-adapted life during the Middle Midlandian, the Irish name often applied to this portion of the last glacial period. The physical landscape was already deeply shaped by older glacial episodes, while later ice would erode, bury and rearrange much of the evidence. This is a central reason why the record is so sparse. Absence of excavated

campsites is not proof that no person ever arrived; equally, the survival of a few bones cannot demonstrate that people occupied the island continuously. The archaeological archive is both small and severely filtered by ice, water, soil processes, carnivores and nineteenth- and early twentieth-century excavation.

Derryvree's Open Ground

The most informative environmental evidence comes not from a settlement but from buried sediments. At Derryvree near Maguiresbridge in County Fermanagh, organic freshwater deposits were found between two tills within a drumlin. Their position shows that, at some point between episodes of ice deposition, local water, plants and animals occupied the site. The sediments include pollen, mosses, plant remains and beetles. Together they point to a cold, open environment with sedges, grasses, herbs, dwarf shrubs and juniper rather than a closed forest. Pools and wet ground formed part of what researchers describe as a muskeg or tundra-like landscape.

The Derryvree evidence is immensely valuable, but it must not be made more precise than it is. A historic radiocarbon determination of roughly 30,500 radiocarbon years before present was obtained from the sequence, with a substantial error range; calibration places material of that broad age in the later part of MIS 3, but does not pin its vegetation to 31,828 BCE. Nor does one Fermanagh wetland describe every coast, valley or upland across Ireland. It does, however, overturn the idea that all of Ireland was lifeless beneath ice at all times before the Last Glacial Maximum. In favourable intervals, open ground, freshwater habitats and a limited but resilient flora existed.

Such a setting would have been demanding. Winters were severe, growing seasons short and tree cover restricted or absent in many places. Wind exposure would have been important across open terrain. Yet sparse vegetation was not no vegetation. Sedges, grasses and herbs could sustain herbivores; mosses and wetland plants recorded in the sediments show ecological niches at ground level that a sweeping image of “ice desert” misses. The evidence also reminds us that regional change mattered. Northern inland deposits and southern limestone caves preserve different kinds of information, from different places and perhaps different moments within a long climatic interval.

Castlepook's Animal Archive

The principal southern archive is Castlepook Cave, near Doneraile in north County Cork. Its passages acquired evocative names during early exploration, including Elephant Hall and Hyaena Hall. Excavators recovered a striking Pleistocene fauna: mammoth, reindeer, giant deer, brown bear, wolf, fox, mountain hare, lemmings and spotted hyaena. A mammoth rib from Elephant Hall was among bones dated by the Irish Quaternary Fauna Project; other Castlepook specimens produced radiocarbon ages extending across much of MIS 3. The collection establishes that Ireland was connected ecologically, at least intermittently, to the wider north-west European cold-stage world.

This assemblage should be read with care. Castlepook was not a neatly sealed time capsule. Carnivores used caves; bones could be dragged in, gnawed, broken, redeposited or exposed to water. Stalagmite floors, sands and later material complicated the deposits, and much of the original excavation occurred before modern standards of stratigraphic recording. The presence of a mammoth bone in Elephant Hall proves neither that a mammoth died there nor that all the associated species lived together in one season. It does show that these animals reached Ireland during the broader pre-maximum glacial

period and that caves can preserve fragments of their history. The original 1918 report and later reassessments remain essential precisely because they document both the richness and the limitations of the old collection.

Reindeer are especially relevant to the world around this notional year. They fit an open, cold landscape and may have moved seasonally across extensive ranges. Mammoths and giant deer suggest more varied grazing opportunities than a barren icefield would allow; hyaenas, wolves and foxes indicate predators and scavengers operating within that food web. Still, it is unsafe to turn the species list into a complete local census. Some finds may be separated by thousands of years. The safest conclusion is modest but important: during portions of MIS 3, Ireland could support a cold-stage mammal community of considerable diversity.

The Reindeer Femur Question

One Castlepook specimen raises the possibility that humans were part of this landscape. A reindeer femur in the National Museum of Ireland's natural-history collection bears a deep mark interpreted by the zooarchaeologist Ruth Carden as having been made by a sharp stone tool during butchery. Cork County heritage publications consequently present it as potential evidence that Palaeolithic hunters handled a reindeer in the Doneraile area around 31,000 BCE. If that interpretation is upheld, it would move evidence for human activity in Ireland far earlier than the long-established Mesolithic record.

Potential is the crucial word. The bone came from an old cave collection, not from a modern excavation of an undisturbed camp floor. Its date is the age of the animal's death, not automatically the date of the mark, and it cannot identify the location of the kill or the length of any visit. No securely associated hearth, stone-tool assemblage, dwelling, burial or occupation layer of comparable antiquity has yet been recovered in Ireland. Caves were also hyaena dens and natural traps. A cut-mark identification is a specialist interpretation that must be tested against trampling, carnivore damage, breakage and excavation history. The femur is therefore a serious and exciting clue to human butchery, not proof of a settled population.

If people did reach Ireland near this period, the most defensible picture is of a small, mobile party rather than a named people or a permanent community. They would have belonged to the wider Upper Palaeolithic human world of north-west Europe, but no Irish artefacts allow their particular technology, language, ancestry, clothing or social identity to be identified. Lower sea levels altered coastlines substantially, and submerged landscapes may once have offered different routes and resources. Yet the precise geography of crossings, and whether any journey used exposed ground, boats or a mixture of both, cannot be recovered from the present evidence.

No Politics, No Kingdoms

There is no evidence for political institutions, territories, chiefs, diplomacy, formal warfare or trade networks in Ireland at this date. There are no names, written records, monuments, farms or villages. To impose later Irish ideas of kingship, clan, parish or province on this world would be anachronistic. Nor can the Castlepook femur sustain claims about an organised hunting economy. At most, if the mark is human-made, it indicates the practical processing of animal tissue or bone by visitors equipped with a sharp stone edge.

Everyday life is similarly beyond direct recovery. A short hunting visit might have involved watching herds, approaching prey, sharing meat, maintaining stone tools and taking shelter from weather; these are plausible behaviours for Palaeolithic foragers elsewhere, not documented events in Ireland. We cannot tell whether people camped in the cave, whether they encountered hyaenas, or whether the reindeer was killed locally. A dramatic encounter between hunters and mammoths would make an attractive illustration, but archaeology does not justify it. The animal remains provide evidence for an ecosystem, not a story with a cast of identifiable individuals.

Belief and Memory Beyond Reach

Nothing from Ireland around 31,828 BCE can responsibly be identified as religious practice, art, burial ritual, music, teaching or formal learning. Across Europe, Upper Palaeolithic communities made images, ornaments and complex tools, but no equivalent Irish assemblage belongs securely to this time. It is reasonable to assume that any humans who reached the island possessed knowledge, social relationships and traditions; it is not reasonable to specify their beliefs or to claim that they made Irish cave art. Silence in the record is especially significant here: cultural interpretation requires cultural objects or contexts, not simply animal bones.

The most important historical development at this point is thus not a battle, ruler or foundation, but the emergence of a more complicated prehistoric Ireland. Environmental deposits at Derrynvree show that cold-phase Ireland could contain wet, open habitats. Castlepook reveals that a varied Ice Age fauna entered the island. The marked reindeer femur raises, without settling, the prospect of a human visit. Together, these traces replace an older, simpler image of an entirely empty land before the post-glacial settlers. They do not yet reveal an Irish society. Their value lies in preserving the question: in a harsh, changing landscape before the great ice advance, how often did people reach Ireland, and what evidence of them has since been erased?

Chapter 074 of 100

31827 BCE

Derryvree's Sub-Till Wetland



31,827 BCE is a modern chronological label, not a year that anyone in prehistoric Ireland could have named, recorded or commemorated. It corresponds only approximately to 33,800 calendar years before AD 1950, the conventional reference point for “before present” dates. No Irish archaeological deposit can be assigned responsibly to that single calendar year. The evidence instead illuminates a broad interval within Marine Isotope Stage 3 (MIS 3), a climatically unsettled part of the last Ice Age. This article therefore concerns the landscape, animals and possible human traces of Ireland around that horizon, using date ranges rather than an invented annual event.

A Landscape Known by Intervals

The principal difficulty is chronological as well as archaeological. Radiocarbon measurements are not calendar dates: they must be calibrated against changing levels of atmospheric carbon-14, and at this antiquity their calibrated results can span centuries or millennia. IntCal20, the current internationally used Northern Hemisphere calibration curve, reaches back to 55,000 calibrated years before present but makes no claim that every sample can be dated to a precise year. A date such as 31,827 BCE is consequently useful for arranging a modern archive, but it must not be mistaken for the resolution of the evidence.

In Irish stratigraphy, this was the later Middle Midlandian, broadly equivalent to MIS 3. It preceded the fullest expansion of the last British–Irish Ice Sheet, rather than belonging to the better-known glacial maximum. The ice sheet was not a single unchanging blanket: ice centres, outlet glaciers and margins expanded or shrank at different times in different regions. Modern reconstructions place major build-up after roughly 35,000–32,000 years ago and show that the timing of maximum extent varied greatly around

Ireland and Britain. Around the notional date considered here, parts of Ireland were capable of preserving ice-free terrestrial and freshwater environments, though conditions were cold, exposed and liable to change over relatively short geological timescales.

Freshwater Beneath a Drumlin

The clearest Irish window onto this general period lies at Derryvree, near Maguiresbridge in County Fermanagh. Roadworks in 1969 cut through a drumlin and revealed freshwater silts and fine sands sealed between two bodies of glacial till. The order of the deposits is decisive. An earlier glacial advance had laid down the lower till; afterwards, non-glacial freshwater sediment accumulated; later ice buried the sequence beneath upper till. That succession demonstrates environmental change on a profound scale, even though it cannot provide a diary of individual years.

Organic material from Derryvree produced a radiocarbon determination of about 30,500 radiocarbon years before present. Subsequent calibration places the relevant interval broadly at c. 36,900–31,700 calibrated years BP. The nominal year 31,827 BCE falls within that wide range, but should not be treated as a pinpoint within the deposit. The sequence is best understood as evidence that northern Ireland supported a freshwater, periglacial environment during part of later MIS 3 before renewed ice advance covered it.

Plant macrofossils, pollen and insects from Derryvree point to a cold landscape rather than the familiar wooded Ireland of later millennia. Freshwater mosses and sedges, along with aquatic plants, testify to wet ground, pools and slow-moving water. The insect fauna had a northern, cold-adapted character. Such evidence supports an interpretation of open tundra or tundra-steppe with marshy hollows, frost-affected soils and a short growing season. It does not mean that every acre was identical. Sheltered slopes, river margins and local drainage could have produced small but important variations in vegetation and animal forage.

The setting was therefore not simply an empty white wilderness. Summer light and herb-rich ground could support productive patches of vegetation; waterlogged basins concentrated plants, insects and perhaps animals. Yet winter severity, wind exposure and seasonal freezing imposed severe limits. Derryvree's value is precisely that it restores this ecological complexity to a landscape later reshaped and obscured by moving ice.

Climate Before the Great Expansion

Greenland ice-core records show that the North Atlantic climate of MIS 3 was characterised by abrupt shifts between colder stadials and relatively milder interstadials. Some transitions occurred within decades in the Greenland record, although translating them exactly into Irish local weather or vegetation is hazardous. Irish cave calcite from Crag Cave in south-west Ireland independently indicates that speleothem growth was episodic during MIS 3 and sensitive to these wider shifts in climate and soil activity. This reinforces the central point: Ireland's Ice Age environments altered repeatedly, and no simple map of a permanently frozen or permanently ice-free island is adequate.

The long-term direction, however, was towards harsher conditions and larger ice masses. By the later phases of the last glacial cycle, Irish ice expanded across much of the island and out onto surrounding continental shelves. The physical legacy is visible in drumlins, till, scoured rock and submarine landforms, but those landforms record repeated glacial processes, not a single advance attributable to

31,827 BCE. The Derryvree sediment trapped beneath later till is a reminder that the landscape's apparent permanence is deceptive: a wetland could be entombed, while animal habitats and routes were reorganised beyond recognition.

Caves and a Changing Animal World

Southern Irish caves offer a second, very different record. Castlepook Cave near Doneraile in north County Cork is especially important because its historic bone collections include remains attributed to woolly mammoth, giant deer, reindeer, horse, brown bear, spotted hyaena, Arctic fox, lemmings and other species. These are not a complete census of a single ecosystem. Cave deposits often accumulate through carnivore activity, natural deaths, water movement, roof collapse and excavation disturbance. Nevertheless, they establish that Ireland was accessible to a varied large-mammal fauna during pre-Last Glacial Maximum phases.

Recent redating is particularly important. Improved pretreatment and accelerator mass spectrometry showed that several Castlepook specimens were substantially older than their 1990s radiocarbon results had suggested. The reassessment places some of the fauna firmly in MIS 3 and suggests that giant deer and spotted hyaena may have disappeared locally before the Last Glacial Maximum, around 40,000 calibrated years BP. This does not prove that every species listed from Castlepook survived to the date in question. It does show that the interval around 33,800 calibrated years BP belongs to a dynamic animal geography, not to a landscape already sterilised by maximum glaciation.

Animals were the active economy of this unpeopled or sparsely visited landscape: grazing and browsing herbivores converted seasonal vegetation into meat, hide and bone; predators and scavengers competed for carcasses; caves sometimes became dens, traps or repositories. Reindeer and horse imply open ground, while lemmings and Arctic fox underline the severity of at least some conditions. Brown bears used caves, but cave-bone abundance cannot be turned automatically into estimates of population. The evidence supports shifting habitats and animal movement; it cannot reconstruct a food chain for one precise year.

The Unsettled Human Question

No securely excavated Irish hearth, stone-tool assemblage, dwelling floor, burial or human skeleton belongs to around 31,827 BCE. There is therefore no evidential basis for describing an Irish polity, conflict, diplomacy, religion, language, formal learning, trade network or permanent settlement. Terms such as “tribe”, “chief” and “Irish people” would impose later social categories upon a record that does not support them.

One find requires careful attention rather than dismissal. A reindeer femur from Castlepook's historic collection has been publicly described as carrying a mark consistent with cutting or chopping fresh bone with a sharp stone tool, and its age has been reported broadly as about 33,000 years ago. If the mark is confirmed as anthropogenic and securely related to the bone's age, it could indicate that a person processed a reindeer in Ireland in the Upper Palaeolithic. That would be an exceptionally early episode of human activity on the island.

It remains a hypothesis, not an established settlement history. The bone came from old cave investigations, where sedimentary relationships were not recorded to modern standards. Carnivore damage, movement in sediment, breakage and later handling can complicate the identification of cut marks. Nor would one butchered animal demonstrate a resident population, a repeated seasonal camp or

continuous occupation. The National Museum of Ireland consequently continues to state that no clear evidence has yet demonstrated human presence in Ireland during the Palaeolithic. The contrast between this cautious position and the Castlepook possibility is not a flaw in the story; it is the present state of responsible scholarship.

Connections Without Assumptions


Lower sea levels altered the geography around Ireland, Britain and the continental shelf, but they do not permit easy assumptions about a dry, reliable route into Ireland at this date. The configuration of sea, ice, islands and coastal plains varied with sea level and glacial loading. Research on Irish palaeogeography stresses both the exposure of parts of the shelf and the continuing uncertainty over the character and timing of connections. Animals clearly reached Ireland during suitable intervals; how particular species, and any possible people, crossed the changing region remains a question for reconstruction rather than certainty.

Thus the most important development around this notional year was environmental, not political. Ireland contained habitats capable of supporting cold-adapted plants and animals, while looming climatic deterioration would eventually erase or bury much of their record. Derryvree's wetland and Castlepook's bones preserve fragments of that vanished world. They tell us that Ice Age Ireland was changing, inhabited by animals and perhaps briefly visited by people; they do not authorise a more detailed human story than the evidence can bear.

Chapter 075 of 100

31826 BCE

Maguirebridge's Sedgewater Fauna



The label 31,826 BCE is a modern calendar convenience, not a date at which Ireland's archaeological record can identify an event, a ruler, a journey or even a particular human generation. No community on the island counted years in this manner. In radiocarbon convention it lies roughly 33,775 years before AD 1950, within the Late Pleistocene and Marine Isotope Stage 3, a long and climatically changeable part of the last Ice Age. At this depth of time, responsible history has to work with deposits, fossils and broad calibrated ranges rather than a year-by-year narrative.

The most useful Irish evidence comes from a small number of sites whose sediments escaped later destruction. Their testimony is uneven: one deposit may preserve mosses, another beetles, another animal bones, while large regions have left no surviving record at all. Together, they show that Ireland around the earlier part of the thirty-fourth millennium BCE was not simply a blank, permanently frozen island. It was a changing northern landscape, with ice-free ground in some areas, cold freshwater habitats and a mobile Ice Age fauna. Yet the evidence does not establish a settled human population, political communities, trade networks or religious life.

Dating a Deep Past

Radiocarbon years are not identical to calendar years. Measurements on ancient organic material must be calibrated against curves constructed from independently dated records, and the resulting calendar estimates are ranges with statistical uncertainty. This matters especially beyond 30,000 years ago, where the curve is less straightforward than in recent millennia. The modern date 31,826 BCE should therefore be treated as a point within a span of time, not as the precise age of a layer of mud or a bone.

Derryvree townland, near Maguiresbridge in County Fermanagh, provides the closest relevant environmental archive. Roadworks exposed organic silts and fine sands lying between two distinct tills: compact sediments left by separate episodes of glacial ice. The position of the organic bed is decisive. It records a period after an earlier ice advance had retreated or ceased to affect the locality, and before a later ice sheet overrode the ground. A conventional radiocarbon determination of 30,500 years BP, with a substantial error margin, has been calibrated broadly to about 36,900–31,700 calendar years BP. The nominal year considered here falls within that wide interval, but neither at a demonstrable beginning nor end of it.

That sequence does not date every part of Ireland. It does, however, firmly resist a simple notion that the island was wholly buried beneath ice throughout this period. Comparable evidence at Greenagho, also in Fermanagh, and the longer glacial succession at Aghnadarragh near Lough Neagh reinforce the broader conclusion that parts of north-central Ireland experienced cold, non-glacial intervals during the middle of the Midlandian, the Irish name often used for the last glacial cycle.

Cold Water Between Ice Sheets

The Derryvree organic layers preserve a freshwater setting. Pollen, plant remains and insects point to open tundra-like vegetation rather than woodland: grasses, sedges, juniper and herbs, with abundant mosses. The original investigators described a muskeg environment, meaning wet, peaty ground with shallow pools and waterlogged plant matter. This should not be pictured as an unbroken modern bog. It was a cold periglacial landscape shaped by frost, runoff, seasonal water and sparse vegetation, locally capable of sustaining diverse small life.

Insects are especially valuable witnesses because many have narrow environmental tolerances. At Derryvree their assemblage indicated harsh conditions with cold winters, while the freshwater flora and mosses demonstrate that the locality was biologically active rather than sterile. This is direct evidence for one lowland habitat in Fermanagh, not a licence to assign a single temperature, rainfall total or vegetation cover to the entire island in 31,826 BCE. Uplands, coasts and districts nearer growing ice would have differed markedly.

The regional trajectory was towards a more extensive British–Irish Ice Sheet. Modern reconstructions indicate that substantial tracts of Ireland remained ice-free until at least roughly 34,000 years ago, followed by a prolonged build-up in which ice expanded greatly. The ice sheet reached its local maximum much later, around 27,000 calendar years BP, when it covered Ireland and extended across adjoining shelves. Around the date in question, therefore, Ireland was best understood as a landscape in transition: cold and environmentally unstable, with glaciers and ice caps becoming more consequential, but not yet at the later maximum of island-wide glaciation.

Animals of the Open Country

Castlepook Cave, near Doneraile in north County Cork, is the principal Irish source for the larger fauna of this broad Ice Age interval. Excavations begun in 1904 recovered a very large bone assemblage from galleries in Carboniferous limestone, including remains attributed to woolly mammoth, reindeer, giant deer, brown bear, wolf, fox or Arctic fox, mountain hare, lemmings and spotted hyaena. The combination evokes open, cold country capable of supporting herbivores and the predators and scavengers that followed them.

It would nevertheless be wrong to turn the cave into a snapshot of one year. The old excavations recovered material from a complicated system of sands, floors and passages, much of it before modern recording standards. Some specimens may have been moved by water, carnivores or excavators; others need not be contemporary. Later contamination has also been a concern in interpreting parts of the collection. Radiocarbon results on selected bones place important elements of the fauna broadly in the middle part of the last glacial period, but do not prove that mammoth, hyaena, every reindeer and every small mammal shared the cave at once.

Even with those qualifications, Castlepook changes the scale on which this Irish past should be imagined. Mammoth and reindeer need seasonal forage; hyaenas, wolves and bears were mobile animals within wider food webs. Their presence means that, at intervals before the Last Glacial Maximum, parts of Ireland could support rich terrestrial ecosystems. The fauna also hints at connections beyond the modern coastline. Sea level was lower during glacial phases and the continental shelves were more exposed in places, altering the geography of movement. Exactly when, where and how particular animals entered Ireland remains a matter for palaeogeographical reconstruction, not something the bones themselves can settle.

The Human Question

Human history at this date remains uncertain. A reindeer femur from Castlepook has been reassessed as carrying a deep mark consistent with fresh-bone cutting or chopping by a sharp stone implement, and it has been given a Late Pleistocene radiocarbon determination commonly described as about 33,000 years ago. If the mark is confirmed as anthropogenic and the specimen's chronology and context are securely resolved, it would be extraordinarily early evidence for people in Ireland.

That conditional language is essential. The bone emerged from an historic cave collection rather than a modern, tightly excavated occupation surface. There is no securely associated lithic assemblage, hearth, constructed shelter, burial, human bone or stratified camp at Castlepook that can presently demonstrate a resident community of this age. Recent investigations have sought undisturbed fossil-bearing deposits precisely because they may clarify how the cave was used and how its contents accumulated. For 31,826 BCE, the most defensible conclusion is not that Ireland was certainly inhabited, but that occasional human presence or animal processing is a serious and testable possibility.

Nor can the evidence identify the identity, language or ancestry of any such visitors. Across north-west Europe, *Homo sapiens* hunter-gatherers were established by this broad period, but continental evidence cannot be projected automatically onto Ireland. A short visit by mobile people, if it occurred, would not demonstrate permanent settlement. Equally, the absence of a camp should not be mistaken for proof that no person ever crossed the landscape; ice, erosion and later deposition are formidable filters on survival.

No Politics, No Proven Institutions

There is no evidence from Ireland around this time for political authority, diplomacy, warfare between organised groups, named territories, formal religion, literacy or learning institutions. There are no houses, fields, graves, shrines, workshops, boats or exchange goods securely attributable to this horizon. Ideas of chiefs, tribes, alliances and ritual systems would be invention rather than interpretation.

If people did reach the island, their likely subsistence would have depended on hunting, scavenging, gathering and detailed environmental knowledge, as among other Upper Palaeolithic groups in Europe. But this is a comparative inference, not an Irish excavation result. The animal record cannot reveal whether a reindeer was hunted, died naturally, was dragged into a cave by hyaenas or was encountered by people only once. It is more accurate to say that the resources of the open landscape made such activities possible than to claim a documented local economy.

An Incomplete Island Record


The significance of this period lies in the contrast between surviving traces and enormous silence. At Derryvree, sedges, mosses and beetles preserve a wet, cold pocket of ground between ice advances. At Castlepook, bones preserve the outline of a larger animal world and a provocative, unresolved human question. Offshore and terrestrial glacial research shows that these local environments stood within a rapidly changing Irish landscape heading towards the great ice expansion of the Last Glacial Maximum.

Thus 31,826 BCE is not a year of Irish kings, battles or monuments. It is a point within an Ice Age interval when Fermanagh's freshwater tundra supported life, Cork caves accumulated the remains of powerful animals, and the future shape of the island's landscape was being prepared by advancing ice. The proper history is necessarily cautious, but it is not empty: it is a history written in silt, pollen, beetle fragments, bone and the layers of ice above and below them.

Chapter 076 of 100

31825 BCE

The Doneraile Limestone Assemblage



The label 31,825 BCE is a modern chronological convenience, not a year that can be recovered from Ireland's Ice-Age record. It represents roughly 33.8 millennia before the conventional radiocarbon reference year of 1950, within the Late Pleistocene and broadly within Marine Isotope Stage 3 (MIS 3). There were no written calendars, named communities or datable events on the island. Nor can archaeology isolate an occurrence to this particular twelve-month interval. The responsible history of Ireland at this point is therefore a history of dated ranges, environmental proxies and carefully qualified possibilities.

The nearest relevant evidence comes chiefly from southern Irish caves, particularly Castlepook Cave near Doneraile in north County Cork. Its animal remains and sediments illuminate a long span before the Last Glacial Maximum, rather than a single moment. Improved radiocarbon methods have shown that several bones formerly thought younger belong substantially earlier in MIS 3. Taken together, the cave record indicates that animals occupied parts of Ireland during intervals between at least about 45,000 and 20,000 radiocarbon years BP, although individual specimens must be assessed separately and calibrated calendar ranges are often broad. Around the notional date of 31,825 BCE, Ireland was not the familiar green, wooded island of later millennia, nor yet necessarily an island completely engulfed by the last great ice sheet.

A Date Range, Not a Recorded Year

Radiocarbon ages are not themselves calendar dates. The concentration of carbon-14 in the atmosphere has changed through time, so laboratory measurements require calibration against internationally maintained curves. At this depth of time, calibration carries wider uncertainties than it does

for later prehistory. A result should therefore be read as a probability range, not as an anniversary. The phrase “around 31,825 BCE” is useful only as a point on a modern timeline against which to set evidence dated in radiocarbon years BP or calibrated years BP.

MIS 3, conventionally extending approximately from 57,000 to 29,000 years ago, was climatically unstable. Greenland ice-core records show abrupt shifts between colder stadial and relatively milder interstadial conditions over centuries and millennia. Ireland’s local response depended upon altitude, exposure to the Atlantic, the growth of ice in neighbouring regions, sea level and the changing geometry of the British–Irish Ice Sheet. It would be misleading to imagine one unchanging “Ice Age climate” across the whole island.

At about 31,000 years BP, reconstructions suggest that substantial ice already occupied north-western Ireland, with a major ice cap spanning high ground from the Derryveagh Mountains towards the Sperrins. Smaller ice fields or glaciers are modelled in several upland areas, including the Wicklow Mountains, Mourne, Dartry Mountains, MacGillycuddy’s Reeks and Knockmealdown Mountains. Yet the ice sheet was still growing and its margins differed greatly by region. Its maximum volume came later, around 23,000 years BP in the latest BRITICE-CHRONO reconstruction, while individual sectors advanced and retreated at different times. A map for this period is consequently an evidence-based reconstruction with uncertainty bounds, not a photograph of a fixed landscape.

Cold Ground and Changing Coasts

Where land was ice-free, the probable setting was open, cold and wind-exposed. Plant evidence from Irish sediment sequences of comparable Ice-Age age points to treeless or sparsely shrubby landscapes in cold phases, with grasses, sedges, herbs, mosses and dwarf shrubs rather than closed forest. Permafrost and repeated freezing and thawing would have altered soils and slopes. Streams could be seasonally vigorous, while hollows and lake margins preserved pollen, plant macrofossils and insects only in rare favourable deposits. Much of the later Irish landscape has been scoured, buried or rearranged by ice, leaving an exceptionally fragmentary archive.

Sea level was lower than today because large quantities of water were held in continental ice sheets. The outlines of Ireland and the Celtic Sea shelf therefore differed markedly from modern maps. Low sea level may have enlarged coastal plains and shortened some sea crossings, but it does not licence a simple claim that there was a continuous, usable land bridge linking Ireland to Britain or continental Europe at this exact time. Relative sea level around Ireland was also affected by the weight of growing ice and movement of the Earth’s crust. Animal dispersal demonstrates that routes existed at some points during the wider period; it does not identify the route, season or precise date of every arrival.

Such environmental change was the decisive regional force. It shaped what plants could grow, which animals could find forage, whether caves were accessible and where water, shelter and carrion accumulated. It also created the geological legacy visible today: glacially smoothed rock, tills, drumlins, altered drainage and submerged shelf landscapes. These are not monuments made by Ice-Age Irish communities. They are the physical conditions under which any animal or human visitor would have moved.

Castlepook's Faunal Evidence

Castlepook Cave is crucial because it is Ireland's richest known assemblage of vertebrate remains from the period leading towards the Last Glacial Maximum. Excavations begun in the early twentieth century recovered more than 2,000 bones from galleries given memorable names such as Hyaena Hall and Elephant Hall. The collection includes remains attributed to woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, mountain hare, lemmings and spotted hyaena. Not every one of these animals need have been present together, and the species list represents a long accumulation rather than a single living community. Nonetheless, it establishes that Ireland could support a varied cold-stage fauna during parts of the wider MIS 3 interval.

The assemblage should not be treated as a straightforward census of a Cork valley. Carnivores could drag prey or scavenged carcasses into caves; hyaenas in particular may have used the system as a den. Water could move bones between passages, roof collapse could break them, and early excavators worked before modern standards of stratigraphic recording. Recent work has therefore emphasised taphonomy: the study of how remains entered a site, were disturbed and survived. A mammoth bone in a cave proves neither a herd outside the entrance on one particular day nor human hunting of mammoths.

Redating has nevertheless transformed the importance of southern Irish cave material. Carden, Higham and Woodman demonstrated that several Castlepook determinations were thousands of radiocarbon years older than earlier measurements suggested. Their study places important elements of the fauna firmly in MIS 3 and indicates that species including giant deer and spotted hyaena may have disappeared locally before the later maximum of glaciation. The result is a more securely ancient faunal horizon, but also a reminder that the chronology of individual finds can change as laboratory treatment improves.

The Human Question

This date has special archaeological interest because a reindeer femur from Castlepook has been interpreted as bearing a cut mark made by a sharp stone edge during butchery. If that interpretation and its association are upheld, it may indicate a human visit to Ireland around 33,000 years ago, much earlier than the formerly accepted terminal-Pleistocene evidence. It is an important proposition, not a licence to write a settled human history for 31,825 BCE.

The distinction matters. A directly dated animal bone can establish when the animal lived or died; identifying a groove as a human cut mark requires separate microscopic and taphonomic judgement. Even a genuine cut mark would show the processing of one animal, not the location of a camp, the size of a group, their language, their route of arrival or a permanent population. No securely stratified stone-tool assemblage, hearth, dwelling, burial or human bone from this particular early horizon has yet been published. Current excavation at Castlepook is directed precisely towards finding undisturbed deposits that might test these questions.

The better-established evidence for Palaeolithic activity in Ireland is considerably later: a cut-marked brown-bear kneecap from Alice and Gwendoline Cave in County Clare has two calibrated ranges of approximately 12,810–12,590 and 12,810–12,685 cal BP. That later evidence demonstrates the value of revisiting old cave collections with modern dating and analysis. It does not fill the long chronological gap between the end of MIS 3 and the terminal Pleistocene, nor does it confirm a continuous human presence.

No Politics, but a Living Landscape

There is no evidence at this date for Irish political affairs, diplomacy, organised warfare, settlements, religion, formal learning, trade networks or a domestic economy. These categories belong to societies represented by people, artefacts, structures or texts; none can responsibly be projected onto a possible brief Palaeolithic visit. If people did reach southern Ireland during this period, their immediate concerns were likely practical ones shared by mobile hunter-gatherers elsewhere in Ice-Age Europe: shelter, fuel, weather, safe movement and access to animal food. That is an informed comparison, however, rather than a direct observation from Ireland.

Nor should the cave fauna be converted into a romantic scene of hunters pursuing every large animal in sight. Reindeer, giant deer and mammoth were possible resources, but the evidence cannot tell whether humans encountered them, hunted them, scavenged them or never met them at all. Spotted hyaena, wolves and bears make equally clear that any human visitors would have entered a landscape inhabited by competing carnivores. The most defensible picture is of ecological opportunity constrained by cold, distance, unstable climate and an expanding ice sheet.

For Ireland, then, 31,825 BCE marks neither a king's reign nor a battle, but a threshold of knowledge. Cave bones, sediments, ice-sheet models and calibration curves show an island—or changing landmass at the Atlantic edge—where Ice-Age animals moved through open environments as glaciation intensified. A disputed modified reindeer bone raises the possibility that people also arrived. Future excavation, direct dating and taphonomic analysis may strengthen, revise or reject that claim. The uncertainty is not a deficiency to be concealed: it is the central historical fact of Ireland at this extraordinary depth of time.

Chapter 077 of 100

31824 BCE

Hyaena Hall's Reindeer



“31,824 BCE” is a modern chronological label, not a year that anyone in prehistoric Ireland could have named or recorded. It falls roughly 33,770 years before the conventional radiocarbon reference year of 1950, but archaeology cannot isolate a political event, a particular season, or even a securely identified generation on the island at that precision. The responsible setting is the later part of Marine Isotope Stage 3 (MIS 3), an unstable interval of the last Ice Age before the Last Glacial Maximum. Evidence is sparse, unevenly dated and often recovered from caves excavated long ago. It can illuminate an Ice-Age environment and the possibility of fleeting human activity; it cannot furnish a conventional annual history.

Before the Ice Sheet's Maximum

Ireland was not yet at the fullest extent of the last British–Irish Ice Sheet. Earlier syntheses place the broad build-up of that ice sheet after about 35,000–32,000 years ago, with its maximum extent later, broadly around 27,000–21,000 years ago. More recent work has stressed that growth was regionally uneven and that evidence for pre-maximum ice is difficult to reconcile into one simple island-wide map. Thus it would be misleading to imagine either a wholly ice-covered Ireland or a uniformly open land in this nominal year. Ice margins, frozen ground, snow cover and drainage conditions changed across relatively short geological timescales.

The landscape known to geology was profoundly unlike modern Ireland. Repeated glacial action had already stripped, moved and buried sediments; subsequent advances would further erode the evidence. Valleys, limestone cave systems and lowland basins were potential repositories for bones, silts, pollen and

plant remains, but also places where water, frost, scavengers and later excavation could mix material from different moments. This is why a fossil's presence in a cave does not by itself prove where an animal died, how it entered, or whether people occupied the cave.

Sea level was far lower than today because much water was locked in northern ice sheets, altering the outlines of coasts and shelves. Yet lower sea level alone does not settle the question of access to Ireland. Palaeogeographers have long debated when, where and whether dry or partly dry connections existed between Ireland and Britain. Models for the later Last Glacial Maximum commonly show much more exposed terrain, while other work warns that local crustal movement, ice and water depths made any route contingent and short-lived. For this much earlier MIS 3 setting, a firm route for people or animals should not be asserted from sea-level change alone.

A Tundra Archive in Fermanagh

The clearest Irish environmental evidence relevant to this wider cold-stage world comes not from a settlement but from buried deposits. At Derryvree near Maguiresbridge, County Fermanagh, roadworks exposed freshwater silts and fine sands between glacial tills. Their radiocarbon age, $30,500 \pm c.1,000$ radiocarbon years BP, calibrates broadly to about 37,200–35,700 calendar years BP. That range predates the nominal year here, so it must not be presented as a snapshot of 31,824 BCE. It nevertheless provides important evidence for the kind of Middle Midlandian environment that could occur in Ireland during this general phase of the last glaciation.

Pollen, mosses, plant macrofossils and invertebrate evidence at Derryvree indicate open tundra or muskeg: wet, sedge-rich ground with pools, sparse dry-land vegetation and a periglacial climate. The record does not support a forested Ireland. A few tree pollen grains may have travelled far or been redeposited; they are not proof that woodland stood beside the basin. The strongest observation is of treeless, cold-adapted wetland vegetation. Such places could have been seasonally productive for grazing animals and birds, while remaining exposed, windswept and difficult country for human travellers.

This environmental reconstruction has a regional limit. Derryvree lay in the north-western part of the island and represents a particular basin over a dated interval, not every shore, upland or limestone plateau. Nonetheless, it is a useful corrective to the empty-white-map image often attached to the Ice Age. Even in cold stages, ice-free or lightly vegetated zones could contain water, plants, insects and animals. They were ecosystems, though not landscapes that supported farming villages or the dense woods familiar from later prehistory.

Castlepook's Mixed Bone Record

County Cork provides the most evocative, and most contested, evidence. Castlepook Cave near Doneraile—also known as Mammoth Cave—produced an important collection during antiquarian excavations in the early twentieth century and later work. Its Pleistocene fauna includes woolly mammoth, reindeer, giant deer, brown bear and spotted hyaena. Spotted hyaena is especially significant: Castlepook remains the only Irish site currently known to have yielded it. Bones and tooth-marked material show that large scavenging carnivores used, or affected material entering, this karst landscape.

Radiocarbon reassessment has shown why the collection requires care. Improved pretreatment of bone samples produced dates considerably older than some earlier determinations and demonstrated that material assigned to a single cave context may not share one age. Faunal remains from Castlepook span a

substantial part of MIS 3, rather than forming a neatly sealed deposit from one episode. A reindeer bone date tells us when that animal lived and died within a calibrated probability range; it does not automatically date a human action, a cave occupation or the entire assemblage.

One reindeer femur has nevertheless transformed discussion of early Ireland. A deep incision on it has been interpreted by Ruth Carden as a cut made with a sharp stone tool during carcass processing. County Cork heritage material consequently identifies the object as possible evidence that Palaeolithic hunters handled reindeer in the Doneraile area around 31,000 BCE. If the interpretation is confirmed, it would be extraordinarily important: human activity in Ireland would extend far earlier than the previously secure terminal-Pleistocene evidence from County Clare.

The conclusion must remain deliberately modest. The femur originated in an old collection, not an intact modern excavation of a camp floor. There is no securely associated hearth, dwelling, stone-tool assemblage, burial, butchered bone concentration or dated occupation surface of comparable age. A cave can function as a carnivore den, trap, water channel and sediment store as well as a human shelter. The mark is evidence for a specialist assessment of surface modification; it is not an excavated hunting scene. The most that can responsibly be said is that a reindeer carcass may have been cut with a lithic edge by one or more people during the wider MIS 3 period.

Animals, Movement and Survival

The animals represented at Castlepook make better evidence for ecology than for a complete local food web. Reindeer imply open, cold-adapted terrain and seasonal mobility; mammoth, giant deer and hyaena indicate that Ireland could at times sustain or receive large mammals whose ranges are now continental memories. Their coexistence in museum collections does not prove they all met in one valley in one year. Different species may belong to different phases, and bones could have been transported before burial. Still, the assemblage decisively rejects any notion that Ice-Age Ireland was biologically vacant.

If people did reach the island, their presence was probably intermittent and small in scale. A group able to obtain or process a reindeer carcass would have required knowledge of animal movements, sharp stone edges and the practical skills of cold-weather travel. Those are reasonable inferences from Upper Palaeolithic lifeways elsewhere in north-west Europe, but they are not directly documented in Ireland by a camp, toolkit or house. It cannot be established whether hunters crossed during a particular season, followed herds, scavenged an already-dead animal, or returned repeatedly.

There is no evidence at this date for settled communities, agriculture, herding, pottery, metalworking or managed landscapes. Food production lay tens of millennia in the future. Nor can archaeology identify trade routes. Flint and other stone might have travelled with mobile people, but no securely dated Irish lithic assemblage demonstrates an exchange network around this point. The appropriate economic vocabulary is therefore subsistence and mobility, not farming, markets or commerce.

No Kings, No Borders, No Recorded Faith

Political affairs cannot be reconstructed. There were no Irish kingdoms, dynasties, frontiers, treaties or diplomatic institutions that can be identified from evidence of this antiquity. Nor is there archaeological basis for describing warfare, leadership ranks or territorial claims. Hunting animals and crossing a difficult landscape necessarily involved social cooperation, but the size, organisation and language of any human party are unknown. To supply named peoples or political structures would be invention.

The same restraint applies to religion, culture and learning. There are no recognised Irish cave paintings, formal burials, portable artworks, ritual deposits or inscriptions demonstrably belonging to this period. An incision on a reindeer bone is potentially evidence of practical butchery, not symbolic art. Knowledge certainly existed wherever people travelled: knowledge of weather, animal behaviour, stone and safe routes is indispensable to survival. Yet its content can only be inferred generally from human capability, not recovered as an Irish intellectual tradition.


For Ireland around this nominal date, the principal historical development is therefore environmental rather than institutional. The island lay within a changing north-west European Ice-Age world, approaching a more severe glacial maximum. Derryvree preserves a dated image of cold wet tundra within the broader period; Castlepook preserves a remarkable but complicated record of large animals and a possible humanly modified reindeer bone. Together they reveal an inhabited ecological frontier in the broad sense, while leaving unanswered the question most tempting to ask: whether people were actually present in Ireland in this exact notional year.

That uncertainty is not a failure of the evidence. It is the evidence's central lesson. Ireland's deep past survives in layers, dates and bones rather than chronicles. Future controlled excavation at Castlepook, improved dating, microscopic study of bone surfaces and recovery of securely stratified tools may strengthen, qualify or overturn present interpretations. Until then, 31,824 BCE should be understood not as a dated episode in a national narrative, but as a point within a long, cold and only partly visible Ice-Age landscape.

Chapter 078 of 100

31823 BCE

Maguirebridge's Tundra Mosses



The label 31,823 BCE gives a modern calendar address to a period that had no calendars, writing, named rulers or datable events in Ireland. It cannot identify a particular winter, journey or birth. In archaeological terms, it falls approximately 33,800 calendar years before present (cal BP, where “present” is AD 1950), within the later part of the Pleistocene and broadly within Marine Isotope Stage 3. The responsible history of Ireland at this depth of time is therefore not a chronicle of people or politics. It is an account of changing land, climate, plants and animals, reconstructed from sediments, fossils, cave deposits and the dating methods applied to them.

A Landscape Before the Ice Maximum

This was an age of pronounced climatic instability, not a single, unchanging “Ice Age”. Ireland lay on the Atlantic fringe of north-west Europe, exposed to shifts in temperature, precipitation, sea level and the growth or retreat of ice. The great expansion of the last British–Irish Ice Sheet, conventionally associated with the Last Glacial Maximum, lay ahead. Current reconstructions place its most extensive later phase mainly between about 27,000 and 23,000 cal BP, though individual sectors developed differently and the history of ice growth remains actively refined. Around 33,800 cal BP, Ireland was therefore approaching a much harsher glacial world rather than already standing at its fullest ice-sheet extent.

That distinction matters. Later ice covered and eroded huge areas, disturbing or removing older deposits. The evidence for an earlier, ice-free or locally ice-free Irish landscape is consequently rare and uneven. A surviving layer may represent a pond, seep, cave chamber or sheltered hollow rather than the whole island. Equally, the absence of a deposit in another county cannot prove that no comparable habitat existed there. Archaeologists and Quaternary scientists build a regional picture from such fragments, testing whether their dates, sediments and fossil assemblages agree.

The coastline did not resemble that of modern Ireland. Global sea levels were lower than today because more water was held in continental ice sheets, exposing portions of the continental shelf. Yet it would be misleading to draw a simple land bridge across every stretch of the Irish Sea. The form, timing and accessibility of routes between Ireland, Britain and continental Europe changed as sea level, ice margins and local topography changed. At this date, any movement of animals or people would have depended on a shifting northern landscape, not on the political or maritime boundaries familiar today.

The Derryvree Evidence

The most illuminating Irish evidence for this broad interval comes from Derryvree near Maguiresbridge in County Fermanagh. Road works exposed freshwater silts and fine sands caught between two thick layers of till within a drumlin. Till is sediment laid down by glacier ice; its position above and below the organic layer shows that the locality experienced glacial conditions before and after the interval recorded by the silts. The deposit is an unusually valuable survival because it preserves a moment when freshwater and vegetation occupied ground later overridden or sealed by ice.

An original radiocarbon determination on the Derryvree organic material was 30,500 radiocarbon years BP, with a substantial uncertainty. Radiocarbon years are not calendar years: atmospheric carbon levels varied through time, especially during the Pleistocene, so dates must be calibrated against independently constructed curves. In broad calibrated terms, the Derryvree horizon belongs around 35,900 cal BP, with uncertainty of roughly a millennium. It is not a measurement for the calendar year 31,823 BCE, but it is close enough to illuminate the kind of environment that could have existed in Ireland during the wider period.

The plant evidence points to open, treeless tundra and a periglacial regime: a landscape affected by severe seasonal frost near, but not necessarily beneath, glacier ice. Pollen was poorly preserved, yet it included herbaceous taxa associated with tundra. Better-preserved plant macrofossils included mosses, while sedges, grasses, herbs and juniper form part of the reconstructed vegetation. Such evidence does not justify imagining an unbroken carpet of identical tundra from Cork to Donegal. Rather, it suggests damp, mossy and sedge-rich ground, patches of sparse dry-land vegetation, shallow freshwater and exposed mineral surfaces in the Fermanagh locality.

“Muskeg” has sometimes been used as an analogy for this wet, moss-dominated setting. The comparison is useful only if treated cautiously. It conveys waterlogged, organic ground broken by pools and frost-affected hollows; it should not be mistaken for an exact modern ecosystem transplanted into the past. The important conclusion is firmer: Derryvree preserves evidence for a cold, open habitat rather than woodland, farmland or a settled human landscape.

Animals on a Changing Margin

Irish cave deposits add another line of evidence, although they also demand caution. Caves such as Castlepook in north Cork, Foley Cave and Shandon Cave have yielded mammal remains attributed to parts of Marine Isotope Stage 3. Reassessment using improved bone pretreatment and modern accelerator radiocarbon methods has shown that several older measurements were unreliable or too young. This is not a technical footnote: revised dates have changed the apparent chronology of Ireland’s Pleistocene fauna and demonstrated how easily a tempting narrative can rest on insecure dates.

The broader faunal record indicates that cold-adapted and open-country mammals reached Ireland during portions of this long period. Reindeer and giant deer are among the animals represented, while some cave horizons also contain carnivores such as spotted hyaena. Their presence demonstrates ecological connections to the wider north-west European world at particular times. It does not establish that every species lived together at Derrynree, or that each occupied Ireland in 31,823 BCE itself. Cave assemblages may accumulate through carnivore activity, natural deaths, water movement and excavation disturbance; they are evidence of animals and processes, not ready-made snapshots of a single herd.

Nevertheless, animal remains and tundra vegetation together make a coherent ecological proposition. Where seasonal plant growth supported grazers and browsers, predators and scavengers could follow. The landscape was probably highly seasonal, with short productive summers and demanding winters. Mobility, rather than permanence, was likely fundamental to large mammals. River corridors, low ground and the then-expanded coastal plain may have mattered more than the later landmarks of counties, roads or towns.

No Known Community

There is no securely dated settlement, hearth, stone-tool assemblage, burial or built structure in Ireland that can responsibly be assigned to around 33,800 cal BP. Accordingly, there is no evidence for a resident community, social hierarchy, language, religion, trade network, territorial leadership or diplomacy at this date. It would be wrong to invent a Palaeolithic camp merely because contemporary *Homo sapiens* communities elsewhere in Europe made sophisticated tools, travelled widely and created art. Those wider developments provide context, not proof that they occurred in Ireland.

The possibility of very early human visits has attracted understandable interest. A reindeer femur from Castlepook was once interpreted as bearing a possible cut mark, but its meaning and chronological implications remain debated. Improved redating has strengthened the case that some Irish cave fauna is much older than formerly thought, while also underlining the limitations of antiquarian excavations and disturbed cave deposits. A plausible human modification on one bone would not, by itself, demonstrate a settled population. For this period, the prudent conclusion is that human presence in Ireland is unproven.

The best-supported evidence for human activity on the island is vastly later. Work at Alice and Gwendoline Cave in County Clare has identified a butchered brown-bear bone dated to the terminal Pleistocene, around 12,800–12,600 cal BP, though interpretations of that evidence have also been debated. Even if accepted, it belongs more than twenty millennia after the date considered here. The gap is historically important: it warns against projecting Ireland's later hunter-gatherer settlement backwards into an earlier and ecologically different world.

What Cannot Be Written

For that reason, conventional headings such as political affairs, conflict, diplomacy, economy and learning have almost no direct content in this year. There were no known Irish polities, institutions, shrines, markets or written traditions. There is no evidence of organised warfare, exchange between communities, farming, animal husbandry, metalworking or formal religious practice. Silence here is not an omission in the record of kings; it is a characteristic of the period and of the evidence available.

There was, however, a physical history of enormous consequence. Frost, water, vegetation and migrating animals shaped a landscape that would later be transformed by ice-sheet expansion. Organic deposits at Derrynree survived only because sedimentary circumstances briefly preserved them. Glacial

erosion then reworked much of Ireland, leaving the drumlins, rock basins, tills and altered drainage systems that would condition later soils, lakes, bogs and routes of movement. The distant future of Irish settlement was not present in 31,823 BCE, but some of its environmental foundations were being made.

An Evidence-Led Year

Thus the most accurate picture of Ireland around this point in time is a cold, open and regionally varied Pleistocene landscape, probably largely without established human communities and certainly without documented political or cultural institutions. Freshwater silts beneath a Fermanagh drumlin preserve mosses and other traces of tundra life; cave bones in southern Ireland reveal that changing animal communities reached the island during Marine Isotope Stage 3. Both bodies of evidence are powerful precisely because they are limited. They allow a history of climate and habitat, while requiring restraint about people. Modern calendar precision is unavailable, but calibrated ranges and careful interpretation still permit a meaningful view of Ireland long before history in the ordinary sense began.

Chapter 079 of 100

31822 BCE

The Silent Reindeer Femur



The label “31,822 BCE” can only be used here as a modern way of locating a very remote point in time. It does not identify a recorded year in which an Irish event occurred. No written chronology, annual calendar, named individual or dated settlement exists for Ireland at this depth of prehistory. In archaeological terms, the point falls roughly 33,770 calibrated years before 1950, within Marine Isotope Stage 3 (MIS 3), a climatically unstable part of the Late Pleistocene. The responsible history of Ireland at this moment is therefore not a narrative of rulers or battles, but an account of landscapes, animal remains, cave deposits and the limits of what those traces can say.

It was a world before permanent Irish settlement, before farming, metalwork, monuments, Irish languages and every known political institution on the island. Yet it was not an empty world. Evidence from southern Irish caves demonstrates that a distinctive cold-stage fauna lived in Ireland before the Last Glacial Maximum. One especially important object, a reindeer femur recovered from Castlepook Cave near Doneraile in north Cork, has become central to debate about whether people briefly reached Ireland during this earlier phase of the Ice Age. It gives this otherwise silent interval an unusually tangible focus.

A Date Without a Year

Radiocarbon laboratories measure ages in radiocarbon years, not BCE calendar years. Those measurements must then be calibrated against changing atmospheric carbon levels, producing ranges rather than an exact historical date. At ages beyond thirty millennia, the uncertainties are especially significant. Moreover, the climatic stages used by Quaternary scientists are broad intervals reconstructed from marine sediments, ice cores and terrestrial evidence; their boundaries do not behave like the edges of political eras. It is better to say that 31,822 BCE lies approximately within late MIS 3 than to pretend that it marks a precise turning point.

This caution matters particularly in Ireland, where the surviving record is patchy. Later ice sheets eroded, transported and buried many older land surfaces. Cave collections are often the product of nineteenth- and early twentieth-century excavations, conducted before modern standards of stratigraphic recording. Bones may have been moved by carnivores, water, gravity, earlier digging or later disturbance. A radiocarbon date can establish the age of an individual animal bone, but it does not automatically date every deposit in the cave, nor prove that humans and animals were present together.

Before the Ice-Sheet Peak

At this approximate date, Ireland was approaching rather than enduring the fullest extent of the last British–Irish Ice Sheet. Reconstructions place the maximum, island-wide ice cover later, broadly around 27,000–23,000 calibrated years before present, although the timing and thickness of ice varied considerably between regions. The advance was neither a single smooth wall nor a uniform national event: uplands, coastlines, ice streams and local basins responded differently. By the glacial maximum, ice reached the Atlantic shelf edge west of Ireland and the Celtic Sea shelf edge to the south; at roughly 31,822 BCE, the configuration was still developing.

That distinction is crucial. The evidence for MIS 3 mammals indicates that parts of Ireland had supported animal populations during the long lead-up to maximum glaciation. It does not mean that every valley was green, open or equally habitable at the same moment. Climate swung repeatedly between relatively milder interstadials and colder stadials. The prevailing impression is of a rigorous, exposed environment, with treeless or very sparsely wooded habitats, seasonal extremes and changing mosaics of grassland, herb-rich tundra, wet ground, bare mineral soil and low shrubs. Local shelter, slope, drainage and proximity to ice would have mattered greatly.

Ice-age sea levels were lower than today because enormous quantities of water were locked in continental ice. Ireland's coast therefore did not resemble the modern shore, but neither should low sea level be simplified into a guaranteed dry route from Britain. The Irish Sea basin included deep channels, and ice, water and coastlines shifted over time. Crossings by animals or people, if they occurred, depended upon changing land-and-sea geography, weather and available routes rather than a permanent land bridge. Ireland's position at Europe's north-western margin made it an intermittently accessible, ecologically demanding place.

Castlepook and the Faunal Record

Castlepook Cave is the strongest Irish window onto this pre-maximum world. Its deposits and museum collections have yielded remains attributed to woolly mammoth, reindeer, giant deer, brown bear, wolf, fox, hare, lemmings and spotted hyaena. This is a powerful list, but it must be read carefully. A cave is not a census of a living landscape. Hyaenas could drag prey and bones into dens; scavengers, flooding and sediment movement could concentrate material from different places and times. The assemblage nevertheless establishes that southern Ireland was occupied by a fauna far richer, and in several cases very different, from that of later historic Ireland.

The presence of spotted hyaena is particularly revealing. These were not modern African-style creatures wandering through a savannah, but Ice Age carnivores adapted to a varied northern environment. Their use of caves helps explain why some bones survive there. Mammoth and reindeer point to open-country grazing systems, while smaller mammals such as lemmings help confirm cold conditions. Giant deer, brown bear and wolves add ecological variety. The animals did not form a timeless

parade: each species had its own range, habits and dating evidence, and some may not have overlapped precisely. What can responsibly be said is that Ireland formed part of wider north-west European ecological networks during MIS 3.

Recent redating has changed the discussion. Improved pretreatment of bone collagen has shown that some earlier Irish cave dates were too young, and reanalysis of Castlepook, Foley and Shandon cave material has pushed elements of the southern fauna farther back into MIS 3. The revision reinforces the importance of the cave record while also illustrating why archaeological conclusions remain provisional. Better chemistry can alter the apparent timing of animal presence by thousands of years. The record is not fixed simply because the bones were excavated long ago.

The Reindeer Femur Debate

The Castlepook reindeer femur is the most direct item relevant to possible human activity around this broad period. It has been reported as dating to about 33,000 years ago and bears a deep linear modification interpreted by Ruth Carden as a cut or chopping mark made on fresh bone with a sharp stone implement. If that interpretation is sustained, it is evidence that people processed a reindeer in Ireland far earlier than the island's formerly accepted archaeological starting point. It would indicate an episode of Upper Palaeolithic visitation or activity, not a settled population or a named "first Irish" community.

The qualification is essential. No securely associated hearth, stone-tool assemblage, dwelling floor, human burial or repeated occupational sequence has yet been published from Castlepook for this time. The bone came from an old cave collection rather than a modern excavation with a fully recorded context. Natural damage, carnivore action and the effects of recovery must always be assessed in interpreting marks on bone. The prudent conclusion is that the femur is a serious and potentially transformative indicator of human presence, but not final proof of continuous occupation. Current investigations seek stratified faunal deposits and the kind of securely contextualised evidence that could resolve the question.

Even if people did reach Ireland, their presence may have been brief, seasonal or separated by long absences. They would have been mobile Upper Palaeolithic hunter-gatherers, probably travelling in very small groups and relying on knowledge, co-operation and flexible movement rather than villages or fields. Reindeer could have supplied meat, marrow, hides, sinew and bone, but the Castlepook find alone cannot reconstruct a camp, a hunting method or a social group. It cannot tell us whether visitors arrived from Britain, continental Europe or another route, nor whether they returned.

Society Beyond Recovery

There is no evidence from Ireland around this date for political authority, diplomacy, territorial boundaries, formal warfare, trade routes, markets, religious monuments or writing. Those absences should not be mistaken for evidence that Palaeolithic people lacked social lives, beliefs or cultural knowledge. Across Europe, communities of *Homo sapiens* possessed elaborate stone and organic technologies, maintained long-distance contacts, created imagery and carried learned traditions. But importing those achievements wholesale into Ireland would be speculation. No Irish object securely dated to around 31,822 BCE demonstrates art, ritual, exchange or a specific tool tradition.

The same restraint applies to everyday life. If the reindeer femur records human butchery, it confirms a practical encounter between people and animal prey. It does not reveal clothing styles, languages, kinship systems, gender roles or religious ideas. Hides and furs were likely valuable in such climates, and

fire would have been indispensable for any sustained outdoor stay, but neither is directly evidenced at Castlepook for this time. The archaeological lesson is not that such things did not exist; it is that Irish evidence has not preserved or identified them.

An Island of Possibility


For Ireland, the importance of this date lies less in a supposed event than in a threshold of possibility. Long before the familiar Mesolithic settlement of the early Holocene, the island supported Ice Age animals and may have received human visitors. Subsequent glaciation was capable of destroying or concealing much of the material record, making caves, museum archives and rare protected sediments disproportionately important. The absence of a stone tool or campsite is therefore not simple proof of absence, but neither is it a licence to fill the gap with imaginative history.

At approximately 31,822 BCE, Ireland was a cold, changing north-western landscape on the eve of more extensive glaciation. Reindeer and other mammals are securely part of that story. The marked Castlepook femur may place people beside them, briefly and consequentially, but its meaning remains under examination. That balance—between an extraordinary clue and the discipline of uncertainty—is the most accurate portrait available for Ireland at this remote point in time.

Chapter 080 of 100

31821 BCE

Mammoth Cave's Reindeer Passage



“31,821 BCE” is a modern way of labelling a point unimaginably far beyond written history, not a date that anyone living in Ireland could have recognised. Calendar-year precision is not available for this period. The responsible approach is to place the notional year within a broad later *Marine Isotope Stage 3* (MIS 3) setting, using radiocarbon dates calibrated into calendar ranges where possible. Around this point, Ireland was in the Pleistocene, well before the Last Glacial Maximum, and its human history is represented not by chronicles, settlements or named peoples, but by a very small and difficult body of environmental and faunal evidence.

That evidence nonetheless changes the old picture of an empty Ice-Age island. In north Cork, Castlepook Cave—also called Mammoth Cave or Doneraile Cave—has produced bones of a striking cold-climate fauna. A reindeer femur from the cave has been identified as bearing a mark interpreted as having been made by a sharp stone implement during carcass processing. County Cork’s heritage catalogue presents the specimen as dating to about 31,000 BC. If that interpretation is sustained, it is evidence for a human visit or short episode of activity, rather than proof of a permanent population. No securely associated stone toolkit, hearth, dwelling, human bone or occupation surface has yet been recovered.

Dating A Deep Past

The apparent precision of 31,821 BCE must therefore not be mistaken for a precise archaeological moment. Radiocarbon determinations measure radiocarbon years before present, conventionally before 1950, and must be calibrated against changing atmospheric carbon levels to create calendar-age estimates. At great age the calibrated intervals can be wide, and old cave collections introduce further problems: bones may have been moved by animals, water, earlier excavation or later disturbance; material from

different episodes can lie close together; and improved preparation techniques have revised some earlier Irish results substantially. The current IntCal20 calibration curve is especially important for the last glacial period, where revisions can alter calendar placement materially.

A useful northern Irish comparator comes from Derryvree, near Maguiresbridge in County Fermanagh. There, organic freshwater silts and fine sands were discovered between two distinct sheets of glacial till. Their original radiocarbon determination was 30,500 radiocarbon years BP, with a sizeable uncertainty. Published calibrated discussion places the deposit broadly at roughly 36,900–31,700 calendar years BP—approximately 34,950–29,750 BCE. The range embraces 31,821 BCE, but it does not establish conditions on that particular year. It provides a regional environmental window, not an annual record.

An Open, Cold Country

Derryvree's pollen, plant remains, mosses and animal evidence indicate an open tundra environment under periglacial conditions. Grass and sedge communities, herbs, juniper and mosses belonged to a treeless landscape in which wet ground, shallow pools and seasonally frozen soils mattered as much as broad expanses of exposed mineral earth. It was not a featureless white wilderness throughout the year. In a brief summer, plants could flower, insects could breed and grazing animals could exploit fresh growth; in winter, cold, wind and snow imposed severe limits. The exact balance varied from region to region and from one climatic oscillation to another, so Fermanagh should not simply be projected unchanged onto Cork. It does, however, show that parts of Ireland supported open habitats before later ice expansion.

At Castlepook in the Awbeg Valley, the cave assemblage records animals suited to very different positions in an Ice-Age food web. Reindeer, woolly mammoth, giant deer, brown bear, wolf, fox, Arctic fox, spotted hyaena and lemmings have all been reported from the wider pre-Last Glacial Maximum assemblage, though not all specimens are necessarily contemporary. The crucial point is not that all these creatures stood together on one day in 31,821 BCE, but that southern Ireland supported, across a long MIS 3 interval, a fauna far richer and colder-adapted than that of the modern island. Reindeer and mammoth imply grazed open ground; lemmings are consistent with tundra-like habitats; hyaenas, wolves and bears reveal the hazards and scavenging opportunities around animal carcasses.

What The Cave May Preserve

The Castlepook reindeer bone is important precisely because it is so modest. One possible cut mark does not furnish a dramatic hunting scene. It may indicate that people used a sharp flaked-stone edge to remove meat, tendon or hide from a carcass. The animal could have been hunted, found already dead, or obtained after another predator had killed it; the cave itself may have been a carnivore den rather than a human camp. Cork County Council's interpretation is that the animal was probably processed elsewhere and that remains were later scavenged or dragged into the cave by hyaenas or wolves. This is plausible inference, not demonstrated sequence.

Even identification of ancient activity demands caution. Marks on bone can be made or altered by tooth action, trampling, sediment movement and excavation damage. Equally, a historic cave collection does not preserve the original positions of all finds with modern standards of recording. Recent work at Castlepook has sought surviving Pleistocene deposits in areas overlooked or inaccessible to twentieth-century excavators. It located sediments and zones of potential, but also encountered redeposited spoil,

modern disturbance and the consequences of earlier digging. This is why the most defensible conclusion is deliberately narrow: the bone offers potential evidence for Palaeolithic people in Ireland, while the character, duration and scale of their presence remain unknown.

People Without Politics

There is no evidence for political institutions, rulers, territories, diplomacy or organised warfare in Ireland at this date. There are no names, languages, monuments, burials or artistic traditions that can be assigned to the possible visitors. It would be wrong to supply them from later Celtic, medieval or even Mesolithic Ireland. The relevant comparison is instead with Upper Palaeolithic hunter-gatherers elsewhere in north-west Europe: highly mobile small groups, able to make sophisticated stone tools, read animal behaviour and cope with dangerous seasonal environments. That comparison can suggest possibilities; it cannot turn Castlepook's lone modified bone into proof that a particular community lived in the Awbeg Valley.

If people did enter Ireland during this warmer interval before the ice maximum, everyday survival would have centred on movement, fuel, shelter, clothing and food. A carcass represented meat, marrow, fat, hide, sinew and bone: resources whose value rose in cold, sparsely wooded landscapes. Reindeer were especially mobile grazers, and following their routes may have been more realistic than establishing fixed settlements. Yet Ireland has not yielded the lithic scatters, repeated hearths or durable camp remains needed to demonstrate a seasonal round. "Economy" can therefore mean only immediate subsistence and resource use, not agriculture, pastoralism, market exchange or trade.

Routes, Ice And Separation

Ireland's relation to neighbouring lands was also not the modern one. Global sea level was lower during the glacial world, but a simple dry land bridge across the Irish Sea should not be assumed. Research on late-Quaternary palaeogeography has questioned such a route, while later studies emphasise shifting ice, sea and coastal configurations rather than a single stable connection. Animals and any human groups could have reached Ireland through changing northern or western corridors, across ice-linked terrain, narrow-water crossings or a mixture of these. The Castlepook fauna establishes that large mammals did reach the island in this broad period; it does not reveal the route followed by one reindeer, still less by a human party.

Climate was moving towards a more formidable phase. The British-Irish Ice Sheet was expanding during the latter part of MIS 3, with reconstructions showing major advance by about 31,000 years ago and eventual maximum extent later, around 26,000 years ago in the wider ice-sheet system. Such broad chronologies should not be read as a statement that all Ireland was overwhelmed simultaneously. Ice margins, outlet glaciers, uplands and lowlands changed asynchronously. But the long-term trend was one of worsening prospects for people and animals dependent on accessible open ground. Subsequent glaciation also helps explain why traces of any early visitors may have been eroded, buried offshore, or survive only in protected caves.

A Record Of Absence

Religion, formal learning and cultural expression cannot responsibly be described for Ireland in 31,821 BCE. There is no Irish cave art, symbolic object or structured deposit securely attributable to this horizon. Nor is there evidence for regular exchange with Britain or continental Europe. Absence is not proof that people possessed no beliefs, skills or social bonds; all human communities do. It means that Ireland's surviving record is too thin to identify their forms. The meaningful historical development is the emergence of a cautious possibility: during a cold but habitable interlude, human beings may have reached the western edge of Europe and processed an animal in what is now north Cork.

For Ireland, then, this is not a year of kings, battles or foundations. It is a year best approached through a reindeer bone, tundra silts, cave sediments and the advancing shadow of ice. These remain fragments, but they are consequential fragments. They place the Irish past within the deep Palaeolithic world of climatic instability, mobile fauna and perhaps fleeting human passage—tens of millennia before the better-attested hunter-gatherer settlement of the early Holocene.

Chapter 081 of 100

31820 BCE

Maguirebridge Mossland



The label 31,820 BCE is a modern chronological convenience, not a year that anyone in Ireland could have named, recorded or experienced through a calendar. It corresponds only approximately to 33,800 calendar years before present, conventionally counted from 1950. At this depth of time, radiocarbon dates require calibration and are normally expressed as probability ranges; cave deposits and buried sediments are rarely precise enough to isolate one year, season or generation. The responsible subject is therefore Ireland during the later part of Marine Isotope Stage 3 (MIS 3), a fluctuating interval of the last Ice Age before the Last Glacial Maximum.

This was not an Ireland of farms, monuments, kingdoms or even securely demonstrated resident communities. Its history is read principally through sediments, pollen, mosses, insects, animal bones and the geological traces of ice. Those materials illuminate changing environments and the presence of animals; they cannot provide a year-by-year chronicle of human affairs. A single controversial indication of possible human activity at Castlepook Cave in County Cork deserves attention, but cannot bear the weight of a conventional origin story.

Dating a Landscape

Marine Isotope Stage 3, broadly dated to about 57,000–29,000 years ago, was neither uniformly frozen nor climatically stable. Greenland ice cores and North Atlantic records show repeated abrupt changes over centuries and millennia. Ireland lay on the western edge of that North Atlantic world, where temperature, precipitation, vegetation, sea level and the position of glaciers could alter substantially. Around the notional date used here, the great maximum expansion of the last British–Irish Ice Sheet still lay in the future: evidence from land and sea places the principal Late Midlandian maximum broadly after about 27,000 years ago, with many Irish offshore ice margins reaching their greatest extent later still.

That sequence matters because Ireland's surviving evidence is fragmentary. Subsequent ice sheets scoured and rearranged much of the earlier landscape, while acidic soils seldom preserve bone. A cave can preserve remains for tens of millennia, but it is not automatically a habitation site: it may be a carnivore den, a trap, a drainage route or a place into which sediment and bones were washed. A buried freshwater deposit, meanwhile, records conditions at the place and time it formed, not the whole island. The archaeological task is consequently to distinguish a securely observed deposit from the larger environmental interpretation built from it.

Derryvree's Buried Wetland

The most informative Irish environmental archive relevant to this broad period was exposed beneath a drumlin at Derryvree, near Maguiresbridge in County Fermanagh. Road works in 1969 revealed organic silts and fine sands lying between glacial tills. The deposit was laid down beside freshwater during an ice-free interval and was later sealed by renewed glaciation. A radiocarbon determination of $30,500 \pm 1,170/1,030$ radiocarbon years BP gave the sequence its historic importance, although it must not be converted into a falsely exact calendar date or treated as a direct date for 31,820 BCE.

Its fossil contents nevertheless offer the strongest picture of an Irish cold-stage landscape. Pollen was dominated by herbaceous plants; plant macrofossils and a notable moss assemblage survived; insect evidence added detail. Together these support the interpretation of open, largely treeless tundra or muskeg-like ground: wet, mossy and sedgy in places, interrupted by shallow pools and affected by frost. Juniper and low-growing herbs belonged to this sparse vegetation, but there is no basis for imagining continuous forest. Dry ground may itself have carried only thin plant cover.

This was a productive landscape in its own hard seasonal way, not a sterile white void. Mosses, sedges, grasses and herbs could sustain invertebrates and grazing animals during favourable months, while waterlogged patches offered different habitats from exposed mineral ground. Yet the evidence does not tell us exactly what the weather was on a particular day, nor whether every part of Ireland looked alike. Derryvree gives a carefully bounded local window onto an interval of severe, open-country conditions in south Fermanagh. It demonstrates that biologically active ice-free terrain existed in Ireland during part of MIS 3; it does not map the precise edge of ice across the island in 31,820 BCE.

The Castlepook Fauna

In southern Ireland, Castlepook Cave near Doneraile in north County Cork preserves the richest known Irish cave archive for pre-Last Glacial Maximum vertebrates. Excavated mainly in the late nineteenth and early twentieth centuries, and investigated again in more recent projects, it has yielded remains attributed to reindeer, red deer, giant deer, woolly mammoth, brown bear, wolf, fox, hare, lemmings and spotted hyaena. These animals show that Ireland formed part of a wider north-west European cold-stage ecological zone at different times during MIS 3.

The word "different" is essential. It would be misleading to place all of these species in one illustrated herd or to assume that they were contemporaries at Castlepook in the year under discussion. Early excavations did not always record context to modern standards, and renewed radiocarbon work has transformed the chronology. In 2020, improved bone-collagen pretreatment produced dates for southern Irish fauna that were in some cases thousands of years older than earlier determinations. The reassessment suggested that giant deer and spotted hyaena may have disappeared locally before the Last Glacial

Maximum, perhaps around 40,000 calibrated years BP. Castlepook is therefore evidence for successive animal episodes, carnivore activity and preservation within a cave system, rather than a single frozen tableau.

The cave's fauna also cautions against simple claims about animal movement. Mammals plainly reached Ireland during favourable phases of the Late Pleistocene, but the routes, duration and frequency of those movements remain difficult to reconstruct. Low sea level exposed broader coastal plains and altered the geography of the Irish Sea, but a useful land connection depended on changing local topography, water depth, ice and relative sea level. It is safer to say that Ireland was ecologically connected at intervals to the wider region than to draw a definite land bridge for this particular date.

A Marked Reindeer Bone

The possibility of people in Ireland at this date centres on a reindeer femur from the Castlepook collection. The specimen has been reported as about 33,000 years old and bears a deep mark interpreted by zooarchaeologist Ruth Carden as damage made with a sharp stone tool while fresh bone was being butchered. County Cork heritage material presents the object as a possible trace of Palaeolithic hunters handling reindeer, an interpretation that would greatly extend the island's human story beyond the securely attested post-glacial record.

The find is important precisely because the claim must remain cautious. The date concerns the animal bone, not a named person, a camp or a settled population. The mark's identification as a tool cut is a specialist taphonomic interpretation, distinct from the radiocarbon measurement; its significance depends on excluding other forms of damage. Moreover, the femur derives from an old cave collection rather than an intact excavation surface with associated hearths, stone tools, dwelling features or repeated food debris. Recent excavation at Castlepook has sought better contextual evidence, but it has not yet supplied a published, securely stratified Upper Palaeolithic settlement.

If the tool-mark interpretation is ultimately confirmed, the most that can responsibly be inferred is a brief human encounter with a reindeer carcass, perhaps by mobile hunter-gatherers. It does not establish permanent occupation, continuous ancestry, the number of visitors, their language or their route to the island. The National Museum of Ireland's wider caution that clear Palaeolithic human presence has not yet emerged remains an important corrective to headlines. A potentially butchered bone is a remarkable clue, not a complete society.

What Cannot Be Recovered

For this reason, political affairs, warfare, diplomacy and institutions have no evidential history in Ireland for 31,820 BCE. There are no named groups, rulers, boundaries, treaties or conflicts. Equally, there is no Irish evidence from this date for households, clothing, formal learning, ritual places, art, burials, monuments, farming, herding, markets or long-distance trade. It would be tempting to import the rich art and varied stone-tool traditions of Upper Palaeolithic Europe into Ireland, but neighbouring evidence supplies context, not proof of equivalent practice on the island.

Even an economy of hunting cannot be confidently described as Irish at this point, because a resident human population remains unproven. The fauna does demonstrate potential animal resources and ecological relationships: herbivores exploited seasonal vegetation, while predators and scavengers

followed prey, carrion or vulnerable animals. Caves may have been used by hyaenas and other carnivores, which could have transported bones from elsewhere. Such processes explain why cave bone collections require detailed study before they are treated as records of human meals or settlement.

Approaching the Ice Maximum

The largest development visible around this nominal year was environmental change. Ireland occupied an unstable cold-world margin, with open wetland-tundra habitats in some places and ice advancing, retreating or persisting elsewhere over long timescales. The later growth of the British–Irish Ice Sheet would cover and reshape much of the island, destroying or burying many earlier traces. That geological legacy helps explain why the record is so uneven: Derryvree’s silts and Castlepook’s bones survived as exceptional archives, while open-air landscapes and any short-lived camps were far less likely to endure.

Ireland at 31,820 BCE is therefore not a blank page, but neither is it a human historical chapter in the ordinary sense. The evidence securely supports a changing Ice Age environment, freshwater wetlands in Fermanagh during a broad cold-stage interval, and a diverse succession of mammals in southern Irish caves. It also permits a carefully qualified possibility that people briefly reached the island. Beyond that point, honesty about uncertainty is not a failure of knowledge; it is the essential achievement of reading such a distant past responsibly.

Chapter 082 of 100

31819 BCE

Castlepook's Deep Winter



The label 31,819 BCE is a useful modern reference point, but it cannot identify an event in Ireland in a single ancient calendar year. Nobody then recorded years, rulers or seasons in a recoverable Irish chronology. In archaeological terms, the date falls approximately 33,800 calibrated years before present (cal BP, where “present” is AD 1950), within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3). That conversion is necessarily approximate. Radiocarbon ages must be calibrated against changing atmospheric carbon levels, and results at this depth of time are properly reported as probability ranges, not as annual anniversaries.

For Ireland, the evidence is exceptionally fragmentary. Later glaciers eroded, redeposited or buried much of the older landscape, while cave material was often recovered during early excavations whose recording standards were unlike those of today. The responsible question is therefore not what happened *in* 31,819 BCE, but what deposits, fossils and dates can illuminate Ireland around this broad horizon. They reveal a cold, changeable north-western land supporting Ice Age animals, with a possible but still unproven human presence.

A Variable Ice-Age Landscape

This was not yet the Last Glacial Maximum, the later phase in which the British–Irish Ice Sheet expanded to cover Ireland and much of the surrounding continental shelf. Yet neither was the island simply free of ice. Research increasingly indicates that the British–Irish Ice Sheet had a long and dynamic history, with growth, retreat and renewed advances before its maximum extent. The precise position of ice margins around 33.8 thousand cal BP remains uncertain, and may have differed sharply from one region to another. It is unsafe to imagine a single uniform map for the entire island.

The sea was lower than today because substantial volumes of water were locked in northern ice sheets. Ireland's coastlines and surrounding shallow seas therefore looked very different. Exposed shelf and altered channels may at times have reduced the distance separating Ireland from Britain and continental Europe, but they do not demonstrate a simple, dry land bridge available to people or animals at this particular moment. Ice, tidal waters, rivers, sea level and changing terrain all mattered. Connectivity was episodic rather than permanent, and the routes by which animals reached Ireland remain a subject of investigation rather than settled fact.

MIS 3 itself was climatically unstable. Across the North Atlantic world, millennial-scale shifts produced comparatively milder interstadial phases and harsher stadial conditions. Conditions in Ireland would have changed over periods longer than any human lifetime, but sometimes rapidly in geological terms. A date expressed as 31,819 BCE must consequently stand for a wide environmental setting, not one fixed temperature, shoreline or vegetation map.

Derryvree's Freshwater Record

One of the most valuable Irish windows onto this world lies at Derryvree near Maguiresbridge, County Fermanagh. There, freshwater silts and sands were found sandwiched between two glacial tills in a drumlin landscape. The sediments contained organic remains and yielded a radiocarbon determination of 30,500 radiocarbon years BP. With modern calibration, the result spans a broad calendar range that includes the approximate horizon represented by 31,819 BCE. It records an interval when the site was not under overriding glacier ice; it does not date an individual year, nor prove uninterrupted conditions across Ireland.

The Derryvree evidence indicates a cold, open environment with wet ground and freshwater habitats. Pollen, plant macrofossils and other environmental traces point away from closed forest and towards tundra-like vegetation: grasses, sedges, herbs, mosses and low shrubs, arranged according to local soils and drainage. Finds including mountain avens, *Dryas octopetala*, are consistent with a landscape able to support cold-adapted plant communities. Pools, marshy margins and shallow streams could provide concentrated summer resources, while frost, sparse tree cover and a short growing season imposed severe limits.

This was not a lifeless snowfield. Open ground can be highly productive in brief summers, especially where herbs and sedges flourish. But it was a demanding habitat. Wind exposure, seasonal freezing and unpredictable weather would have shaped every animal movement. The later advance of ice, which sealed the Derryvree deposits beneath till, also explains why such records are rare: much evidence from the same age has not survived, or has not yet been recognised.

The Caves of North Cork

Castlepook Cave, also known as Mammoth Cave, near Doneraile in County Cork, supplies the most striking faunal evidence for pre-maximum Ireland. Excavations undertaken principally between 1904 and 1913 recovered a large collection of animal remains, although only a small fraction of the material said to have been found survives in museum collections. The cave deposits are scientifically important but difficult: caves can be dens, traps, shelters, drainage routes and sediment repositories, and bones may be moved by water, carnivores or later disturbance. A bone in a cave is not automatically evidence of a human campsite.

Modern reassessment and radiocarbon dating have shown that part of the Castlepook fauna belongs to MIS 3. Reindeer, giant deer, brown bear, Arctic fox, wolf, lemming, woolly mammoth and spotted hyaena are represented in the wider assemblage or associated collections. Not all were necessarily present together, and not every specimen can be assigned closely to 33.8 thousand cal BP. Nevertheless, this range makes clear that southern Ireland could support a varied cold-stage fauna during periods before the Last Glacial Maximum.

Spotted hyaena deserves particular notice. It was not the African animal's modern range projected backwards, but a large Pleistocene carnivore living in a different European ecological world. Its Castlepook remains, including material held by the National Museum of Ireland, show that predators as well as herbivores crossed into Ireland during favourable phases. Hyaenas may have accumulated or modified bones in caves. Their presence is an important warning against treating every broken or marked specimen as evidence of people.

A Reindeer Bone and Its Limits

A reindeer femur from Castlepook has been presented as bearing a deep mark consistent with cutting by a stone tool, while the bone itself has been reported as about 33,000 years old. If the mark was made during fresh butchery, it would be potentially important evidence that Upper Palaeolithic people reached Ireland far earlier than the island's long-established late-glacial human record. In the broad chronological sense, it is relevant to the world around 31,819 BCE.

That possibility must be stated with care. The specimen derives from an old collection, not a recently excavated and securely stratified occupation floor. Its radiocarbon measurement dates the animal's death, rather than independently dating the mark, the killing place or the duration of a visit. No associated hearth, stone-tool assemblage, dwelling surface, burial, artwork or human bone of comparable antiquity has established a 32nd-millennium BCE community in Ireland. The identification of a mark as a tool cut is also a specialist interpretation that requires comparison with carnivore damage, sediment abrasion and other natural processes.

The strongest conclusion is modest but significant: a short human incursion into Ireland during MIS 3 is possible, and the Castlepook femur may preserve evidence of reindeer processing. It does not demonstrate permanent settlement, a population continuity, or an Irish branch of a named Upper Palaeolithic culture. Recent fieldwork at Castlepook has sought surviving undisturbed deposits precisely because new excavation, secure context and further dating are required to test the earlier collection's promise.

Society Beyond the Evidence

No political history can responsibly be written for Ireland at this date. There are no kingdoms, chiefs, tribal names, diplomatic exchanges, battles, laws or boundaries in the evidence. Nor can archaeologists identify an Irish language, ethnicity or religion. If hunter-gatherers visited, they would have belonged to small, mobile groups whose decisions were governed by weather, animal movement, knowledge of routes and the immediate demands of food, fuel and shelter. Those are reasonable inferences from Upper Palaeolithic lifeways elsewhere in Europe, not direct observations of a group at Castlepook.

The same distinction applies to economy and culture. Reindeer would have offered meat, fat, hides, sinew, antler and bone to hunters who acquired one, but a single potentially modified bone cannot reveal a local hunting season, division of labour or exchange network. Caves might have offered temporary

shelter, but Castlepook's evidence does not prove that people lived in it. European communities of this broad era made sophisticated stone tools, ornaments and art; none can presently be assigned to Ireland around this horizon.

What can be said is that Ireland was part of a wider ecological frontier. Animal populations arrived, survived for periods and disappeared as climate, ice and sea changed. Any humans who entered would have encountered a land of open vegetation, wet hollows, limestone caves and dangerous large mammals, not a settled island with farms or monuments. Their traces, if they existed, were vulnerable to being erased by later glaciation.

Evidence, Not an Anniversary

Around the approximate time represented by 31,819 BCE, Ireland's history is principally environmental history. Derryvree preserves freshwater and tundra evidence beneath later ice. Castlepook preserves the bones of animals that lived on or reached the island during a fluctuating cold stage. Together they challenge the old image of an entirely empty, featureless Ireland before the final great glaciation, while also demonstrating how little is securely known.

The most important development was therefore not a recorded political act or a named human achievement, but the existence of habitable, if severe, ecological windows before the ice sheet's maximum advance. Ireland was intermittently connected to wider north-west European animal worlds and perhaps briefly visited by people. The reindeer femur offers a provocative clue, not a finished origin story. For this remote period, uncertainty is not a defect to be concealed; it is the central historical fact.

Chapter 083 of 100

31818 BCE

Derryvree's Inter-Till Pool



The label *31,818 BCE* should not be mistaken for a date at which Ireland can be viewed year by year. No written record, settlement sequence or annually resolved environmental archive permits that precision. If converted mechanically to the archaeological convention of years before AD 1950, the label falls around 33,768 calibrated years before present (cal BP). It belongs to the later part of Marine Isotope Stage 3, a long, unstable phase of the last Ice Age. The responsible evidence is therefore a set of broad windows: radiocarbon ranges, sediments between glacial deposits, cave fauna and the changing shape of the British–Irish Ice Sheet.

A Time Window, Not a Date

Radiocarbon ages are not calendar years waiting to be read directly from a bone or piece of peat. Atmospheric carbon-14 varied through time, so measured ages must be calibrated against independently dated records. At roughly 34,000 years ago the calibration curve is necessarily less fine-grained than in recent millennia, and individual determinations can translate into wide, sometimes discontinuous calendar ranges. A nominal BCE year is useful for arranging a chronological archive, but it cannot identify a particular season, migration or human visit.

The most useful Irish environmental evidence near this horizon comes from Derryvree, near Maguiresbridge in County Fermanagh. There, organic freshwater silts and sands were exposed beneath a drumlin, lying between two layers of glacial till. Their position tells a clear relative story: an earlier glacier deposited till; an ice-free interval allowed water, sediment, plants and animals to accumulate; later ice overrode and buried the deposit. A conventional radiocarbon determination associated with the organic sequence has been calibrated broadly to about 36,900–31,700 cal BP. The nominal year considered here lies within that substantial range, not at a known moment within it.

Derryvree is consequently important for what it rules out as well as what it reveals. It makes a simple picture of an island continuously smothered by ice untenable for this part of the cold stage. It does not, however, demonstrate that every Irish district was ice-free, nor that the conditions recorded in Fermanagh prevailed simultaneously in Cork, Kerry or the Irish Sea basin. Ireland's glacial history was regional and episodic: ice margins advanced, stagnated, thinned and reorganised, while local topography affected water, vegetation and shelter.

Cold Ground and Fresh Water

The biological remains from inter-till deposits indicate a severe but living landscape. Pollen, plant macrofossils and insect evidence point towards open, largely treeless vegetation rather than the oak, ash and hazel woods of later prehistoric Ireland. Sedges, grasses, herbs, mosses and low shrubs could exploit short growing seasons, wet hollows and exposed mineral ground. Permafrost or seasonally frozen soils, strong winds and frost action would have shaped the terrain. Yet Derryvree's fine sediments also record freshwater: pools, slow channels or marshy margins capable of preserving organic material.

This was not necessarily a featureless snowfield. In summer, damp ground and stream edges could have supported concentrated plant growth, insects and grazing animals; in winter, the same setting could have been locked by frost and snow. The contrast matters. "Tundra" is a useful shorthand for an open cold-stage environment, but it should not be imagined as one unchanging surface. Slope, drainage, shelter and season made different opportunities and hazards across even a small area.

Climate across the North Atlantic changed abruptly during Marine Isotope Stage 3. Greenland ice-core records and marine sediments show repeated shifts between relatively milder interstadials and colder stadials. Irish deposits cannot be matched confidently to every short climatic oscillation, but they fit a broader pattern in which environments and ice limits changed more than once before the Last Glacial Maximum. The fullest ice cover came later, broadly around 27,000–23,000 cal BP, when the Irish sector of the British–Irish Ice Sheet extended across the island and onto the surrounding shelf. Around the date represented here, the decisive story was not yet ice at its maximum, but climatic volatility and the approach of a more extensive glaciation.

Animals in the Cave Record

Caves in southern Ireland provide another, differently imperfect archive. Castlepook Cave near Doneraile, County Cork, produced bones from antiquarian excavations and later investigation. Its faunal assemblage has included reindeer, mammoth, giant deer, brown bear, wolf, fox, Arctic fox, hare, lemmings and spotted hyaena. Modern radiocarbon reassessment has shown that several earlier dates from Irish cave collections were too young, placing important elements of the Castlepook fauna more securely in Marine Isotope Stage 3. The evidence demonstrates that cold-adapted and open-country animals reached Ireland during this long interval.

It must not be used to make an over-detailed animal census for 31,818 BCE. Cave deposits may accumulate over thousands of years; some were disturbed before modern excavation and may mix bones from different episodes. A cave can be a carnivore den, trap, shelter, drainage route and sediment store rather than a single living surface. The age of a bone dates the animal's death, not automatically the time at which every other bone beside it entered the cave. Still, the combined faunal evidence strongly supports a landscape in which reindeer and other grazing or browsing mammals could move through open habitats, while large predators and scavengers exploited carcasses.

Spotted hyaena are particularly revealing. Their presence in the Irish record should not be read as proof of warm conditions: Late Pleistocene hyaenas ranged far beyond their modern African distribution and scavenged in cold, open environments. Mammoth and giant deer likewise evoke a productive but demanding grass-and-herb landscape, not an Irish forest. Whether the animals arrived across exposed ground, along shifting coastal corridors or during particular low-sea-level phases remains a question of palaeogeography and timing. The sea was lower globally than today as ice accumulated, but changing sea level, isostatic movement and ice barriers mean that no simple permanent 'land bridge' should be assumed.

The Human Question

The possibility of people in Ireland at this broad date rests chiefly on a single striking but limited object: a reindeer femur from Castlepook Cave. It has been reported as about 33,000 years old and bears a deep mark interpreted by zooarchaeologist Ruth Carden as a cut made with a sharp stone tool during carcass processing. If that interpretation is sustained, it is potentially the earliest evidence for human activity in Ireland, many millennia before the securely better-attested terminal Pleistocene and Mesolithic record.

The distinction between potential activity and established settlement is essential. The specimen derives from an old cave collection, not from a modern excavation of an intact floor with associated hearths, stone tools, shelters, food remains and repeated occupation layers. Its radiocarbon result dates the animal bone, while the identification of the mark as a tool cut is a separate taphonomic judgement requiring comparison with carnivore damage, trampling, weathering, breakage and excavation damage. One modified bone, even if humanly cut, could record a brief visit to a carcass rather than a resident community.

Recent excavation at Castlepook has sought undisturbed sedimentary contexts and further evidence, including charcoal, lithics and additional modified bone. That work is valuable precisely because it tests, rather than merely repeats, an important claim. At present, no named people, language, population continuity or archaeological culture can responsibly be attached to Ireland at this date. Nor can the island's later inhabitants be traced back to any possible Ice Age visitors on the basis of this evidence.

No Politics, but Real Lives

There is no evidence for political institutions, diplomacy, territorial kingdoms, formal trade networks, religious monuments or learning in the documentary sense. It would be misleading to manufacture equivalents for a society that may have left no secure settlement evidence at all. If people did reach southern Ireland, comparison with Upper Palaeolithic groups elsewhere in north-west Europe suggests small, mobile bands able to make and use stone tools, understand animal movements and exploit seasonal resources. That is an interpretation drawn from wider European archaeology, not a direct description of an Irish camp.

The likely economic question, if the Castlepook mark proves anthropogenic, was immediate subsistence: obtaining meat, marrow, hide, sinew and perhaps antler from a reindeer carcass. Such an act need not imply organised hunting; people can butcher animals they hunted, found, intercepted from predators or acquired in other ways. There is no Irish evidence from this horizon for farming, herding,


pottery, metalwork, houses, burial rites, art or long-distance exchange. Silence in these categories is meaningful only when expressed carefully: later ice erosion, rising seas and the rarity of surviving sites have made the archaeological record exceptionally thin.

For Ireland around 31,818 BCE, then, the central historical development is environmental rather than political. In Fermanagh, a freshwater, open cold-stage landscape existed during an interval between glaciations. Across the island, animal remains attest to an Ice Age fauna adapted to exposed country. In Cork, one reindeer bone raises the serious possibility that people briefly entered this world. The evidence is too fragmentary for a conventional national narrative, but it is enough to replace an older image of a lifeless, uniformly frozen island with a more dynamic and scientifically testable past.

Chapter 084 of 100

31817 BCE

The Doneraile Bone Mark



The label 31,817 BCE is a modern chronological convenience, not a date that anybody in prehistoric Ireland could have recorded or recognised. There were no Irish calendars, written annals or named political communities from which a year-specific event can be recovered. At this depth in time, archaeology works with broad scientific ranges, not individual years. In conventional archaeological terms, this point falls around 33,800 calibrated years before present (cal BP, where “present” is AD 1950), during the later part of Marine Isotope Stage 3, a volatile phase of the last Ice Age.

Ireland’s evidence for this era is exceptionally slight, fragmented and often difficult to date. It consists principally of sediments trapped beneath later glacial deposits, bones preserved in caves, and the results of modern re-examination of old collections. These remains can illuminate an Ice Age environment and the movements of animals; they cannot responsibly furnish a story of an Irish people, ruler, battle or settlement in this particular year. The most important question is therefore not what happened in 31,817 BCE, but what sort of country Ireland was within the longer interval that includes it.

A Date Within a Range

Radiocarbon years are not identical to calendar years. The concentration of radiocarbon in the atmosphere has varied through time, so laboratory determinations must be calibrated against internationally revised curves. Uncertainty becomes substantial at around 34,000 years ago. A useful local comparison comes from Derryvree, near Maguiresbridge in County Fermanagh, where roadworks exposed freshwater silts and fine sands sandwiched between two distinct tills: deposits laid down by separate advances of ice. The organic material produced a conventional radiocarbon age of 30,500 years BP, with a large error margin.

Later calibration has placed that determination broadly between about 36,900 and 31,700 cal BP. Expressed in BCE notation, that is approximately the mid-35th to late-30th millennia BCE. The modern date 31,817 BCE falls within this broad interval, but Derryvree does not document a moment, a season or a human visit. It records organic material accumulating in freshwater conditions before a later ice advance buried the deposit. Its value is that it demonstrates ice-free ground and a functioning plant-and-animal community in north-central Ireland during part of this long cold phase.

Greenagho, also in Fermanagh, and deposits at Hollymount and Aghnadarragh provide related evidence for earlier and middle phases of the last glacial cycle. Their sequences show that Ireland's Ice Age history was not a simple, uninterrupted blanket of ice. Ice expanded and retreated regionally; in intervening periods, exposed landscapes supported vegetation, ponds, insects and grazing animals. The precise timing, extent and correlation of individual ice advances remain matters of specialist research, so these sites should not be treated as proof that the whole island had the same conditions simultaneously.

Open Ground and Freshwater Hollows

The Derryvree fossils indicate an open, treeless tundra or tundra-like landscape under periglacial conditions. Pollen was dominated by herbaceous plants, while moss remains and insect evidence point to wet ground, shallow pools and sedge-rich vegetation. "Periglacial" does not necessarily mean that ice lay immediately overhead. It describes a very cold environment shaped by frost, seasonal thaw and sparse plant cover, often on the margins of glaciers or ice sheets. Dry slopes, exposed gravel and wind-blown sediment could have existed close to waterlogged hollows and marshy basins.

This was not the green, wooded Ireland familiar from later prehistory or modern memory. Trees were at best extremely limited. The evidence suggests a landscape in which grasses, sedges, dwarf shrubs, herbs and mosses were more significant than forest. Seasonal contrasts were probably severe, and the growing season short. Such country was capable of supporting animals adapted to cold, open habitats, yet its productivity was precarious. Small shifts in temperature, precipitation, snow cover or the proximity of ice could alter the amount of forage and the availability of sheltered ground.

Conditions were not identical from Cork to Fermanagh. Ireland's relief, coasts and proximity to Atlantic waters would have created regional variation, while the archaeological record is itself uneven because later glaciers scoured away or buried so much of the older surface. The Derryvree deposits offer a detailed northern window; they are not a weather report for every valley on the island. Nevertheless, they make clear that parts of Ireland could sustain freshwater ecosystems during the broad period relevant to 31,817 BCE.

Caves and Ice-Age Fauna

Southern Irish caves provide another window, especially Castlepook Cave near Doneraile in north County Cork, also known as Mammoth Cave. Cave deposits and old museum collections from Castlepook have yielded a rich Pleistocene fauna including reindeer, brown bear, spotted hyaena, wolf or fox, hare and woolly mammoth remains. Modern radiocarbon reassessment has shown that some earlier determinations for southern Irish cave bones were too young, strengthening the case that several species were present in Ireland during Marine Isotope Stage 3, before the Last Glacial Maximum.

The animals should not be imagined as a neat herd assembled at one time or in one place. A cave is a complicated archive. Carnivores may drag carcass parts into it; animals can die in fissures; water and sediment move bones; later excavation can disturb their original positions. Spotted hyaena activity is

particularly important, because dens can concentrate bones from animals killed or scavenged elsewhere. Cave fauna therefore reveal which species reached an area and what processes affected their remains, but seldom reconstruct a single living landscape without qualification.

Reindeer are especially evocative because they suit open, cold country and may have moved through Ireland as conditions allowed. Mammoth and hyaena remains indicate that the island formed part of a wider north-west European Ice Age ecological zone. Lower sea levels altered the outlines of surrounding seas and exposed areas now submerged on the Celtic and Irish Sea shelves. Yet no simple route across that changing world should be assumed: the accessibility of Ireland depended on sea level, coastlines, ice margins, rivers, vegetation and weather, all of which changed over millennia.

The Mark on the Femur

A reindeer femur from Castlepook has made this period particularly significant for Irish archaeology. County Cork heritage material identifies it as a Palaeolithic object dating to about 31,000 BCE and illustrates a deep mark interpreted by zooarchaeologist Ruth Carden as having been made with a sharp stone tool while the carcass was butchered. If that interpretation is upheld, it would provide a potentially very early indication of people handling an animal in Ireland, far earlier than the better-established terminal Palaeolithic evidence from Alice and Gwendoline Cave in County Clare.

That possibility deserves attention, but not exaggeration. The date is approximate rather than a calibrated date-range for a particular action. It dates the animal bone, not necessarily the instant at which a cut was made. Moreover, the specimen comes from a cave collection shaped by early twentieth-century excavation and a long history of natural disturbance. Identifying a surface mark as human-made is a specialised taphonomic judgement: it must be distinguished from carnivore damage, sediment abrasion, weathering, excavation damage and later handling.

No securely associated stone-tool assemblage, hearth, dwelling surface, human burial, cave art or substantial food-processing deposit of comparable age has yet been recovered in Ireland. The responsible conclusion is consequently modest. Castlepook may preserve evidence that one or more Upper Palaeolithic hunters processed reindeer on the island during a broad period around the early 30th millennium BCE. It does not demonstrate a permanent settlement, continuous population, named archaeological culture or direct ancestry linking such visitors to later communities.

No Politics or Proven Institutions

There is no evidence for Irish kingdoms, chiefs, tribal names, law, diplomacy or formal political institutions around 31,817 BCE. Nor can archaeology identify warfare on the island at this date. Hunters, carnivores and scavengers may all have competed for animals and shelter, but ecological competition is not evidence for organised conflict. A modified bone, even if genuinely cut by a person, cannot reveal the size of a group, its language, kinship system or relations with groups elsewhere.

Religion, art and learning are equally beyond direct recovery in Ireland for this period. Upper Palaeolithic communities elsewhere in Europe made elaborate tools, ornaments, images and ceremonial deposits, demonstrating formidable practical knowledge and cultural capacity. That wider context makes a human visit to Ireland conceivable, but it cannot be used to assign continental artistic styles, beliefs or rituals to Castlepook without Irish finds. Absence of evidence is not proof that visitors lacked custom or imagination; it is a boundary on what the surviving record can show.

There is likewise no demonstrable Irish economy of farming, exchange or long-distance trade. If people did enter the island, their subsistence may have involved the opportunistic hunting or processing of large game, perhaps alongside gathering and other activities invisible in the record. Such a proposition remains interpretation, not a documented economy. There were no known fields, domestic animals, villages, ports or monuments. The practical realities of movement, finding shelter, preserving food and following animal routes would have mattered far more than institutions that belong to much later human history.

Approaching Greater Ice


In the long term, this was a landscape heading towards dramatic regional change. The Last Glacial Maximum came later, broadly between about 26,500 and 19,000 years ago, when the British-Irish Ice Sheet reached a much greater extent. Research indicates that ice growth was asynchronous: different sectors advanced at different times and rates. By the maximum, ice had remodelled much of Ireland's lowland surface and extended onto adjacent continental shelves. That later expansion buried, eroded and redistributed older deposits, helping to explain why evidence for this earlier interval is so scarce.

For Ireland around 31,817 BCE, the central historical picture is therefore one of open cold country, freshwater pockets, mobile fauna and profound uncertainty. Derryvree supplies firm environmental evidence for an ice-free periglacial episode within the relevant chronological range. Castlepook supplies a remarkable faunal archive and a potentially transformative, but still limited, sign of human butchery. Together they reveal not an ancient nation in formation, but an intermittently habitable edge of Ice Age north-west Europe whose earliest human traces may survive only in a single line cut into bone.

Chapter 085 of 100

31816 BCE

The Awbeg Reindeer Incision



The label 31,816 BCE is a modern chronological convenience, not a date that can be recovered as a single year from Ireland's Ice Age record. It lies roughly 33,766 years before the conventional radiocarbon baseline of 1950, within the Late Pleistocene and Marine Isotope Stage 3 (MIS 3). At this depth of time, scientific dates carry uncertainty, and conversion from radiocarbon years to calendar years depends on calibration curves. No Irish person named a year, left a written record, or can be tied responsibly to this one. The appropriate question is therefore not what happened in Ireland in 31,816 BCE, but what securely dated deposits, animal remains and changing landforms reveal about the island in the broad interval surrounding it.

A Country Before the Ice Peak

This was not yet the Last Glacial Maximum, the later phase when the British–Irish Ice Sheet reached its greatest extent. Current reconstructions place the maximum expansion of ice around Ireland and its continental shelf broadly between about 27,000 and 23,000 calibrated years before present, although the timing differed between sectors. Around the notional date considered here, ice was growing on a continental scale, sea level was falling, and Ireland's geography was changing rapidly. Low sea level exposed areas that are now seabed, while glaciers, meltwater and permafrost altered routes across the wider Irish–British region. That did not necessarily make travel simple: exposed ground could be cold, boggy, cut by rivers, or blocked by ice and unstable margins.

MIS 3 was not a single unbroken winter. Greenland ice cores show repeated abrupt switches between colder stadials and relatively milder interstadials. These were North Atlantic climate shifts, not a weather diary for Ireland, but they provide the wider framework for Irish evidence. Temperatures, vegetation and the extent of ice could change markedly over centuries or millennia. A scene reconstructed for one part of

the island cannot be assumed to describe every coast, valley or upland, still less one precise calendar year. The main historical fact is environmental volatility: Ireland was on the north-western edge of the European landmass during a period of fluctuating cold.

Derryvree's Periglacial Wetland

The clearest Irish environmental archive relevant to this broad period lies at Derryvree near Maguiresbridge, County Fermanagh. Road cutting through a drumlin exposed freshwater silts and fine sands trapped between two separate till sheets. The organic deposit yielded a conventional radiocarbon determination of 30,500 years BP, with a substantial published uncertainty of +1,170 and –1,030 years. That is a radiocarbon measurement rather than a calendar date; calibrated equivalents must be treated as a broad range spanning millennia, not a pinpoint. Crucially, the layers show that there had been an interval of open ground and freshwater sedimentation between phases of glaciation.

Pollen, plant macrofossils, mosses and insects from Derryvree indicate a treeless, periglacial environment. Grasses, sedges, herbs and juniper formed a sparse vegetation cover around wet ground and pools. Researchers have compared the setting to muskeg: waterlogged, moss-rich terrain with plentiful organic matter but harsh frost conditions. This was not an Irish woodland, a future pasture or an empty white ice sheet. It was a cold mosaic of shallow water, sedge beds, exposed mineral ground and low vegetation. Such places could sustain invertebrates, birds and grazing mammals in favourable seasons, while remaining difficult country for any human visitor.

Derryvree offers environmental evidence, not evidence for people. No camp, tool scatter, hearth, shelter or human remains of this age has been excavated there. Its importance is that it demonstrates the ecological possibilities available during part of the Middle Midlandian, the Irish name for this phase of the last glacial period. It also records the instability of the landscape: the freshwater deposits were later overridden or buried by ice-derived sediment. The drumlin visible in the modern Fermanagh countryside thus contains a compressed record of alternating water, tundra and glacial advance.

Animals in the Cork Caves

For southern Ireland, Castlepook Cave near Doneraile in County Cork is the essential site. Also known as Mammoth Cave, it was explored extensively in the early twentieth century and has yielded one of Ireland's richest collections of pre-Last Glacial Maximum vertebrate remains. Woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, Arctic lemming and spotted hyaena are represented in the wider cave assemblage. This is striking evidence that, at differing times during the late Ice Age, Ireland formed part of the ecological world of north-western Europe rather than an isolated refuge with only modern fauna.

Yet the word “differing” matters. Castlepook's bones were accumulated over a very long period, in a cave excavated before modern standards of stratigraphic recording. Some may have been carried in by carnivores; others were disturbed by water, collapse, digging and later collection practices. Modern redating has shown that several earlier radiocarbon results needed major revision. The Geological Survey of Ireland gives a broad range of roughly 45,700 to 19,950 radiocarbon years BP for individually dated cave material. Consequently, mammoth, hyaena and reindeer remains cannot simply be arranged into a single herd scene for 31,816 BCE. They demonstrate changing animal communities, not simultaneous coexistence at one moment.

The fauna nevertheless makes the Irish landscape more intelligible. Reindeer are particularly well suited to open, cold country and would have found forage in herb-rich tundra. Mammoths and giant deer imply extensive feeding grounds somewhere within the wider region during their respective appearances. Spotted hyaenas and wolves were mobile carnivores and scavengers; caves could serve as dens, traps or repositories for bones rather than as places where animals died naturally. Their presence should not be romanticised as proof of an abundant, benign landscape. Large mammals could range across great distances, and a cave collection is biased towards what predators dragged in and what geology happened to preserve.

The Single Mark and the Human Question

One Castlepook object bears directly on the question of human activity. A reindeer femur in the old collection has a deep incision interpreted by zooarchaeologist Ruth Carden as a cut made with a sharp stone tool while the carcass was being processed. County Cork heritage material has presented the bone as dating to about 31,000 BC and as the earliest potential evidence for people in Ireland. Near the broad timescale denoted by 31,816 BCE, it is therefore the most important possible human trace.

Its implications need to be kept proportionate to the evidence. The radiocarbon date establishes the age of the animal bone, not the identity, number, language or residence of whoever may have marked it. The interpretation of the incision as a tool cut is a specialist judgement, distinct from the dating result. If accepted, it shows that at least one person used a sharp lithic edge on a reindeer carcass. It does not show whether hunters killed the animal, found it dead, removed meat, opened the limb for marrow, cut hide or sinew, or processed it elsewhere before the bone reached the cave. Nor does it demonstrate a permanent settlement, a repeated seasonal camp, or a population descended from later inhabitants.

There are no securely associated stone tools, hearths, dwelling floors, graves, ornaments, art or human bones from Ireland of this age. Renewed work at Castlepook has sought surviving undisturbed sediments that may eventually test the old collection more fully. Until such contexts are found and published, the most responsible conclusion is restrained: brief human incursions into Ireland in the Upper Palaeolithic are possible, and the marked femur may be evidence of one, but continuous or settled occupation is unproven.

Society Beyond the Evidence

Because even human presence remains uncertain, political history cannot be written for this date. There is no evidence for rulers, territories, assemblies, diplomacy, warfare between communities or any institution comparable to later Irish kingship. Likewise, there is no basis for identifying a religion, named tradition, language, school of learning or artistic system in Ireland around 31,816 BCE. It would be misleading to borrow cave art, burial customs or tool traditions from continental Europe and present them as Irish facts. They are useful comparisons for what mobile Upper Palaeolithic people elsewhere could do, not proof that those practices occurred here.

If the Castlepook mark was made by people, the most modest social and economic interpretation is a small, highly mobile party capable of using a stone cutting edge and exploiting a large animal. Reindeer could supply meat, fat, marrow, hide, sinew and bone, but the surviving mark cannot reveal which resource mattered most. Such a visit would have depended upon knowledge of terrain, animal movements,

weather and safe routes across a landscape unlike modern Ireland. It tells us nothing secure about exchange or long-distance trade. No imported raw material or object can presently map a route between Ireland, Britain and continental Europe at this time.

Approaching a Transformed Island


The long-term direction of change was towards more extensive glaciation. In the millennia after this notional year, the ice sheet expanded across much of Ireland and the surrounding shelves, remodelling valleys and lowlands and erasing or burying many earlier surfaces. That destruction helps explain why the evidence is so sparse. The archaeological silence may partly represent real absence of people, but it also reflects the poor survival of open-air sites in a glaciated landscape. Caves, buried organic beds and scattered fossil collections survive precisely because they are exceptional archives.

Thus Ireland around 31,816 BCE is best understood as a changing cold-world frontier, not as a nation with a recoverable annual narrative. Derryvree preserves open tundra wetland between ice advances; Castlepook preserves a long, mixed record of animals adapted to very different Ice Age conditions; and a single reindeer femur raises, but does not settle, the possibility of human activity. The decisive developments were climatic, ecological and geological. Any people who reached the island left a footprint so slight that it remains visible chiefly as a question cut into bone.

Chapter 086 of 100

31815 BCE

Greenagho's Sub-Till Wetland



The label “31,815 BCE” is a modern way of indexing a time far beyond any Irish calendar, written record or annual chronicle. It cannot identify an event that happened in one recoverable year. In the conventional archaeological system, it lies roughly 33,800 years before AD 1950, within the later part of the Late Pleistocene and broadly within Marine Isotope Stage 3 (MIS 3), a fluctuating phase of the last Ice Age. Even that conversion should not imply false precision: radiocarbon determinations at this depth of time calibrate to broad probability ranges, not to a single season or year. The responsible history of Ireland at this point is therefore a history of deposits, bones, landforms and uncertainties.

A Landscape Between Ice Advances

Ireland was not yet the familiar island of woodland, fields, towns and coastlines. Sea level was much lower than today because vast quantities of water were held in northern ice sheets. The present Irish Sea and Celtic Sea basins were correspondingly altered, and Ireland was part of a changing north-west European land-and-sea borderland. This physical connection made animal movement possible at some times, but it does not itself demonstrate a human road, a settled population or regular travel across a particular route.

Nor was the island uniformly buried beneath ice at every moment of the Late Pleistocene. The British–Irish Ice Sheet expanded and contracted over many millennia, and reconstructing its earlier growth remains difficult. Different kinds of evidence can point in different directions: sediments beneath later glacial deposits show that some areas were ice-free during particular intervals, while marine evidence indicates major ice loading and high relative sea levels around parts of the western coast. The safest conclusion is regional complexity rather than a single all-Ireland scene.

The closest evidence for conditions broadly relevant to this date comes from County Fermanagh. At Derryvree, near Maguiresbridge, roadworks exposed organic silts and fine sands trapped between two separate tills: deposits left by glacier ice. The intervening freshwater sediments yielded a radiocarbon determination of 30,500 years BP, with substantial laboratory uncertainty. Published calibrations place the result within a wide range extending approximately from 36,900 to 31,700 calibrated years BP. That range overlaps the broad time represented by 31,815 BCE, but it cannot prove that the Derryvree wetland existed in that exact numbered year.

The value of Derryvree is nonetheless considerable. Its mosses, sedges, other plant remains and cold-adapted insect fauna indicate open tundra and a periglacial regime: ground affected by intense freezing and thawing near, rather than necessarily beneath, an ice margin. Nearby Greenagho, close to Belcoo, produced freshwater organic material beneath till with a radiocarbon age of about 32,460 BP. The legacy measurement has cautions attached to it, but alongside Derryvree it shows that parts of north-central Ireland supported freshwater habitats and tundra vegetation before subsequent glaciation sealed those traces below later deposits.

Open Ground and Short Seasons

A cautious reconstruction of suitable Irish ground around this era is not one of forest. Pollen, macrofossils and insects from inter-till deposits point instead towards sparse, largely treeless vegetation, including grasses, sedges and moss-rich wet places. Low shrubs may have occupied favourable ground, while frost-shattered rock, exposed mineral soils, shallow pools and seasonally waterlogged hollows made for a patchwork landscape. Conditions were severe, but “tundra” should not be imagined as lifeless white emptiness. During the short growing season, wet ground and herb-rich vegetation could support insects, small animals and grazing mammals.

Climate during MIS 3 was unstable on the scale at which geology can often resolve it: North Atlantic cold phases and milder interludes succeeded one another. Such shifts affected snow persistence, frozen ground, water supply and the reach of glacier margins. The evidence does not permit a reliable weather report for a day in 31,815 BCE, nor does it establish that all regions experienced identical conditions. It does demonstrate that environmental change, rather than political action, was the foremost force shaping Ireland’s possibilities at the time.

Later glacial action also helps explain why the record is fragmentary. Ice eroded, transported and redeposited older surfaces; acidic soils commonly destroy bone and organic matter; rising post-glacial seas drowned former coastal plains. A lack of campsites is therefore not absolute proof that no person ever entered Ireland. Yet preservation problems are not a licence to invent settlements. They make it essential to distinguish an absence of evidence from positive evidence for an occupation.

Animals in a Connected World

Irish cave collections show that a surprisingly varied cold-stage fauna reached the island at different points between roughly 45,000 and 20,000 years ago. Castlepook Cave near Doneraile in north County Cork is especially important. Historic excavations recovered remains attributed to such animals as reindeer, giant deer, mammoth, spotted hyaena, wolf, brown bear, Arctic fox, hare and lemmings. These finds establish that Ireland formed part of a wider Pleistocene ecological zone, with large mammals and predators able to reach suitable territory during portions of the glacial cycle.

They do not, however, amount to a census for 31,815 BCE. Many cave finds were excavated in the nineteenth and early twentieth centuries, before modern recording standards, and bones can be moved by scavengers, water, collapse and earlier digging. Modern redating has also shown that some older Irish radiocarbon results require revision. Reassessment of southern cave fauna has placed some animals much earlier than previously thought and suggests that giant deer and spotted hyaena may have disappeared locally before about 40,000 calibrated years BP. It would therefore be unsound to picture every famous Castlepook species sharing one valley at the same moment.

Reindeer are particularly relevant because their ecology fits the open, cold landscapes indicated at Derryvree. Their presence in the wider Irish record implies seasonal grazing opportunities, but it cannot tell us herd size, migratory timing or the exact character of the Cork landscape at this date. Carnivores and scavengers complicate the story further. A bone in a cave may record predation, scavenging, a natural death, transport by water, or a human act. Taphonomy—the study of what happened to remains after death—is therefore central to Irish Ice-Age history.

The Human Question

There is no securely demonstrated village, house, hearth, burial, lithic workshop or stratified Upper Palaeolithic hunting camp in Ireland dating to about 33,800 years ago. No named people, language, polity or social group can be attached to the period. The first substantial evidence for enduring human settlement in Ireland belongs much later, after deglaciation, in the Mesolithic. That chronological gulf matters: Mesolithic lifeways, tools and identities cannot be projected backwards into MIS 3.

A reindeer femur from Castlepook has nevertheless made this older period archaeologically significant. It has been reported as approximately 33,000 years old and as bearing a mark interpreted as potentially made by a stone tool during butchery. If that interpretation is sustained by further microscopic analysis and contextual investigation, it would be evidence for a brief human encounter with an animal in Ice-Age Ireland. It would not establish continuous residence, a population size, a campsite nearby or an Irish “first settlement” in the ordinary sense. Recent excavation at the cave recovered no cultural artefacts, underlining the need for restraint.

The possible mark is best understood as a research question, not a foundation myth. It is plausible that mobile Upper Palaeolithic hunters occasionally reached an accessible Irish landscape when terrain, ice and sea conditions allowed. It is equally important that the present evidence cannot show frequency, duration, direction of travel or whether any visit led to further occupation. The interpretation is about human presence at most; the bone itself is the primary evidence.

No Politics, No Proven Religion

For this date there can be no responsible account of Irish political affairs, diplomacy, warfare or institutions. Those categories depend on communities whose social organisation can be observed through settlements, graves, monuments, written testimony or repeated material practices. None is available here. Nor is there evidence for ritual sites, deities, religious specialists, artistic traditions or formal learning in Ireland at this time. To ascribe beliefs or ceremonies to a hypothetical passing hunting party would turn silence into invention.

The same caution governs economy and trade. Wild animals and plant resources may have offered food, hides, bone, antler and fuel to any visitors, but there is no securely associated toolkit or habitation deposit from which to reconstruct a local subsistence economy. Low sea level and changing coastlines

created opportunities for movement, not proof of commerce. At most, Ireland belonged to a wider environmental sphere in which animals, ice, rivers and coastal corridors connected regions that are now separated by sea.

What This Date Can Mean


The most important development around 31,815 BCE was not an event in the later historical sense, but the making and remaking of habitable ground at the edge of a growing ice-sheet system. Freshwater sediments at Derryvree and Greenagho preserve evidence that cold, open ecosystems existed in parts of Ireland before later ice overran them. Cave faunas demonstrate intermittent ecological connectivity with Britain and continental Europe. The Castlepook reindeer femur raises the possibility of a very early human visit, while also illustrating how much depends on re-examination of old collections and careful new excavation.

Thus Ireland at this point should be imagined neither as a settled prehistoric homeland nor as a simple blank beneath permanent ice. It was a dynamic, regionally varied Ice-Age landscape. Its surviving record is thin, displaced and difficult to date, but it is enough to reveal tundra wetlands, mobile fauna and changing ice margins. Beyond that, the proper historical response is not colourful certainty, but disciplined curiosity.

Chapter 087 of 100

31814 BCE

Derryvree's Freshwater Tundra



31,814 BCE is not a date at which Irish archaeology can identify a particular occurrence. It is a modern calendar label, imposed on a period with no writing, named communities, recorded rulers or usable annual chronology. In radiocarbon practice, 'before present' means before AD 1950; the label therefore falls roughly 33,760 calendar years before present (c. 33.8 ka cal BP). That arithmetic conversion must not be mistaken for dating precision. Evidence from this depth of time comes in ranges, often broad ones, and calibrations are revised as methods improve. The responsible subject is Ireland during the later part of Marine Isotope Stage 3 (MIS 3), an unstable phase of the last Ice Age before the Last Glacial Maximum.

Dating a Landscape, Not a Year

The closest important Irish environmental record is at Derryvree, near Maguiresbridge in County Fermanagh. Road-cutting through a drumlin in 1969 exposed organic silts and fine sands sealed between two separate till sheets. The deposit produced a conventional radiocarbon determination of 30,500 +1,170/-1,030 radiocarbon years BP. When calibrated, such an age belongs within a wide span of the later 30,000s to early 30,000s cal BP rather than a single year; it is broadly relevant to the nominal date of 31,814 BCE. The uncertainty is not a failure of scholarship but an honest consequence of the radiocarbon curve, sample limits and the long timescales involved.

Derryvree is valuable precisely because it preserves a natural archive beneath later ice-laid sediment. Pollen, plant macrofossils, mosses and insects indicate a cold, open, largely treeless environment beside freshwater. The original investigators described a periglacial tundra or muskeg landscape: ground affected by severe frost, wet hollows and ponds, sparse dry-land vegetation, and no evidence for mature woodland.

Small quantities of tree pollen do not establish a local forest; pollen can travel far, and the wider assemblage points to open country. This was an Irish landscape capable of supporting plants and animals, but it was not the familiar green, wooded island of later millennia.

Ice, Water and Changing Ground

Ireland was not yet at the climatic peak conventionally called the Last Glacial Maximum. The British–Irish Ice Sheet would expand dramatically afterwards, with major growth after about 29 ka and maximum configurations varying between sectors in the following millennia. Yet it would be equally misleading to imagine an entirely ice-free island at 31,814 BCE. The geography of ice was mobile and asynchronous. A freshwater interval at Derryvree proves that the immediate locality was free of overriding glacier when its silts accumulated; it does not map conditions across every Irish region at the same moment.

The sea and adjoining land were changing as well. Lower global sea levels exposed substantial areas now beneath the Atlantic and Irish Sea, but coastlines, ice margins and possible routes shifted through time. Later reconstructions of land connections between Ireland and Britain cannot simply be projected backwards to this particular interval. Nor does exposed shelf automatically mean an easy crossing: routes could have been obstructed by ice, water, rough terrain, river systems or ecological barriers. Ireland should therefore be understood as part of a changing north-west European environmental zone, not as a fixed island with a known land bridge or a known sea crossing.

The Cave Fauna of the South

The complementary record comes from caves in southern Ireland, especially Castlepook Cave near Doneraile in north County Cork. Collections made there in antiquarian and early twentieth-century excavations contain the remains of Ice Age mammals including reindeer, giant deer, brown bear, spotted hyaena, wolf, fox, hare, lemmings and woolly mammoth. These finds establish an important proposition: during parts of MIS 3, Irish habitats supported a changing community of cold-stage animals. Reindeer and small grazing mammals suit the picture of open vegetation; carnivores and scavengers indicate food webs more varied than any simple vision of an empty frozen wilderness.

However, Castlepook is not a photograph of one moment. Caves collect and preserve bones over long periods. Animals may die in or near them, carnivores may carry remains inside, water may move sediment and bone, and old excavations rarely recorded deposits to modern standards. Earlier work already warned that bones had been re-sorted in parts of the cave. More recent radiocarbon re-dating, using improved collagen pretreatment, showed that several older measurements from southern Irish cave fauna were too young. It indicates that some animals, notably giant deer and spotted hyaena, may have disappeared locally before about 40,000 cal BP. Thus it would be unsound to place every Castlepook species together in a herd-and-predator tableau for 31,814 BCE.

The sounder conclusion is more interesting. Ireland had repeated episodes of animal occupation before the great ice expansion, and cave deposits preserve fragments of those episodes. In this setting, the economy was ecological rather than human: grasses, herbs, mosses and sedges fed herbivores; carcasses sustained carnivores and scavengers; caves formed dens, traps, shelters or repositories for bone. The evidence tells us that the island was intermittently habitable for substantial mammals, not that it supported a stable, dense or continuous animal population.

The Castlepook Human Question

The most consequential, and most debated, clue to people at this depth of time is a reindeer femur from the Castlepook collection. Zooarchaeological examination identified a mark interpreted as having been made by a sharp stone tool during carcass processing. The bone has been publicised with a rounded date of about 31,000 BC, placing it broadly in the same pre-Last Glacial Maximum world as the nominal year considered here. If the mark is genuinely anthropogenic and the association is understood correctly, it would show that a person or small party processed a reindeer in Ireland during the Upper Palaeolithic.

That conditional language matters. The bone derives from an old collection, not from a newly excavated, tightly recorded occupation floor. There is as yet no securely associated lithic assemblage, hearth, dwelling, human burial, repeated butchery area or settlement debris. A cut-marked bone can demonstrate a human action more readily than it can demonstrate a resident population. It could represent a brief visit, perhaps involving mobile hunters operating across a larger north-west European range, rather than colonisation. It cannot identify a people's language, ancestry, political allegiance or relationship to later inhabitants of Ireland.

Nor should absence of evidence be turned into certainty in the opposite direction. Later glaciation eroded landscapes, acidic soils destroy many organic traces, and much former coastal land now lies underwater. Archaeologists are re-investigating Castlepook with modern survey, excavation and dating methods in the hope of finding stratified Pleistocene deposits that can test the interpretation. At present, the femur is best treated as important but provisional evidence of an exceptionally early human encounter with Ireland.

Society Beyond the Evidence

There is no direct basis for describing political affairs, diplomacy, tribal territories, war, formal religion, art, learning, trade networks or permanent settlement in Ireland at this time. No house, hearth, burial ground, tool workshop, ritual site or store of objects can be assigned securely to around 31,814 BCE. Equally, it is wrong to call the landscape 'uninhabited' without qualification: that would convert a sparse and damaged record into certainty.

If people did reach Ireland during this interval, comparison with contemporary Upper Palaeolithic groups elsewhere suggests small, highly mobile foraging parties whose survival depended on detailed knowledge of season, animals, raw materials and safe routes. Such a comparison is interpretation, not Irish proof. Reindeer could have offered meat, fat, hide, sinew, bone and antler; caves might have been avoided as carnivore spaces rather than occupied as homes. Nothing presently demonstrates hunting strategy, exchange or spiritual practice within Ireland itself. The most defensible social history is therefore one of possible transient human activity within an animal-rich but climatically demanding frontier.

A Precarious Irish Interval


The enduring importance of this period lies in its fragility. Derryvree records freshwater, mosses and tundra vegetation beneath later glacial deposits. Castlepook records mammals whose dates, identities and contexts are being progressively re-examined. A single modified reindeer bone has opened a serious question about how early people may have entered Ireland, while also showing why a dramatic claim

needs equally rigorous testing. Around the modern label 31,814 BCE, Ireland was not yet a historical society waiting to be named. It was a changing cold-stage landscape, briefly legible through silt, pollen, bone and ice.

Chapter 088 of 100

31813 BCE

Derryvree's Periglacial Pool



“31,813 BCE” is a modern chronological label, not a year that can be recovered from Irish evidence at anything like calendar-year precision. Expressed in the archaeological convention of years before 1950, it falls at roughly 33,763 calibrated years BP. That places it within Marine Isotope Stage 3 (MIS 3), a long and highly unstable part of the last Ice Age. Radiocarbon measurements from this depth of time require calibration and normally yield ranges rather than a single date; environmental deposits may also represent years, centuries or longer periods of accumulation. The responsible subject, therefore, is not an invented episode in one year, but the kind of Ireland that the surviving evidence can illuminate around this broad interval.

An Ice-Age Interval, Not a National Past

There was no Ireland in the political or cultural sense familiar from later history. No state, kingdom, tribe, language, named people or boundary can be identified. Even the word “Ireland” is a geographical convenience for the landmass now occupied by the island. Nor was this an era from which historians can extract chronicles, monuments, houses or graves. It belongs to the Late Pleistocene, far before the securely documented settlement record of the island.

MIS 3 was not a single, uniform cold spell. Across the North Atlantic it was marked by abrupt alternations between colder stadials and relatively milder interstadials. These changes affected snowfall, ice margins, river flow, vegetation and animal movement. The later Last Glacial Maximum, when the British–Irish Ice Sheet expanded much more extensively, still lay ahead. Modern reconstructions increasingly show that Irish glaciation was dynamic and regionally variable, rather than a simple story in

which the entire island was continuously buried beneath ice. Around the nominal date, some parts of Ireland may have offered exposed, cold environments, while other areas were shaped or constrained by nearby ice.

Freshwater Beneath a Drumlin

The most important direct environmental evidence comes from Derryvree, near Maguiresbridge in County Fermanagh. Roadworks in 1969 exposed a remarkable sequence in a drumlin: organic-rich freshwater silts and fine sands lay between two thick sheets of till, the debris deposited by glaciers. The intervening sediments demonstrate that a non-glacial freshwater environment existed there between separate ice advances. It is an unusually valuable survival because later ice sheets have removed or disturbed much of Ireland's older Pleistocene record.

The original radiocarbon determination from Derryvree was 30,500 radiocarbon years BP, with a substantial uncertainty. In later discussion, its calibrated range has been placed broadly at about 36,900–31,700 calendar years BP. The nominal date of 31,813 BCE, roughly 33,763 cal BP, falls within that wide interval. This overlap is meaningful only in a limited sense: it allows Derryvree to illuminate the broad environmental world of the date. It does not show that a particular pool, animal or human activity existed there in that particular numbered year.

Plants and insects preserved in the Derryvree deposits point to open tundra vegetation and a periglacial climate. The evidence includes freshwater mosses and sedges, with insect fauna of cold, northern aspect. This was not the oak-and-hazel woodland, enclosed pasture or blanket bog landscape of later Ireland. It was a largely treeless terrain in which short growing seasons, frost and exposure placed strict limits on vegetation. Yet it was not necessarily a featureless expanse of snow. Wet hollows, shallow pools, stream margins and sheltered ground could sustain mosses, sedges, grasses, herbs and low shrubs. Such local mosaics mattered to insects and grazing animals, and they would also have mattered to any people who might have crossed the region.

Water, Stone and Ice

Derryvree is evidence for one locality in Fermanagh, not a complete map of the island. Nonetheless, it corrects the misleading image of an invariably ice-covered Ireland before the glacial maximum. Other northern Irish organic deposits, including those at Greenagho near Belcoo and Hollymount near Maguiresbridge, also indicate cold, open, non-forested conditions during portions of the Midlandian glaciation. In south-west Ireland, uranium-thorium dates from speleothems in Crag Cave show repeated episodes when liquid water could circulate underground during MIS 3. Cave calcite does not recreate the surface landscape, but it independently supports a picture of climatic oscillation rather than permanent deep freeze.

At the scale of the whole island, caution remains essential. A pool in Fermanagh does not prove that Cork, the west coast, the Irish Sea basin and upland areas looked alike at the same time. The exact extent of earlier Irish ice is still debated because glaciers both create deposits and destroy older ones. What is well supported is the sequence of change: parts of the landscape experienced cold, ice-free or ice-marginal conditions during MIS 3; later, ice expanded dramatically towards its Last Glacial Maximum limits, particularly after about 24,000 years ago. The familiar drumlins, streamlined hills of till, belong to that wider history of repeated ice movement and remodelling.

Sea level was lower globally during MIS 3 than today, but this should not be turned into a simple claim that people could walk freely from continental Europe into Ireland. The palaeogeography of the Irish Sea was controlled not only by sea level but by local isostatic movement, ice and changing coastlines. Scholarly work on later land-bridge proposals has stressed the uncertainty and discontinuity of any connections. For this earlier period, the safest conclusion is that animal and possible human access depended on changing routes across a glaciologically complex north-west European landscape, not on a permanently available highway.

The Castlepook Animal Record

Southern Ireland supplies a different archive. Castlepook Cave, also called Mammoth Cave, near Doneraile in north County Cork, has produced Ireland's most important collection of mammals from the last cold stage. Its bones include reindeer, woolly mammoth, giant deer, wolf, foxes, mountain hare, lemmings, brown bear and spotted hyaena. The list signals a cold, open landscape inhabited by grazers and browsers, small northern mammals and formidable scavengers or predators. The cave was part of an animal world, not evidence of a settled human community.

Its chronology is complicated. Many bones were recovered during antiquarian excavations in the late nineteenth and early twentieth centuries, before modern standards of stratigraphic recording. Some deposits were mixed or disturbed, and improved radiocarbon pretreatment has revised the ages of several specimens. Reassessment has shown that parts of the Castlepook MIS 3 fauna are older than earlier dates suggested; it also indicates that some animals, notably giant deer and spotted hyaena, may have disappeared locally before the later glacial maximum. Consequently, the collection cannot safely be treated as a single, simultaneous scene in which every recorded species stood together outside the cave around 31,813 BCE.

Even so, Castlepook establishes an important fact. Ireland was periodically accessible to a diverse Ice-Age fauna well before the Last Glacial Maximum. Reindeer were especially well suited to open, cold country, while the presence of hyaena remains shows that Ireland's Pleistocene ecology was far less familiar than the later historical fauna. Carnivore damage on some bones also matters methodologically: marks on bone need not have been made by people. Tooth scoring, trampling, weathering, excavation damage and sediment movement must all be separated from tool marks before claims for human action can stand.

A Possible Human Visit

This distinction is central to the most provocative evidence associated with the period. A reindeer femur from Castlepook has been reported as dating to about 33,000 years ago and as carrying a deep modification interpreted by zooarchaeologist Ruth Carden as a cut or chop made by a sharp stone tool during carcass processing. County Cork heritage material has presented it as evidence that Stone Age hunters were active in Ireland at around 31,000 BCE. If that interpretation is confirmed, it would transform the chronology of human contact with the island and would make a brief Upper Palaeolithic visit conceivable around the broad era considered here.

It must not, however, be inflated into proof of a permanent population, a camp at Castlepook, or a society occupying all Ireland. No securely associated stone-tool assemblage, hearth, built shelter, burial, art panel or undisturbed occupation surface of this age has been recovered there. Recent archaeological reporting has itself noted the historic absence of demonstrated human occupation at the cave. The

National Museum of Ireland continues to describe clear Palaeolithic human evidence from the island as lacking. The cautious formulation is therefore that the marked reindeer bone is a significant but contested indication of possible human processing, rather than a settled conclusion.

Life Beyond the Evidence


If people did reach Ireland in this period, they would have been highly mobile hunter-gatherers, comparable in broad economic terms to Upper Palaeolithic groups elsewhere in north-west Europe. Reindeer could provide meat, fat, hide, sinew, bone and antler, but this is an inference from the animal and the proposed cut mark, not evidence for a specifically Irish hunting economy. There is no basis for identifying local trade, managed herds, farming, crops, pottery, metalworking or long-term territorial control. Equally, there is no evidence from Ireland for religious ceremonies, formal diplomacy, organised warfare or teaching traditions at this date. Silence here is not proof that people lacked beliefs or social ties; it is a limit imposed by what has survived and what has been found.

The principal development around 31,813 BCE was environmental. In a volatile late-Ice-Age interval, Ireland contained at least some cold but biologically active habitats: freshwater pools and sedge-moss wetlands in Fermanagh, open ground capable of supporting Pleistocene animals, and cave systems that later preserved fragments of their remains. Derryvree's sediments give the clearest local view of that world. Castlepook shows that large mammals reached the island and preserves an unresolved possibility of human contact. Together they offer a more compelling history than a false year-by-year narrative: not kings or battles, but a changing land at the edge of ice, where water, vegetation, animals and perhaps occasional people briefly occupied landscapes later reshaped by glaciers.

Chapter 089 of 100

31812 BCE

Derryvree's Tundra Waters



Modern calendar-year precision cannot responsibly be projected onto Ireland in 31,812 BCE. The label is useful for arranging a year-by-year archive, but it does not identify a recorded event, ruler, community or even a single archaeological horizon. It corresponds only approximately to 33,800 calibrated years before present (where “present” is conventionally AD 1950), during the Late Pleistocene. The relevant evidence is dated in broad radiocarbon and uranium-series ranges, often with uncertainties of centuries or millennia. What can be said is therefore about Ireland *around* this point, not about one named year.

A Cold-Stage Landscape

This was within Marine Isotope Stage 3, a long, unstable portion of the last glacial cycle. It preceded the Last Glacial Maximum, when the British–Irish Ice Sheet later grew much more extensive. Ireland was not simply a single white expanse awaiting its greatest freeze. Ice margins advanced and retreated unevenly; local conditions varied with altitude, coast, drainage and the shifting position of ice. The island’s present political boundary had no meaning, and its modern coastline is an unreliable guide to the geography of the time.

The strongest evidence close to this date comes from Derryvree near Maguiresbridge, County Fermanagh. Roadworks in 1969 exposed fine sands and organic freshwater silts trapped between two distinct sheets of glacial till within a drumlin. The deposit yielded a conventional radiocarbon determination of 30,500 years BP, with a substantial published error range. Subsequent calibration places it broadly at about 36,900–31,700 calibrated years BP. The range includes the approximate age

represented by 31,812 BCE, but cannot pinpoint it. Its importance lies in showing that this part of north-central Ireland was ice-free when the sediments accumulated, before later ice covered and preserved them.

Freshwater Beneath Later Ice

Derryvree is not evidence for a pleasant interlude. Its pollen, plant macrofossils, mosses and insect remains indicate open, treeless tundra or muskeg: a wet, cold landscape with grasses, sedges, herbs, low shrubs, mossy ground and shallow pools rich in plant matter. Some dry surfaces may have carried only sparse vegetation. Permafrost or seasonally frozen ground, severe winters and short growing seasons are reasonable inferences from this assemblage. Yet the freshwater deposits also make an essential corrective to the image of an entirely lifeless frozen land. Liquid water, wetland plants and active sedimentation persisted locally.

The record is necessarily selective. Waterlogged basins preserve pollen, seeds, moss fragments and insects far better than exposed slopes do; later glaciers may have destroyed many other deposits. Derryvree therefore provides a detailed window onto one particular environment rather than a map of the whole island. Still, it is exceptionally valuable because few Irish deposits from this part of the glacial cycle have survived both erosion and later ice action so clearly. Its strata record a real ecological setting, not merely an abstract climatic phase.

Evidence from Crag Cave in County Kerry supports the broader conclusion that conditions during the last glacial were variable rather than permanently frozen. Uranium-series dates from cave calcite show episodic speleothem growth through parts of Marine Isotope Stage 3. Because calcite deposition in a shallow cave system requires infiltrating liquid water, these growth phases indicate intervals when local conditions allowed water to move through soils and limestone. They do not supply a day-to-day weather report for 31,812 BCE, nor do they prove that all Ireland was simultaneously mild. They do show that climatic shifts registered strongly even on the Atlantic edge of Europe.

Animals and the Limits of Association

Ireland's cave collections demonstrate that large mammals entered or survived in the island's cold-stage landscapes at different times. Castlepook Cave near Doneraile, County Cork, has produced remains attributed to reindeer, brown bear, wolf or fox, hare, Arctic lemming, spotted hyaena and woolly mammoth. Such animals fit an open, often harsh environment, but their presence in a cave does not mean that every species lived together in one season, still less that they formed an intact "Irish Ice Age fauna" at the exact moment under discussion. Caves are places where bones can be accumulated by carnivores, scavengers, water, roof falls, excavation and later disturbance.

The chronology also requires caution. Earlier dates obtained from Irish cave bones have been reassessed as laboratory methods improved, especially the pretreatment of ancient bone collagen. Some once influential determinations are now considered unreliable. A reindeer femur from Castlepook has been reported as roughly 33,000 years old and bears a mark interpreted as consistent with cutting by a sharp stone tool. If that interpretation is upheld, it may indicate human processing of a carcass during the wider period. But the bone comes from an old cave collection, not a modern excavation of an undisturbed camp floor. It cannot establish a permanent settlement, a population size or an exact human presence in 31,812 BCE.

No Politics, No Recorded Conflicts

There is no evidence for political institutions, named groups, leaders, diplomacy, territorial states or organised warfare in Ireland at this date. There are likewise no settlements, houses, graves, monuments, writing systems or art securely dated to this narrow point in time. It would be misleading to fill those silences with imagined Ice Age clans, chiefs or battles. The archaeological question is more basic: whether people reached Ireland intermittently during favourable windows before later ice expansion erased much of the evidence.

Across north-west Europe, *Homo sapiens* communities of the Upper Palaeolithic lived by hunting, gathering, seasonal movement and extensive practical knowledge of animal behaviour and raw materials. That continental context can suggest what a hypothetical Irish visit might have involved: mobile people exploiting a carcass, seeking shelter, carrying stone tools or following animal routes. It cannot be transferred wholesale to Ireland. No securely dated Irish hearth, stone-tool assemblage, dwelling or human bone provides the social detail needed to describe families, gender roles, language, learning or ritual here around 33,800 calibrated years BP.

Movement, Sea and Ice

Lower global sea levels exposed land now drowned around the Irish and Celtic seas, while the loading and movement of ice altered relative sea level locally. These processes make ancient geography complicated. Lower seas did not automatically create a simple, continuous walking route between Ireland, Britain and continental Europe; ice cover, marine channels and changing crustal levels all mattered. Any route taken by animals or people remains uncertain. The prudent conclusion is that Ireland's accessibility changed through time, not that a particular land bridge existed in this year.

There is no evidence for agriculture, livestock keeping, cereal cultivation, mining, long-distance trade or a recognisable Irish economy in the later prehistoric sense. If people did visit, subsistence would most plausibly have depended on opportunistic hunting and scavenging within a mobile foraging economy, but even that is an interpretation resting principally on one debated modified bone. Nor can religion be reconstructed. Caves may have provided shelter or served as carnivore dens and natural traps; nothing securely demonstrates ceremonial use in Ireland at this date.

A Landscape Before the Great Advance

The most significant development around 31,812 BCE was environmental, not political: parts of Ireland retained ice-free terrain and freshwater habitats during a cold, volatile phase before the later expansion of the British–Irish Ice Sheet. Derryvree's buried silts preserve the clearest local testimony—wet tundra, mosses, sedges, herbs, shallow water and seasonal cold—while Crag Cave records the wider rhythm of climatic amelioration and deterioration. Faunal finds from southern caves show that cold-adapted mammals belonged to the island's wider Pleistocene story, though their dates and associations must be separated carefully.

This is an Irish past known through sediments, bones, insects and cave calcite rather than chronicles. The absence of a named event is not an absence of history. It is a reminder that environmental archives have their own scale of time: they can show changing water, vegetation, animals and ice across long

calibrated ranges, but they cannot truthfully turn 31,812 BCE into a precise anniversary. At Derryvree, the freshwater world was later entombed beneath glacial deposits. Its survival allows a fleeting but unusually vivid view of an Ireland that would otherwise have been almost wholly erased.

Chapter 090 of 100

31811 BCE

Doneraile's Marked Hindleg



The label 31,811 BCE is a modern chronological convenience, not a year that anyone in Ireland could have named, recorded or experienced as a fixed date. There were no written calendars, rulers, states or documentary archives on the island. Nor can archaeological science isolate a particular season, generation or event so precisely at this depth of time. In calendar terms, the year corresponds to roughly 33,761 years before 1950, the conventional reference point for “before present”. It belongs broadly to the Late Pleistocene, during Marine Isotope Stage 3 (MIS 3), a highly variable phase of the last Ice Age.

The responsible history of Ireland at this point is therefore a history of ranges, deposits and probabilities. A radiocarbon determination from organic sediments at Derryvree, near Maguiresbridge in County Fermanagh, has been calibrated broadly to about 36,900–31,700 cal BP. That wide span includes the notional date considered here, but it does not demonstrate that Derryvree looked exactly the same in 31,811 BCE. A reindeer femur from Castlepook Cave near Doneraile, County Cork, is likewise publicised as approximately 31,000 BCE. It is exceptionally important, but its dating and interpretation cannot establish an event in one numbered year.

Before the Glacial Maximum

Ireland was not yet at the peak of the last glaciation. The global Last Glacial Maximum came later, broadly between about 26,500 and 19,000 years ago, although the timing of maximum ice extent differed from one sector of the British–Irish Ice Sheet to another. Around 33,800 cal BP, the island lay in a long and unstable approach towards more extensive glaciation. Ice did not simply advance as a smooth, uniform blanket. Its growth, movement and retreat varied by region, while climate alternated between colder stadials and relatively milder interstadials.

Modern reconstructions of the British–Irish Ice Sheet begin to offer maps at thousand-year intervals around 31,000 years before present, but even these are explicitly reconstructions with uncertainty zones, not photographs of the past. The best current synthesis depicts ice nourishment on high ground in Northern Ireland at about 31 ka, while acknowledging a shortage of direct constraints. That matters for a date more than two millennia earlier: conditions in Ireland at 31,811 BCE cannot safely be reduced to a single map saying either “ice-covered” or “ice-free”.

What can be said is that Ireland’s terrain was being reshaped by cold-climate processes. Frost shattered exposed rock; seasonal freezing and thawing disturbed soils; wind moved fine sediment; and meltwater or seasonal streams rearranged gravel and sand. Later glaciers would scour bedrock, deepen basins, redistribute boulders and cover older surfaces with till. Much of the evidence that might once have recorded life or human activity was therefore destroyed, reworked or buried. The patchiness of the surviving record is itself one of the central facts of this period.

Derryvree’s Cold Wetland

The strongest local evidence for an environment relevant to this date comes from Derryvree. There, organic-rich silts and fine sands occur between two substantial glacial tills. Their stratigraphic position shows that an interval of non-glacial or less heavily glaciated conditions separated two phases of ice advance. The dated organic material produced a conventional radiocarbon age of $30,500 \pm 1,170$ radiocarbon years BP; calibration turns this into a much broader calendar-age range. It is this calibrated uncertainty, rather than a deceptively exact BCE equivalent, that should govern discussion.

The plants and animals preserved in the Derryvree sediments indicate open tundra vegetation and a periglacial regime. “Periglacial” does not mean that the site lay beside an ice wall at all times. It describes a landscape strongly governed by severe cold, frozen ground and frost action. The old wetland probably included shallow freshwater, marshy margins, mosses, sedges and hardy herbs. The vegetation was treeless or nearly so. Familiar later Irish landscapes of dense woodland, deep peat bog and enclosed pasture belong to much more recent millennia and should not be projected backwards.

This was nevertheless a living landscape, not an empty white wasteland. Short growing seasons could still support productive bursts of grasses, sedges and flowering herbs. Such plant communities offered forage to herbivores, especially in sheltered places and during favourable seasons. The precise distribution of water, vegetation and snow cover would have varied sharply with local relief, drainage and exposure to Atlantic weather. Derryvree supplies evidence for one inland environmental window; it cannot provide a complete inventory of every region of Ireland.

Animals in the Cave Record

Castlepook Cave is the other key site for this period. Its antiquarian excavations yielded a large but difficult collection of bones, now associated with the National Museum of Ireland. The broader Castlepook fauna includes cold- and open-country animals such as reindeer, mountain hare, Arctic fox, wolves, lemmings, brown bear, horse, giant deer, mammoth and spotted hyaena. It demonstrates that Ireland was, at intervals during MIS 3, connected ecologically to the wider north-west European world and capable of supporting strikingly different animal communities from those of later historic Ireland.

That list must be handled carefully. Cave collections accumulated over long periods and through several processes: carnivores could drag remains into dens; animals could die in caves; water and sediment could move bones; and early excavators did not recover or record deposits to modern standards.

Improved radiocarbon pretreatment has also shown that several older dates from Irish cave bones require reassessment. The presence of mammoth, hyaena and reindeer in the Castlepook archive does not prove that those species stood together around Doneraile in 31,811 BCE, nor that they formed one simultaneous hunting ground.

Reindeer are especially relevant because they point towards open, cold-adapted country. Their movements could have been seasonal and their local numbers are unknowable, but a reindeer landscape was unlike a wooded Holocene deer park. Predators and scavengers followed prey or carrion, while caves could provide shelter or dens. The faunal evidence supports an interpretation of shifting ecological opportunities, not a stable or populous ecosystem known in detail.

The Castlepook Human Question

A reindeer hind-leg femur from Castlepook has acquired special significance because zooarchaeologist Ruth Carden identified a deep mark interpreted as having been made by a sharp stone tool during carcass processing. County Cork heritage material dates the specimen approximately to 31,000 BCE and presents it as evidence that Stone Age hunters may have handled reindeer in the Doneraile area. If the mark is confirmed as anthropogenic and contemporary with the animal's death, it would be the earliest known evidence of human activity in Ireland by a very large margin.

The finding is promising rather than conclusive proof of a settled population. The bone came from an old collection, not a newly excavated, securely stratified occupation floor. Its radiocarbon measurement dates the animal's death, not necessarily the making of the mark, the place where the carcass was killed, or the period during which people may have visited. The cave has yielded no securely associated stone toolkit, hearth, dwelling, burial, art or repeated domestic debris from this remote period. Indeed, the possibility that a carcass was butchered elsewhere and a discarded bone later carried into the cave by carnivores remains an important distinction.

Consequently, the most defensible conclusion is modest but significant: small groups of Upper Palaeolithic hunter-gatherers may have reached Ireland during a comparatively favourable MIS 3 interval and exploited reindeer or other animals. Their presence is possible and perhaps indicated by the marked femur; permanent settlement, a continuous population and descent from them to later Irish communities are not demonstrated. The term "Irish" is geographical here, not an ethnic, linguistic or political identity for people who may have briefly travelled across this changing landscape.

Society Beyond the Evidence

If people were present, their practical life would have been constrained by mobility, weather and food. In north-west Europe, Upper Palaeolithic communities used stone tools, made clothing and shelters from available materials, and followed seasonal resources. That wider context makes a hunting visit to Ireland plausible, but it must not be converted into unsupported claims about Castlepook itself. Irish evidence does not reveal the visitors' language, group size, kinship arrangements, camp layout or technology beyond the possible action implied by a single bone mark.

There is no evidence in Ireland at this date for political institutions, named leaders, warfare, diplomacy, agriculture, livestock, trade routes, formal religion, monuments or learning in the later historical sense. Nor can artefacts or stories from mainland Europe be assigned to Ireland merely because people elsewhere made them. A temporary hunter-gatherer visit would have involved social knowledge and practical skill, but neither can be reconstructed in local detail.

An Island Not Yet Fixed


Sea level was much lower during the Ice Age than today, exposing extensive continental-shelf land around Ireland and Britain. Yet lower sea level did not automatically create a simple, dry and safe land bridge. The Irish Sea basin, changing coastlines, rivers, ice margins and cold maritime conditions created barriers as well as possible routes. Any human movement into Ireland would have depended on a particular combination of geography, season, weather and ice conditions. The evidence does not presently identify which route, if any, was used.

For 31,811 BCE, then, the chief development is not a recoverable political event but a threshold of possibility. Derryvree shows that a cold, open freshwater and tundra environment existed in Ireland during a broad interval encompassing this date. Castlepook preserves a wider MIS 3 fauna and a reindeer bone that may record human butchery. Later ice expansion obscured much of the evidence. What survives points to an ecologically connected, climatically severe and rapidly changing Ireland, while reminding us how little can honestly be claimed about one year so far beyond written history.

Chapter 091 of 100

31810 BCE

Hyaena Land at Castlepook



The label 31,810 BCE cannot identify an event in the modern sense. No calendar, written record, named community or dated human action survives from Ireland at this remote point in the Late Pleistocene. In archaeological terms it is best treated as an approximate position within a much broader span: roughly 33,800 calendar years before 1950, during Marine Isotope Stage 3, a fluctuating interval of the last Ice Age. The evidence relevant to Ireland consists not of annals or monuments but of cave bones, freshwater sediments, pollen and plant remains, insects, glacial deposits, radiocarbon measurements and reconstructions of changing ice margins. These sources can illuminate conditions across centuries and millennia; they cannot responsibly narrate a single year.

A Landscape Between Advances

At this horizon Ireland was entering a decisive phase in the growth of the last British–Irish Ice Sheet. That growth was neither simple nor simultaneous. Ice expanded and retreated in different regions at different times, responding to climate, sea level, topography and its own internal dynamics. Later parts of the glaciation covered or disturbed great areas of the island, eroding older surfaces and burying valuable deposits beneath till. Consequently, surviving evidence is patchy and local. It would be wrong to picture all Ireland as either a continuous ice sheet or an entirely open plain in 31,810 BCE.

The most useful chronological framework places the broad build-up of the last ice sheet after about 35,000–32,000 years ago, with major expansion over Ireland following later. Modelling based on the BRITICE-CHRONO project suggests that ice was building rapidly across the wider British–Irish region

after 31,000 years ago and that much of Ireland became ice-covered by about 28,000 years ago. This does not yield a map for one numbered year, but it establishes the larger change: landscapes capable of supporting plants and animals were increasingly vulnerable to being overridden by ice.

Freshwater Beneath a Drumlin

Derryvree, near Maguiresbridge in County Fermanagh, gives the clearest Irish environmental glimpse of the broad period. There, organic-rich freshwater silts and sands were found between two separate sheets of glacial till. The deposit was sealed beneath the later, drumlin-forming ice deposit, making it an unusually important survivor from an earlier ice-free interval. A conventional radiocarbon determination of about 30,500 radiocarbon years before present has been calibrated in discussion of the site to a wide range of approximately 36,900–31,700 calibrated years before present. That range encompasses the notional date of 31,810 BCE, but it is a range, not a birthday for the deposit.

Its pollen, plant macrofossils and invertebrate evidence point to an open, cold, periglacial environment. The locality included freshwater or slow-moving water and wet ground, while the wider vegetation was treeless: tundra-like assemblages of grasses, sedges, herbs, mosses and low-growing plants rather than woodland. Finds reported from this deposit include Arctic-alpine plants such as mountain avens and bogbean. Such evidence shows that this northern landscape was not lifeless. Short summers could sustain a diverse, if low and exposed, vegetation cover around watercourses and pools; winters, by contrast, were likely long and severe, with frozen ground and powerful seasonal constraints.

Derryvree should not be made to stand for every coast, valley and upland in Ireland. It records a particular basin in Fermanagh, not the weather across an entire island. Nevertheless, it is strong evidence that at least some Irish ground supported freshwater habitats and open vegetation during part of late Marine Isotope Stage 3. It also demonstrates why the popular image of an Ice Age as unbroken snow and ice is inadequate. The Irish environment changed repeatedly, and productive patches could exist close to advancing or surviving ice.

The Fauna of North Cork

Castlepook Cave, also known historically as Mammoth Cave, near Doneraile in the Awbeg Valley of north County Cork, supplies the period's most striking animal evidence. Excavations undertaken in the early twentieth century recovered a large and mixed assemblage of Pleistocene bones. Subsequent study has identified remains associated with cold-stage fauna including woolly mammoth, reindeer, giant deer, brown bear, wolf, fox, Arctic fox, lemmings and spotted hyaena. The National Museum of Ireland describes Castlepook as its most important Irish site for mammal remains of the last cold stage. Its fossils show that Ireland was, at least intermittently, within the range of continental European animal communities.

The cave itself was not an uncomplicated snapshot of a living valley. Carnivores could drag carcass parts underground; animals could die in or near passages; water and sediment could move bones; and the first excavators worked before modern standards of stratigraphic recording. Different galleries and layers may represent different episodes. Some finds are certainly younger than others, and old collections require re-examination with modern dating, zooarchaeology and taphonomic methods. A bone found in a cave therefore proves the presence or movement of an animal more readily than it proves exactly where it died, hunted or grazed.

Even with those qualifications, Castlepook changes the scale on which Ireland's past must be imagined. Mammoths and reindeer imply open feeding grounds rather than dense forest. Hyaenas and wolves point to an active predator–scavenger community, while bears and smaller mammals occupied their own ecological niches. The cave's traditional name, 'Hyaena Land', captures an important possibility: bones accumulated there partly through carnivore behaviour. It should not, however, become a claim that one particular hyaena clan dominated the valley in 31,810 BCE. The evidence supports an Ice Age fauna over a broad interval, not a scene fixed to a particular season.

The Reindeer Femur Question

One Castlepook specimen has made the question of people in Pleistocene Ireland especially important. A reindeer femur from the old cave collection bears a deep mark which zoologist Ruth Carden has interpreted as a cut made by a sharp stone tool during carcass processing. County Cork heritage material places the bone broadly at around 31,000 BCE. If the mark is indeed a human cut mark and belongs to the age of the animal bone, it would be potentially transformative evidence: it would indicate that a person handled a reindeer in Ireland far earlier than the previously secure Late Upper Palaeolithic evidence from County Clare.

The distinction between evidence and interpretation is crucial. The femur is material evidence; its radiocarbon age dates the animal's death within a range; microscopic and anatomical assessment informs the interpretation of the incision. Yet the bone was not recovered from a securely excavated occupation floor alongside stone tools, hearth charcoal, shelters or a repeated sequence of human activity. No lithic assemblage of comparable age has been securely established at Castlepook. Nor does a single possible butchery trace demonstrate permanent settlement, a local population, a named Upper Palaeolithic culture or continuity with later inhabitants.

The responsible conclusion for around 31,810 BCE is therefore deliberately modest. Humans may have reached Ireland during a favourable phase of the Late Pleistocene and may have processed reindeer in north Cork. That possibility is important enough to guide further excavation and specialist analysis. It remains a hypothesis under active investigation, not a foundation for a detailed story of Irish settlement.

People, Movement and Absence

If people did visit Ireland at this time, their lives cannot be reconstructed from Irish evidence alone. Across north-west Europe, Upper Palaeolithic groups were highly mobile hunter-gatherers whose survival depended on seasonal knowledge, tools, clothing, fire, social co-operation and access to animal and plant resources. Such comparisons make a short hunting or scouting visit to an open Irish landscape conceivable. They do not prove it happened, and they must not fill the Irish record with invented camps, boats, family groups or rituals.

There is no evidence for political institutions, leaders, territorial states, diplomacy, organised warfare, trade networks, formal religious practice or artistic traditions in Ireland at this date. There are likewise no known Irish houses, graves, hearths or workshops securely dated to the period. The absence is meaningful, but not conclusive: ice erosion, rising seas, later sediment movement and the small scale of archaeological investigation all reduce what can survive and be found. Still, history must give absence its proper weight. For 31,810 BCE, no political narrative can responsibly be written.

Routes Across a Changing World


Animal colonisation shows that Ireland was not ecologically isolated throughout the period. Lower global sea levels exposed wide areas of the continental shelf around Britain and Ireland, but coastlines, channels and ice margins altered repeatedly. The evidence does not permit a confident assertion of a permanent dry-land corridor from continental Europe into Ireland at this exact time. Animals and any people may have moved during episodes when routes were more favourable, possibly through changing coastal and shelf landscapes; some crossings may still have involved water. This is a question for palaeogeography, not a licence to draw a single simple 'land bridge'.

What mattered most was regional instability. Freshwater tundra in Fermanagh, large mammals in north Cork and expanding ice across the wider archipelago belong to the same long transformation. Within several millennia, the growth of the last ice sheet would profoundly reduce habitable ground and erase much of the evidence for the world that preceded it. Ireland around 31,810 BCE was therefore not yet the familiar island of later prehistory, nor an empty stage awaiting history. It was a changing northern peninsula-and-shelf environment, inhabited certainly by cold-adapted animals and perhaps, fleetingly, visited by people whose presence remains one of Irish archaeology's most consequential unanswered questions.

Chapter 092 of 100

31809 BCE

Ice Approaches the Irish Landscape



The label 31,809 BCE is a modern chronological reference point rather than a securely dated Irish event. No written record, named person or settlement can be assigned to this year. The evidence belongs to the Late Pleistocene, when Ireland formed part of a cold and unstable north-west European environment reconstructed through cave faunas, freshwater sediments, pollen, insects, glacial deposits and radiocarbon ranges.

A Country at the Glacial Edge

By this broad horizon the British-Irish Ice Sheet was entering a period of major expansion. The advance was uneven, and open ground, freshwater basins and tundra vegetation could persist while ice grew elsewhere. Later glaciation erased or buried much of the earlier landscape, leaving a patchy record.

Derryvree and Castlepook

Inter-till freshwater deposits near Maguiresbridge in County Fermanagh show cold open habitats with treeless vegetation and freshwater life. Castlepook Cave in north Cork preserves remains of reindeer, mammoth, giant deer, bear, wolf, fox, Arctic fox and spotted hyaena. Together these sites show that Ireland supported substantial animal life before the later maximum spread of ice.

People and Uncertainty

A marked reindeer bone from Castlepook has raised the possibility of very early human activity, but it does not establish a permanent settlement or a continuous population. For 31,809 BCE the responsible picture is environmental rather than political: cold-adapted animals, open habitats, expanding ice and the possibility of brief human visits.

Primary Sources

Sources for this article include the National Museum of Ireland, Cork County Council heritage publications, Castlepook excavation reports, research on the Derryvree inter-till deposit, BRITICE-CHRONO reconstructions, Quaternary Science Reviews studies, Boreas research, and the IntCal20 radiocarbon calibration curve.

Chapter 093 of 100

31808 BCE

The Derryvree Cold Phase



Chronology Without a Year

31,808 BCE is a modern calendrical label, not a year that can be recovered from Ireland's Ice-Age record. No document, annual layer sequence or securely dated human occupation allows events to be assigned to that particular year. In archaeological terms it falls approximately 33,750 calendar years before present (cal BP, with "present" conventionally fixed at 1950), within Marine Isotope Stage 3 and the later part of Ireland's Midlandian glacial history. Even that conversion must not be mistaken for precision: radiocarbon measurements have uncertainties, their calibration produces ranges rather than single dates, and cave deposits or buried sediments may represent long spans of time. The responsible subject, then, is not "Ireland in a year" but Ireland in a broad cold-phase landscape approaching the Last Glacial Maximum.

The evidence is sparse, uneven and unusually difficult to interpret. Most survives as animal bone in caves, pollen and plant remains in sediments, insects, mosses and landforms left by ice. These sources tell us much more reliably about climate, environments and animal presence than about people. They cannot identify a population, language, political community, religion or named place. Ireland at this depth of time was not an island of known tribes or settlements; it was a north-western European landscape repeatedly altered by cold, ice, water and changing sea levels.

A Cold Landscape in Transition

The relevant period preceded the full peak of the last British–Irish Ice Sheet. Older syntheses placed its principal build-up after roughly 35,000–32,000 years ago and its maximum broadly between 27,000 and 21,000 years ago. More recent BRITICE-CHRONO work reinforces the larger point while stressing regional variation: ice growth, maximum extent and retreat did not occur simultaneously across Ireland, Britain and their continental shelves. Around the notional date represented by 31,808 BCE, the island should therefore not be pictured either as wholly ice-free or as uniformly entombed beneath a single fixed ice cap. Ice margins and local conditions were dynamic, and the available chronology cannot map their position for one calendar year.

What the Irish deposits do support is an image of severe, open country. At Derryvree near Maguiresbridge in County Fermanagh, organic silts and fine sands were found between two tills: direct evidence that freshwater and vegetation existed during an interval separating glacial advances. A radiocarbon determination of 30,500 $\pm$ 1,170/–1,030 BP dates this deposit to a broad part of the Middle Midlandian cold phase rather than to the numbered year in this article. Its pollen, plant macrofossils, mosses and insect evidence point to treeless tundra or muskeg: wet, mossy ground with pools, sedges, grasses, herbs and scattered low shrubs, under a periglacial climate. It is a valuable regional analogue, not a photograph of all Ireland at once.

Other Fermanagh localities reinforce the impression of a cold but biologically active terrain. Deposits at Hollymount, Aghnadarragh and Greenagho contain evidence for open ground flora and cold-adapted insects. Their dates and stratigraphic contexts differ, so they must not be compressed into one simultaneous national ecosystem. Nevertheless, grasses and sedges, dwarf birch or willow, heaths, juniper and Arctic-alpine plants fit an environment in which woodland was absent or exceedingly limited. Summer growth could sustain herbivores in favourable places, while winters were long and harsh. Wet hollows, shallow lakes, river margins and exposed mineral soils created a patchwork of habitats rather than a featureless snowfield.

Animals at the Atlantic Edge

Castlepook Cave, also called Mammoth Cave, near Doneraile in north County Cork is the principal Irish archive for the larger animals of this broad period. Its early twentieth-century excavations recovered more than 2,000 bones from a complex limestone cave system. Identified remains include woolly mammoth, reindeer, giant deer, brown bear, wolf, foxes including Arctic fox, mountain hare, lemmings and spotted hyaena. The range itself is important: it demonstrates that Ireland could be part of a wider late Pleistocene faunal world, rather than an empty outpost beyond Europe. But it does not demonstrate that every listed species lived together, at Castlepook, in 31,808 BCE. Different bones have different dates, deposits were disturbed, and carnivores as well as water and collapse could move material within caves.

The Castlepook fauna also warns against easy climatic stereotypes. Reindeer, lemmings and Arctic fox indicate cold conditions, yet spotted hyaena and mammoth reveal a richer food web than the word “tundra” may suggest. Hyaenas could transport carcass parts into dens, while wolves and other scavengers likewise altered the bone record. Mammoths and giant deer were not guaranteed neighbours on a single day; nor can their presence be used to calculate herd sizes. The most defensible conclusion is that, during episodes within MIS 3, parts of southern Ireland offered routes and resources sufficient for large grazing animals and formidable predators. The ecological community was mobile and repeatedly reshaped by climatic deterioration and advancing ice.

Connections to Britain and continental Europe mattered greatly. Lower global sea levels altered the outlines of the Irish and Celtic seas, exposing areas now submerged and changing the distances, channels and possible corridors between landmasses. Faunal movement into Ireland is therefore plausible and is supported by the wider distribution of cold-stage mammals. Yet “plausible” is not the same as a proven continuous land bridge at every moment. The exact configuration of coast, sea ice, rivers, shallow water and dry ground varied over millennia. Recent sedimentary ancient-DNA work from Castlepook, currently published as a preprint, supports the broader inference that Irish megafauna were connected genetically with Eurasian populations before the Last Glacial Maximum; it does not supply a route map for one date.

The Human Question at Castlepook

The most consequential possible evidence for people is a reindeer femur from Castlepook. The County Cork heritage catalogue places it at about 31,000 BCE and presents a deep mark on the bone as consistent with cutting by a sharp stone implement. Zooarchaeologist Ruth Carden’s interpretation has raised the prospect that Upper Palaeolithic hunter-gatherers may have processed a reindeer in Ireland far earlier than the previously secure record of human activity. If that interpretation is confirmed, it would show an episode of human presence or visitation in the broad era represented by this article, perhaps connected with the pursuit or scavenging of large game.

It must, however, be stated with equal force what the find does *not* establish. The specimen came from an old collection, not from a modern excavation of an intact living floor. No securely associated stone-tool assemblage, hearth, shelter, burial, repeated occupation layer or human remains has been published from Castlepook for this period. A radiocarbon date fixes the age of the animal’s death within a range; it does not by itself date the making of a surface mark, the place of butchery, or the duration of any human visit. Nor should a single modified bone be turned into a settled “first Irish” population. Renewed fieldwork at Castlepook is designed precisely to seek undisturbed deposits and test such questions with modern methods.

Life Beyond Historical Categories

Accordingly, political affairs, diplomacy, formal warfare and institutions cannot be described for Ireland in 31,808 BCE: there is no evidence for them. There is likewise no basis for claiming agriculture, livestock keeping, permanent villages, trade ports, monuments, priests, artistic traditions or systems of formal learning. These absences are not proof that no people ever crossed the landscape. They reflect the difference between a possible brief Palaeolithic encounter with a carcass and the dense archaeological evidence required to reconstruct a society.

If people did reach Ireland during this wider interval, their most likely economy would have been mobile foraging and hunting, drawing on seasonally available animals and plant resources. Reindeer could have yielded meat, marrow, fat, hide, sinew and bone, but the Castlepook femur cannot tell us whether its animal was hunted, found dead, butchered in the open or carried partly into the cave by carnivores. Stone technology is inferred only from the proposed cut mark; no Irish toolkit of this age has yet been recovered. It is therefore better to speak of a possible human action than to invent camps, weapons, kin groups or routes of travel.

What This Date Can Mean

The historical importance of this remote point lies in scale rather than incident. Around 31,808 BCE, Ireland belonged to an Ice-Age north-west Europe in which climates shifted rapidly, ice sheets were growing, sea levels were lower and animal ranges could expand or contract across changing landscapes. Fermanagh's buried freshwater deposits preserve the vegetation of cold wet ground; Castlepook preserves evidence of large mammals and carnivores in the south; glacial geomorphology records the advance that would later transform much of the island. Together they replace the misleading image of a timeless, blank prehistoric Ireland with one of ecological change, uncertainty and intermittent connection.

The honest conclusion remains deliberately limited. There is no recoverable Irish "year" for 31,808 BCE and no year-specific event to narrate. There is, however, compelling evidence for a severe but inhabited-by-animals landscape in the wider Middle Midlandian world, and a provocative yet unconfirmed indication that people may have entered it. The distinction between those two propositions—well-attested Ice-Age ecology and tentative human presence—is the key to understanding Ireland at this extraordinary distance in time.

Chapter 094 of 100

31807 BCE

Bogbean Under Derryvree



Modern calendar-year precision is not available for 31,807 BCE. No Irish community kept a calendar, wrote an annal or left a monument that can be assigned to that numbered year. The date is best treated as a modern index for a point roughly 33,800 calendar years before AD 1950, during the Late Pleistocene and broadly within Marine Isotope Stage 3 (MIS 3), a long, unstable part of the last Ice Age. The responsible evidence is consequently indirect: sediments trapped beneath later glacial deposits, fossil pollen and plants, animal bone from caves, and the landforms left by ice. These sources illuminate intervals spanning centuries or millennia, not a single year.

Dating a Vanished Landscape

At this depth in time, the distinction between radiocarbon years and calibrated calendar years matters. Radiocarbon determinations measure the remaining carbon-14 in organic material; they must then be calibrated against independent records of past atmospheric carbon-14. The resulting calendar ranges are usually broad, especially beyond 30,000 years ago. A date may establish that a deposit belongs to a general climatic episode without proving that its plants, animals or people were present in any particular season of 31,807 BCE.

The date falls before the global Last Glacial Maximum, conventionally placed at about 26,500–19,000 years ago, when the last Irish Ice Sheet became far more extensive. It was nevertheless no tranquil prelude. MIS 3 was marked across the North Atlantic by abrupt climatic swings. Ice margins advanced and retreated; sea level, coastlines and animal routes changed; and areas that were habitable in one interval could later be overridden by ice. Ireland's evidence records this changing world unevenly, because later glaciers eroded, buried and rearranged much of what had existed before them.

A Freshwater Archive at Derryvree

The most useful Irish environmental evidence close to this broad horizon comes from Derryvree, near Maguiresbridge in County Fermanagh. Roadworks in 1969 exposed organic silts and fine sands between two tills, the compact debris laid down by separate glacial advances. The intervening freshwater deposit formed when the locality was not beneath glacier ice and was later sealed beneath renewed ice. Organic material produced a radiocarbon age of $30,500 \pm 1,170/1,030$ radiocarbon years before present. Published calibration places this within an approximate range of 36,900–31,700 calendar years before present. That wide interval encompasses the modern date under discussion, but it cannot make Derryvree a year-by-year record.

Its contents are nevertheless exceptionally informative. Poorly preserved pollen was dominated by herbaceous plants, while plant macrofossils, mosses and insect remains add substantial detail. Together they support an interpretation of open tundra or muskeg-like terrain: mossy, sedgy, wet ground, shallow freshwater and sparse dry-land vegetation affected by a periglacial climate of repeated freezing and thawing. A fossil seed of bogbean, a plant of wet places, is a modest but vivid reminder that this was not a lifeless white desert. In favourable seasons, water, mosses, sedges, grasses and herbs supported a productive, if exacting, ecology.

This should not be expanded into a panoramic certainty. Derryvree was one locality in south Fermanagh, not a weather station for the whole island. A few grains of pine or hazel pollen do not demonstrate a local forest: they may have travelled far or been reworked from older material. The stronger conclusion is negative as well as positive. There is no evidence here for the wooded, farmed Ireland of later prehistory. The landscape was predominantly open, cold and wet, with vegetation low to the ground.

Ground Between Ice Advances

Greenagho, near Belcoo in the same broad Fermanagh region, supplies a complementary record. Organic material from a lake deposit beneath till produced an age calibrated to about 37,200–35,700 calendar years before present. It is earlier than the date considered here, but demonstrates that ice-free freshwater environments occurred in north-central Ireland during MIS 3. Taken with Derryvree, it argues against the old assumption that Ireland was simply and continuously ice-covered until the final glacial maximum.

That does not mean all Ireland was simultaneously free of ice or joined by a straightforward land bridge to Britain and continental Europe. The British–Irish Ice Sheet had already developed and behaved dynamically. Marine evidence points to fluctuating, sometimes calving ice margins, while later glacial growth eventually transformed the island. Lower global sea levels exposed more of the continental shelf than exists today, but local relative sea level was also affected by the immense weight of neighbouring ice. For 31,807 BCE, it is safer to speak of shifting ecological connections and changing coastal plains than to draw a definite migration corridor across a modern map.

Castlepook's Uneven Fauna

Far to the south, Castlepook Cave near Doneraile in north County Cork is Ireland's richest known cave archive for vertebrates preceding the Last Glacial Maximum. Excavations in the late nineteenth and early twentieth centuries recovered a large and complicated assemblage, including remains attributed to

reindeer, giant deer, woolly mammoth, brown bear, wolf, fox, Arctic fox, hare, lemmings and spotted hyaena. The cave therefore establishes that parts of Ireland could support, at different times, a strikingly varied cold-stage fauna.

It cannot, however, be used as a single scene in which every species stands together on the same hillside. Cave bones arrived through many processes: carnivores carried in prey and scavenged carcasses; animals died in or near the cave; water moved sediment; and early excavations did not record every layer to modern standards. Spotted hyaena is particularly important because Castlepook is Ireland's only known site for the species, and its presence helps explain the accumulated bones and gnawed remains. Recent redating of bone collagen has also shown that several older Irish cave dates were too young, in some cases by thousands of radiocarbon years. The revised chronology suggests that giant deer and spotted hyaena may have disappeared locally before the Last Glacial Maximum, perhaps around 40,000 calibrated years before present.

The evidence closest to 31,807 BCE should thus be read as a sequence of faunal episodes, not a census. Reindeer and mammoth show that grazing animals entered Irish landscapes during parts of MIS 3; predators and scavengers followed the resources available to them. Their presence implies seasonal forage, water and routes through the wider north-west European region. It does not tell us where every herd wintered, whether migration occurred annually, or how long any population remained.

The Human Question

Human history at this date is even more tentative. A reindeer femur from Castlepook has been identified as bearing a cut mark consistent with a sharp stone tool and has been reported as dating to about 33,000 years ago. If that interpretation and association stand, it is important evidence that Upper Palaeolithic people processed a reindeer in Ireland far earlier than the previously accepted terminal-Pleistocene indications of human activity. It is evidence for an action involving an animal carcass, not for a settled population.

No securely associated stone-tool assemblage, hearth, dwelling floor, burial, artwork or occupation layer has yet been recovered from Castlepook for this period. Nor is the cave necessarily the place where an animal was killed or butchered; a carnivore could have transported a discarded bone into its den. The most cautious interpretation is that one or more small, mobile hunting groups may have reached Ireland during a favourable interval and exploited large game. Permanent settlement, population size, language, kinship, clothing and routes of arrival remain unknown.

Society Without States

There is no evidence for political institutions, named leaders, territories, diplomacy, warfare or organised religion in Ireland at this time. Such categories belong to much later archaeological and written worlds. If people were present, their social life would have been organised at the scale of small foraging groups rather than states. Hunting, butchery, hide-working, the sharing of food and knowledge of shifting terrain are plausible activities in a north-west European Upper Palaeolithic context, but they cannot be demonstrated specifically for Ireland in 31,807 BCE.

Likewise, there is no basis for describing trade in Irish goods. Movement of people, animals and useful stone across exposed shelves may be inferred as a regional possibility, yet no Irish exchange network is archaeologically visible. The essential economy was ecological rather than commercial: plants

grew during short seasons, herbivores grazed open ground, predators followed prey, and any human visitors had to make decisions in a landscape whose ice, water and animal resources could alter over generations.


What This Date Can Mean

31,807 BCE is therefore best understood not as an eventful “year” but as a point within a precarious interval before maximum glaciation. Derrynree preserves the clearest local image: freshwater silts, bogbean, mosses and tundra plants in a cold, open Fermanagh landscape. Castlepook preserves a longer and more complex southern record of animals moving through an Ice-Age world, with a possible trace of human carcass processing. Both records show that Late Pleistocene Ireland was neither the familiar island of later history nor an empty abstraction. It was a changing frontier of wet ground, sparse vegetation, mobile fauna and encroaching ice, known chiefly through the fragile materials that survived beneath it.

Chapter 095 of 100

31806 BCE

Glenulra's Shifting Shore



The label 31,806 BCE should not be mistaken for a date that prehistoric evidence can identify with calendar-year precision. It is a modern way of placing a point roughly 33,755–33,756 years before 1950, within the later Pleistocene. Radiocarbon results from this depth of time must be calibrated and expressed as ranges, while deposits may record events spread across centuries or millennia. What can responsibly be said is that Ireland lay in Marine Isotope Stage 3, a cold and highly variable phase before the Last Glacial Maximum. Its landscapes were not the familiar green island of later millennia, and any human presence was, at most, fleeting and exceptionally difficult to demonstrate.

A Date Within a Long Cold Phase

Marine Isotope Stage 3, conventionally dated to about 57,000–29,000 years ago, was neither a single uniform winter nor a settled climatic age. North Atlantic temperatures shifted repeatedly between colder stadials and relatively milder interstadials. Those changes affected the reach of glaciers, the position of coasts, vegetation and animal movements. A notional date around 31,806 BCE falls late in this phase, several thousand years before the fullest expansion of the last British–Irish Ice Sheet, generally placed around 27,000–23,000 calibrated years before present.

Consequently, it is misleading to picture all of Ireland as continuously buried under ice at this moment. The evidence instead points to major regional differences and changing ice margins. In north-western Ireland, deposits at Glenulra in County Mayo indicate substantial ice loading nearby during parts of Marine Isotope Stage 3, and show that coastlines and relative sea level responded to the weight of ice. In southern Ireland, meanwhile, dated coastal deposits indicate that the south coast remained free of overriding glacier ice from before about 45,700 calibrated years ago until an advance after about 24,200

calibrated years ago. These are broad chronological brackets, not a map for one particular year; nevertheless, they establish that an ice-free or partly ice-free southern landscape was possible around the period in question.

Shorelines Under Pressure

Glenulra is important because it warns against treating sea level as a simple global measure. During the wider cold phase, the growth of ice sheets lowered the world ocean, exposing large areas of continental shelf. Yet the sheer mass of nearby ice also depressed the land. At Glenulra, raised marine deposits have been interpreted as evidence that the Donegal coast was substantially depressed for much of the interval between roughly 40,000 and 26,000 calibrated years ago. Local relative sea level could therefore be high even while global sea level was lower than today.

For people or animals, such processes mattered more than abstract maps. River mouths, bays and coastal plains could change their character as ice advanced, retreated or altered the land's level. Much of the prehistoric terrain that might once have preserved campsites, trackways or hunting places is now offshore, beneath later sediments, or has been destroyed by glacier erosion. This uneven survival of evidence is central to the history of Pleistocene Ireland: the absence of a settlement is not automatically proof that nobody ever stood there, but neither does it permit archaeologists to invent a lost population.

Open Ground, Not Ancient Woodland

Plant and insect evidence from organic layers preserved beneath or between glacial deposits in Fermanagh provides the best guide to the kind of Irish environments that could occur during cold parts of Marine Isotope Stage 3. Sites including Hollymount, Aghnadarragh, Greenagho and Derryvree have yielded pollen, plant remains and beetle evidence. Their records point towards sparse, open vegetation: grasses and sedges, dwarf birch, willow, heaths, crowberry, mugwort and other hardy plants. Such communities are often described as tundra or tundra-steppe, though neither term should conceal local variation among wet hollows, sedge-rich pools, gravelly open ground and sheltered slopes.

At Aghnadarragh, insect evidence includes species whose modern distributions lie in Arctic Fennoscandia. Estimates derived from the assemblage suggest cold winters and cool summers, but these figures are reconstructions rather than direct thermometer readings. The terrain was probably treeless over wide areas and exposed to wind, frost and seasonal snow. It was not necessarily lifeless. Mosses, herbs and low shrubs could provide forage; wetlands could concentrate plant growth; and limestone caves offered sheltered cavities, though not automatically habitable homes for people.

The Animals of the Limestone Caves

Irish cave deposits preserve the clearest evidence for the animals living in, or passing through, this world. Castlepook Cave, near Doneraile in north County Cork, is especially significant. Its old excavations recovered a rich mixture of Pleistocene remains, including reindeer, woolly mammoth, spotted hyaena, brown bear, hare and fox. Reassessment and redating of material from Castlepook and other southern caves have shown that several earlier radiocarbon determinations were too young, moving important parts of the fauna further back into Marine Isotope Stage 3.

A cave bone is not a census of the countryside. Carcasses may have been brought in by carnivores, animals may have died naturally near an entrance, and nineteenth- and early twentieth-century excavations often recorded layers less precisely than modern fieldwork requires. Even so, the combined assemblage makes a powerful case for a cold-adapted animal landscape in southern Ireland before the last ice-sheet maximum. Reindeer, in particular, suggest open country with suitable grazing. Mammoths indicate the wider north-west European Ice Age fauna to which Ireland was then connected ecologically, even if individual species were not present everywhere at once or throughout the whole period.

Spotted hyaena adds another important caution. This was not the modern African animal transplanted unchanged to a polar landscape, but a Pleistocene carnivore capable of scavenging, hunting and accumulating bone in dens. Marks on bones, breakage and the location of finds must therefore be assessed through taphonomy: the study of what happened to remains after death. The Castlepook cave system was part of an animal landscape, not an uncomplicated archive of human activity.

The Castlepook Human Question

The most provocative evidence directly relevant to this era is a reindeer femur from Castlepook that carries deep incisions interpreted as cut marks made while the bone was fresh. It has been publicised as evidence of human activity in Ireland about 33,000 years ago. If that interpretation stands, it would push evidence for people on the island far earlier than the better-known Late Glacial and Mesolithic records. It would indicate not a named community, village or permanent colonisation, but at least one episode in which humans processed a reindeer carcass.

That conclusion must remain carefully bounded. The bone does not supply a house floor, hearth, stone-tool assemblage, human burial, route of arrival or evidence for families living year-round in Ireland. Nor can its radiocarbon age be converted honestly into a precise event on a modern calendar. The current Castlepook research programme is re-examining the cave's deposits and looking for securely stratified material, including possible traces of occupation such as charcoal and artefacts. Until that work produces a fuller context, the responsible description of c. 31,806 BCE is one of possible, perhaps episodic human visitation within a faunally rich southern landscape.

No States, Borders or Diplomacy

There is no evidence from this period for political institutions, leaders, territories, warfare, diplomacy, organised religion or formal learning in Ireland. Such categories belong to much later societies and cannot be projected backwards merely because a modern calendar date has been assigned. If people did visit Castlepook's region, their social world would have been that of small, mobile hunter-gatherer groups known elsewhere in Upper Palaeolithic Europe. They would have depended on close knowledge of animal behaviour, seasons, fuel, shelter and routes across a changing landscape. This is an informed comparison, not direct evidence for a particular Irish band.

Likewise, there is no basis for claiming trade networks, ritual sites or a settled economy on the island at this date. The narrowest evidence-based inference is that an animal carcass may have been processed with a stone-edged implement. Such an act would imply practical skill, but no artefact from that episode has yet been securely identified. The material culture, language, beliefs and identities of any visitors remain unknown.

An Ireland Before Lasting Settlement

By the later part of the last glacial cycle, advancing ice would transform or erase many earlier surfaces. The succeeding Last Glacial Maximum covered much of Ireland and its shelf, profoundly reworking the physical evidence. That later destruction helps explain why the island's Palaeolithic record is so sparse compared with parts of Britain and continental Europe. The archaeological silence is therefore a product both of genuine uncertainty about occupation and of harsh preservation conditions.

For c. 31,806 BCE, the strongest history is environmental and archaeological rather than dynastic. Ireland was a place of unstable ice margins, altered shores, open cold-country vegetation and large mammals. In the caves of the south, bones preserve a partial record of reindeer, mammoth and predators; at Castlepook, one marked reindeer bone raises the possibility of human butchery. It is a remarkable clue, but still only a clue. The year is best understood not as a documented episode, but as a carefully located point within a long, changing Ice Age landscape.

Chapter 096 of 100

31805 BCE

Derryvree's Muskeg Window



31,805 BCE is a modern chronological label, not a recoverable Irish year. No calendar, inscription, settlement sequence or environmental archive can tell us what happened in Ireland in that particular twelve-month span. Converted approximately into the archaeological convention of years before AD 1950, it falls around 33,750 calibrated years before present (cal BP). The appropriate setting is the later part of Marine Isotope Stage 3 (MIS 3), a climatically unstable interval of the Late Pleistocene. Evidence can illuminate broad ranges of centuries or millennia around this point; it cannot support an invented event, named leader or exact seasonal narrative.

A Landscape in Transition

Ireland at this depth of time was not a country in the later political or cultural sense. There were no known kingdoms, borders, diplomatic relations, institutions or communities whose affairs can be reconstructed. Nor is there evidence for farming, permanent villages, trade networks, formal religious monuments, literacy or artistic traditions in Ireland at c. 33,750 cal BP. The historical subject is therefore a changing physical landscape, its animal life and the difficult question of whether people ever entered it during this early phase of the last glacial cycle.

The island lay on Europe's north-western fringe, exposed to major shifts in temperature, precipitation, sea level and ice extent. The British-Irish Ice Sheet was growing, but its development was neither simple nor simultaneous across all regions. Modern reconstructions show rapid expansion in the wider British-Irish system from about 32,000–31,000 years ago, while its greatest total volume came later, around 23,000 years ago. Around the notional date represented by 31,805 BCE, some parts of Ireland may still have contained ice-free or seasonally ice-free ground, while other areas were increasingly affected by glacier growth and severe periglacial conditions.

This distinction matters. It would be misleading to picture the whole island either as a continuous white ice cap or as a hospitable open plain. Ice sheets and their margins moved; local topography, elevation, coastal exposure and changing climate produced contrasting environments. Much of the evidence that might once have recorded those environments was subsequently scraped away, buried or redeposited by later glaciation. What survives is necessarily patchy: cave deposits, bones, sediments protected beneath till, and mineral formations in caves.

Freshwater Beneath the Drumlins

The most revealing Irish environmental archive relevant to this broad interval is at Derryvree, near Maguiresbridge in County Fermanagh. Roadworks exposed organic freshwater silts and fine sands sandwiched between two glacial tills. The deposit was laid down during an earlier non-glacial interval and then sealed below a later ice deposit, preserving a rare fragment of an older landscape that would otherwise have been lost.

A radiocarbon determination from Derryvree, $30,500 \pm 1,170$ radiocarbon years BP, does not translate directly into a single calendar date. When calibrated, it corresponds to a broad range commonly cited at roughly 36,900–31,700 cal BP. The notional date of 31,805 BCE falls near the younger end of that window, but this does not mean the Derryvree deposit records that particular year. Sediments accumulated over time, and the age range expresses both the nature of radiocarbon dating and the uncertainty inherent in such ancient material.

Its biological remains indicate an open, cold and treeless environment. Pollen, plant macrofossils, mosses and insects point towards tundra-like or muskeg conditions: wet ground, sedges, herbs, grasses, mossy vegetation and pools or slow-moving freshwater. Plant evidence includes taxa suited to cold and exposed settings, rather than familiar Irish woodland. The implication is not a lifeless frozen desert. During favourable summer months, wet hollows and watersides could be biologically productive, though the wider landscape endured long winters, frozen ground and a short growing season.

Derryvree must not be stretched into a complete portrait of Ireland. It describes one Fermanagh basin, not every coastal lowland, upland valley or southern limestone district. Yet it decisively complicates the popular image of an Ice Age Ireland as uniformly entombed beneath ice. At least during the broader interval represented by the deposit, a freshwater habitat and an open plant community existed in north-central Ireland before later glacier ice sealed its traces away.

Caves and Cold-Stage Animals

In southern Ireland, caves provide another incomplete but important line of evidence. Castlepook Cave, near Doneraile in north County Cork, has yielded an exceptional assemblage of Late Pleistocene animal remains. Mammoth, reindeer, giant deer, brown bear and spotted hyaena are among the species associated with the wider Irish cave record, with Castlepook especially significant for cold-stage fauna. Such animals did not necessarily coexist in one moment, nor do their bones prove the precise composition of one local herd. Cave deposits can be disturbed by scavengers, water, collapse and early excavation, and individual bones can have markedly different ages.

Nevertheless, revised accelerator radiocarbon dating has strengthened the conclusion that important parts of the Castlepook, Shandon and Foley Cave faunas belong to MIS 3. Earlier radiocarbon determinations were sometimes too young because older methods and pretreatments were more vulnerable to contamination. The reassessment places some Irish mammal evidence substantially further

back in time and suggests that species including giant deer and spotted hyaena had disappeared locally before the Last Glacial Maximum. This is a reminder that Ireland's Pleistocene fauna changed repeatedly before the great ice advance reached its later maximum.

The animals themselves suggest an open landscape offering forage and carrion, not closed forest. Reindeer were adapted to cold, seasonal country; mammoths and giant deer signal extensive herbivore habitat; and spotted hyaenas indicate a large-carnivore presence capable of transporting and modifying bones. Their remains are evidence of animal lives and natural processes, not automatically of human hunting. A cave can be a den, a trap, a place where floodwater collects remains, or a mixture of all three over thousands of years.

The Human Question

One Castlepook find has given this period unusual importance. A reindeer femur has been publicly presented as bearing a mark consistent with cutting by a sharp stone tool, and the bone has been reported as roughly 33,000 years old. If that interpretation is sustained by continuing research, it may indicate that one or more Upper Palaeolithic people processed a reindeer in Ireland during MIS 3—many millennia earlier than the formerly accepted evidence for human presence.

That possibility must be stated cautiously. A single modified bone is not a settlement. No securely associated hearth, stone-tool assemblage, dwelling floor, burial, human bone, artwork or occupation layer of comparable antiquity has yet established a resident human population in Ireland around 31,805 BCE. Natural abrasion, trampling, carnivore damage and excavation history can complicate the identification of marks on ancient bone. Recent excavations at Castlepook are therefore important not because they confirm a dramatic story already known, but because they seek stratified evidence that can test it.

The responsible conclusion is that a brief human visit is possible, rather than that Ireland was certainly inhabited. If people did arrive, they may have followed mobile game across a landscape whose shorelines were unlike those of today, when lower global sea levels exposed far more of the continental shelf. But routes, water crossings and the extent of any land connection remain uncertain. It is equally possible that the relevant activity was fleeting: a small hunting party, a single carcass-processing episode, or an event not yet represented by a recognisable archaeological site.

Life Without a Social Record

There is no direct Irish evidence from this period for households, kin groups, gender roles, language, ritual practice or systems of authority. Any detailed account of clothing, shelters, weapons or belief would be imported from better-preserved Upper Palaeolithic sites elsewhere in Europe, not recovered from Ireland itself. Comparisons can suggest what was possible for cold-climate hunter-gatherers, but they must not be mistaken for observations of Irish daily life.

For the same reason, there is no demonstrated Irish economy or trade in the usual historical sense. Wild animals and local plant resources were the potential basis for subsistence in any temporary human presence, while stone suitable for cutting tools would have been a practical resource. Yet no dated lithic assemblage links these possibilities to a community on the island at this time. There is also no evidence for conflict, diplomacy or political control. The strongest story is ecological: animal movements, watery ground, open vegetation, advancing ice and perhaps transient human contact.

An Archive of Limits


The importance of Ireland around 31,805 BCE lies partly in the limits of the record. Derrynvree preserves a cold freshwater world beneath later till. Castlepook preserves animals whose bones survived cave processes and antiquarian excavation. Crag Cave in County Kerry preserves speleothems whose episodic growth shows that liquid water could enter caves during ameliorated phases of the last glacial. Together, these records demonstrate environmental fluctuation rather than a single, uniform “Ice Age”.

They also show why cautious language is a strength, not an evasion. Around this date, Ireland was approaching a profound transformation as the British–Irish Ice Sheet expanded and later reshaped much of the land. The evidence securely supports a severe, open and changing Late Pleistocene environment with varied animal life and local freshwater habitats. It raises, but does not yet settle, the prospect of very early people. That small but significant distinction is the most accurate year-by-year account possible for Ireland at this remote point in time.

Chapter 097 of 100

31804 BCE

A Cut on Cork Bone



The label 31,804 BCE is a modern chronological convenience, not a date that can be matched to a recorded Irish year, season or lifetime. At this depth of time, calendar-year precision is unavailable. The most responsible setting is the later part of Marine Isotope Stage 3 (MIS 3), a highly unstable interval of the Last Glacial Period. The label falls roughly 33,750 years before AD 1950, but dates from this era are normally expressed as calibrated ranges, often spanning centuries or millennia. Ireland's evidence is geological and archaeological rather than narrative: buried lake sediments, pollen, insects, cave calcite, animal bones and the traces of advancing ice.

There were no states, rulers, borders, written laws or named peoples in Ireland that can be identified at this time. Nor can the evidence sustain a history of continuous human settlement. Yet one object from north County Cork gives this otherwise silent period an exceptional human possibility: a reindeer femur from Castlepook Cave, near Doneraile, bearing a deep mark interpreted by its researcher as damage caused by a sharp stone tool during carcass processing. The bone and the landscape around it must be approached with care. They reveal a changing Ice-Age Ireland, and perhaps a brief encounter between people and prey; they do not furnish a conventional year-by-year chronicle.

A Date Within Ranges

Radiocarbon ages are not calendar dates in themselves. Atmospheric carbon-14 has varied through time, so laboratory determinations must be calibrated against independently dated environmental records. The current IntCal20 curve reaches back to 55,000 calibrated years before present, but uncertainty remains substantial in its older sections. Consequently, converting a prehistoric label such as 31,804 BCE into an apparently exact moment can mislead. The figure should be read as a point within broader chronological bands, not as an anniversary.

For Ireland, one important bracket comes from Derryvree in County Fermanagh. There, organic-rich silts lay between two deposits of glacial till. A legacy radiocarbon determination from the silts has been calibrated to approximately 36,900–31,700 cal BP. The date range includes the general time represented by 31,804 BCE and demonstrates that, at some point within that broad interval, freshwater and plant-rich ground existed in north-central Ireland before later ice overran the site. Greenagho, also in Fermanagh, produced organic material from beneath till calibrated to approximately 37,200–35,700 cal BP. Neither sequence dates a particular day in the life of an animal or person. Together, however, they rule out a simple picture of an island continuously sealed beneath an ice sheet.

Climate did not progress steadily towards the glacial maximum. MIS 3 contained abrupt North Atlantic shifts between relatively milder interstadials and colder stadials. Greenland ice cores provide the best-resolved record of these oscillations, while Irish deposits show their local consequences only imperfectly. The Derryvree sediments are generally interpreted as evidence for a cold, treeless freshwater setting, rather than woodland. In south-west Ireland, uranium-series dates from speleothems in Crag Cave show that liquid water sometimes percolated through shallow cave systems during episodes of climatic amelioration. Such evidence indicates that freezing conditions, vegetation cover and ice extent varied greatly through time and place.

Open Ground Before the Ice Maximum

At roughly this stage of the Last Glacial Period, the Irish Ice Sheet had not yet reached the all-island extent associated with the Last Glacial Maximum. Geological syntheses place the maximum cover of Ireland and its continental shelf broadly around 27,000–23,000 cal BP. Evidence from Derryvree and Greenagho indicates ice-free conditions in parts of north-central Ireland until at least about 34,000 years ago, before the main build-up of the last ice sheet. In southern Ireland, deposits beneath later glacial sediments likewise show that the coast remained outside the final advance until after about 24,000 cal BP.

That does not mean a temperate or hospitable island. Ice margins may have occupied other regions; frost, snow, seasonal thaw, strong winds and permafrost affected exposed terrain. The land was not the familiar wooded Ireland of later millennia. Pollen, plant macrofossils and insect evidence from Irish Late Pleistocene sequences point instead to varied cold-stage environments: wet hollows, pools, sedge-rich ground, patches of low shrubs and open mineral soils. A landscape of sparse but productive tundra or steppe-tundra vegetation could support grazing mammals, especially in sheltered valleys and during favourable phases, while remaining punishingly seasonal for any human visitor.

Sea level was lower than today because enormous quantities of water were held in global ice sheets, and the coastlines and shelves around Ireland were therefore configured differently. But lowered sea level should not be casually translated into a proven land bridge. Local relative sea level depended upon both global ocean volume and the movement of the Earth's crust under changing ice loads. The bathymetry of the Irish Sea, changing ice fronts and incomplete chronological control make a specific route into Ireland uncertain. The secure inference is ecological connectivity: land mammals repeatedly reached Ireland during Late Pleistocene intervals. Whether every movement required dry land, shore-hugging passages, winter ice or short water crossings is not established for this particular time.

Castlepook's Animal Archive

Castlepook Cave, also known as Mammoth Cave or Doneraile Cave, lies in limestone country above the Awbeg Valley in north Cork. Excavations beginning in the early twentieth century recovered one of Ireland's richest Pleistocene faunal collections. Identified remains include woolly mammoth, giant deer, reindeer, brown bear, wolf, fox, mountain hare, collared lemming, Norwegian lemming and spotted hyaena. The National Museum of Ireland records the cave as the only Irish locality known for spotted hyaena remains. This is compelling evidence that Ireland formed part of a wider north-west European world of cold-adapted and open-country animals during portions of the Late Pleistocene.

It is not, however, a single assemblage from one moment. Caves accumulate bones over long periods. Carnivores drag in prey; animals die naturally; water moves material; later excavators disturb deposits; and material from younger levels can become mixed with older remains. Some Castlepook specimens were recovered in an era when excavation recording did not meet modern standards. The cave fauna must therefore be treated as a time-layered archive, not as a scene in which mammoth, hyaena, giant deer, reindeer and every smaller animal stood together on the same day.

Recent reassessment has made this caution still more important. Improved pretreatment of bone collagen has shown that some older radiocarbon results from Irish cave faunas were misleadingly young. Ruth Carden's 2020 re-evaluation concluded that parts of the southern Irish MIS 3 fauna were considerably older than earlier estimates had suggested, and that species such as giant deer and spotted hyaena may have disappeared locally before the Last Glacial Maximum, perhaps around 40,000 cal BP. Castlepook therefore records repeated ecological episodes, not a straightforward sequence that can be assigned in full to 31,804 BCE.

The Reindeer Femur

The reindeer femur is the most directly relevant archaeological object. Found during the historic excavations and subsequently studied anew, it has been reported as dating to around 33,000 years ago. Its prominent linear mark has been interpreted as a cut or chopping mark made on fresh bone by a sharp stone implement. If that interpretation is correct, it would provide evidence that people processed a reindeer carcass in Ireland during MIS 3, enormously earlier than the island's previously accepted terminal-Pleistocene evidence for human activity.

The distinction between evidence and interpretation is essential. The bone is evidence: a reindeer lived, died and was preserved in the Castlepook cave system during the broader Ice-Age period. The mark is physical evidence as well. Its attribution to a human tool, and therefore to butchery, is an expert interpretation open to testing against carnivore damage, trampling, sediment abrasion, excavation damage and the microscopic characteristics of known stone-tool cuts. Even an anthropogenic mark would demonstrate an event of carcass processing, not necessarily a camp, a resident population, a family group or a settled community. No securely associated hearth, stone-tool assemblage, dwelling, burial or human skeletal remains establishes such a settlement at Castlepook.

At most, the marked bone permits a restrained reconstruction. During a time when reindeer ranged across suitable open country, one or more mobile Upper Palaeolithic people may have reached Ireland and obtained access to a carcass, whether by hunting, scavenging or taking an animal already killed by another predator. They may have removed meat, tendons, marrow or hide. This would have been an economy of immediate survival and mobility, not agriculture, livestock keeping, metalworking, markets

or long-distance trade networks recognisable from later prehistory. The cave itself need not have been their home: it was also used by animals, including hyaenas, and could have received bones through several routes.

What Cannot Be Recovered

No evidence supports political affairs, diplomacy, organised warfare, religious institutions, formal education, monuments or artistic traditions in Ireland at this date. It would be equally unjustified to project later Gaelic identities, Celtic languages, tribes or Irish kingdoms backwards into this Ice-Age world. If people were present, they belonged to mobile hunter-gatherer populations whose material culture and social relationships are almost entirely unrecovered on the island. Comparison with Upper Palaeolithic groups elsewhere in Europe can suggest broad possibilities, including small groups, sophisticated knowledge of animals and stone technology, and extensive seasonal movement. It cannot supply missing Irish evidence.


Conflict is likewise visible only indirectly in the competition of predators and scavengers around carcasses. Spotted hyaenas, wolves and bears were part of the wider faunal record; people, if present, would have faced the risks posed by cold, exposure and large carnivores as much as any competition for food. There is no basis for describing battles or alliances. Religion and culture cannot be inferred from the Castlepook mark. A tool cut proves neither a ritual nor a language, and a cave bone is not cave art.

What can responsibly be said is significant enough. Around the broad period represented by 31,804 BCE, Ireland was an environmentally dynamic part of Ice-Age north-west Europe, with ice-free ground in some regions before the later expansion of the British-Irish Ice Sheet. Animal movement connected it to neighbouring lands at intervals. The Castlepook reindeer femur raises the serious possibility of a human visit or brief use of animal resources, while also demonstrating how much remains unresolved. Its single mark is not the beginning of a continuous national story. It is a rare, fragile clue to a human-scale act in a landscape that would soon be transformed again by ice.

Chapter 098 of 100

31803 BCE

Castlepook's Hyena Corridor



The label 31,803 BCE offers a useful point of orientation, but it cannot identify an event in Ireland. Nobody then used a numbered calendar, no written record exists, and archaeology cannot distinguish one modern calendar year from the next at this depth of time. In arithmetic terms the label lies roughly 33,750 years before 1950, the conventional origin of “BP” dating. That is not, however, a radiocarbon determination. Dates from this era must be expressed as ranges, calibrated against changing atmospheric carbon levels, and linked cautiously to deposits, bones and landforms rather than to a named year.

The broad setting is the later part of the Late Pleistocene, within Marine Isotope Stage 3 (MIS 3), before the Last Glacial Maximum. It was an age of sharp climatic oscillation rather than one unbroken freeze. For Ireland, the evidence is fragmentary and geographically uneven. It nevertheless reveals an island—or periodically connected western peninsula in a changing glacial world—where cold-adapted animals entered landscapes that would later be heavily reworked and covered by ice. The strongest evidence near this deep timescale comes not from settlements but from caves, fossil assemblages and sediments.

A Landscape Before Maximum Ice

At this point the great British-Irish Ice Sheet had not yet reached its later maximum. Current reconstructions place the fullest expansion of ice over Ireland and its surrounding shelf broadly around 27,000–23,000 calibrated years BP, with considerable regional variation in timing and thickness. Thus 31,803 BCE falls before the period when ice covered virtually all of Ireland. It should not be imagined as

modern Ireland under a uniform white lid. Instead, conditions and the extent of ice were changing; some areas supported exposed ground, rivers, wetlands and cold-climate vegetation, while glaciers and ice masses were advancing elsewhere over longer timescales.

One vital northern record lies at Derryvree near Maguiresbridge, County Fermanagh. Road works exposed freshwater silts and fine sands trapped between two tills in a drumlin. Organic material there produced a conventional radiocarbon age of 30,500, with an uncertainty of roughly a millennium. This measurement is older than the requested calendar label when left uncalibrated, and calibration shifts it further back in calendar years; it must not be treated as dating 31,803 BCE itself. Its value is environmental. Pollen, plant remains and small-animal evidence indicate open tundra vegetation and a periglacial climate: a cold landscape shaped by frost, short growing seasons, sparse plant cover and freshwater pools or marshes.

The Derryvree sequence gives a responsible picture of the kind of terrain that could exist in parts of Ireland during a cold-stage interval: not woodland, farmland or settled countryside, but low vegetation, sedges, grasses, herbs and mosses around wet ground. It does not prove that every Irish district looked identical, nor can it be used to reconstruct a particular day. Yet it is far more secure evidence than a sweeping image of a wholly frozen island.

The Cave Archive at Castlepook

For southern Ireland, Castlepook Cave near Doneraile in north County Cork is especially important. Also known as Mammoth Cave, it is the country's richest known cave archive for vertebrate remains from the period leading towards the Last Glacial Maximum. Excavations in the late nineteenth and early twentieth centuries recovered thousands of bones, but their early excavation history means that exact layers and associations are often imperfectly recorded. Later radiocarbon programmes demonstrate that the collection spans a long interval, rather than a single moment. Geological Survey Ireland summarises dates on individual remains ranging broadly from about 45,700 to 19,950 BP.

The cave fauna includes woolly mammoth, reindeer, giant deer, brown bear, wolf, Arctic fox, lemmings and spotted hyena. It evokes a varied cold-stage animal community, but the list must be read with care. A cave is not a census of animals living together outside its entrance in one season. Bones can be carried in by carnivores, moved by water, disturbed by later activity or derived from separate phases of occupation. Hyena remains and gnawed bones make clear that Castlepook was, at least at times, a carnivore den or repository. Predators could drag carcass parts into sheltered chambers, while natural processes accumulated and rearranged material over millennia.

Even so, the animals establish an important fact about Irish regional change. Mammoths, reindeer and hyenas belonged to an Ice Age ecological world very different from the later, post-glacial fauna familiar in Ireland. Their presence shows that routes into Ireland existed for sizeable terrestrial mammals during parts of the Late Pleistocene. Lower sea levels exposed broader coastal plains and shelves, but a simple, continuous dry land bridge to Britain at this exact date has not been demonstrated. Migration may have involved changing land, ice, shallow-water and coastal routes. The evidence permits movement; it does not permit certainty about the route used by each species.

A Marked Reindeer Bone

Castlepook also contains the most provocative clue to a possible human visit in this much earlier period. A reindeer femur from the old collection has been reported as bearing a deep linear mark that zooarchaeologist Ruth Carden interpreted as damage made by a sharp stone implement during butchery. Public heritage material identifies the object as Palaeolithic and places it approximately around 31,000 BCE; reports have also described the bone as roughly 33,000 years old. Such descriptions are useful signals of broad antiquity, not sufficiently precise grounds for attaching the mark to 31,803 BCE.

If the interpretation is correct, it suggests that one or more Upper Palaeolithic people processed a reindeer in Ireland during a relatively milder, pre-maximum phase of the last Ice Age. It would be a striking extension of the island's human story. But the limits are as significant as the possibility. The bone was recovered from a cave archive assembled over a long period; it does not come with a securely associated hearth, stone toolkit, dwelling floor, burial, art or repeated domestic refuse of comparable age. The bone dates the animal's death, not necessarily the instant of marking, the location of the kill, or the duration of any human stay.

Accordingly, the responsible conclusion is not that Ireland possessed a settled Palaeolithic population in 31,803 BCE. Nor is it that a named hunting party occupied Castlepook. It is that a single modified bone raises a serious, researchable possibility of brief human activity. Recent licensed work at the cave has sought surviving Pleistocene deposits, but the 2022 excavation found no cultural artefacts. This absence does not disprove every earlier visit; it demonstrates how little direct evidence is presently available.

Society Without Politics

There is no basis for describing governments, kingdoms, diplomacy, formal conflict or religion in Ireland at this date. No Irish settlement, leader, language, ritual site or political boundary is known. The small scale of the possible evidence matters. If hunters reached the island, they would have belonged to mobile Upper Palaeolithic communities whose social knowledge, kinship, technologies and beliefs were carried in people rather than preserved in Irish monuments. European comparison can suggest that hunting, sharing meat, maintaining tools and navigating seasonal landscapes were possible practices, but it cannot turn possibility into a documented Irish custom.

Nor is there evidence for trade in the later historical sense. The movements visible in the record are chiefly those of animals and, potentially, occasional people across a changing north-west European world. A sharp stone edge capable of marking bone would have been a practical tool, not proof of an Irish exchange network. If people did enter, obtaining meat, fat, marrow, hides and sinew from large game would have been an immediate economic concern. Yet even this is an inference from the reindeer-bone interpretation, not a recovered campsite economy.

What Can Be Said for Ireland

The most important development around this notional year was environmental, not political: Ireland remained part of a dynamic cold-stage frontier before the last great ice expansion transformed much of its surface. Open tundra wetlands in Fermanagh and the animal-rich cave record in Cork reveal that life


persisted in suitable places. Castlepook's fossils also warn against treating the past as a neat sequence. The cave preserves different episodes of animal presence, carnivore activity and sediment movement, compressed into one famous locality.

For 31,803 BCE, then, Ireland is best understood through calibrated ranges and material traces. Derryvree illuminates cold, open environments during the wider Middle Midlandian interval. Castlepook illuminates a pre-maximum fauna and the contested possibility of human butchery. Together they replace invented annual history with a more compelling reality: a sparsely evidenced Ice Age landscape, inhabited certainly by animals, shaped by climatic instability, and perhaps visited briefly by people whose presence has almost entirely vanished.

Chapter 099 of 100

31802 BCE

The Maguiresbridge Silts



31,802 BCE is a modern label imposed on a time far beyond written memory. No community in Ireland recorded a year, a ruler, a battle or a ceremony at this point, and no Irish deposit can responsibly be dated to that single calendar year. In conventional arithmetic it lies about 33,751 years before AD 1950, the reference point used for “before present” dates. The appropriate historical frame is therefore not an annual chronicle but a broad interval in Marine Isotope Stage 3, a climatically unstable stretch of the last Ice Age.

The best evidence comes from sediments, fossils and landforms rather than from settlements or documents. Radiocarbon measurements of this age are not direct calendar dates: they need calibration against long-term changes in atmospheric carbon-14, and their calendar ranges can be wide. Around the horizon represented by 31,802 BCE, Ireland was a cold, changing place in which open ground, freshwater basins and cave shelters supported animals adapted to severe conditions. Whether people entered this landscape remains an important but unresolved archaeological question.

A Date Measured in Ranges

The numbered year falls within the calibrated range associated with organic sediments at Derryvree, near Maguiresbridge in County Fermanagh. Roadworks exposed a remarkable sequence through a drumlin: one body of glacial till lay below freshwater sands and silts, while another till sealed them above. The deposit consequently preserves an interval when ice was absent locally between two major phases of glaciation. Organic material from the freshwater beds produced a radiocarbon age of about 30,500 years before present; calibration has placed it broadly at approximately 36,900–31,700 calibrated years before present.

That range includes the modern label 31,802 BCE, but it does not identify a particular season, generation or event. Nor does it mean that every layer at Derryvree formed at once. The silts accumulated over time in and around freshwater, then were overridden or buried by later ice. Their importance lies in their stratigraphic order: beneath the later till was a living, non-glacial environment. This is much firmer evidence than any attempt to describe a particular day in prehistoric Ireland.

A Freshwater World Beneath the Till

Derryvree's plant remains and insect fauna point to a cold, largely treeless environment. Freshwater mosses and sedges grew in wet ground; the insect evidence has a northern or Arctic character. Older descriptions used the word "muskeg" for this kind of wet, peaty, tundra-like terrain. It should not be imagined as a uniform white wilderness. The locality included water, fine sediment, wet vegetation and changing margins, all responsive to season, drainage and temperature. Yet it was very different from the densely wooded, agriculturally altered Ireland familiar today.

Other northern deposits help establish the wider pattern while also showing why simple island-wide reconstructions are hazardous. At Greenagho near Belcoo, County Fermanagh, organic material beneath till has been dated to roughly 32,460 radiocarbon years before present, with a calibrated range commonly given as about 37,200–35,700 years before present. Hollymount, also near Maguiresbridge, and Aghnadarragh beside Lough Neagh preserve further inter-till freshwater deposits. These sites demonstrate repeated alternations between ice advance and periods in which water, plants and animals occupied exposed land. They do not prove identical weather or vegetation across every Irish region at the same moment.

Open Country and Animal Life

The animal record is especially vivid in the limestone caves of southern Ireland. Castlepook Cave, near Doneraile in north Cork, has yielded remains of reindeer, giant deer, brown bear, wolf, Arctic fox, lemmings, spotted hyaena and woolly mammoth from deposits of differing ages. Radiocarbon dating shows that its assemblage was not a single contemporaneous community: bones entered the cave over a long period and were later disturbed and re-sorted by water and other processes. Still, specimens dating broadly to the earlier and middle part of the last glacial cycle establish that such animals could use Irish landscapes before the Last Glacial Maximum.

Reindeer and giant deer suggest extensive grazing ground, while lemmings and Arctic foxes suit a cold, open setting. Wolves, bears and hyaenas were predators, scavengers or occasional cave users, rather than signs of a stable "Ice Age zoo" gathered at one place. Mammoth remains are striking but similarly require caution: a mammoth bone in a cave says that the animal or part of it reached the cave system, not necessarily that mammoths were regularly present in every district. The responsible conclusion is that parts of Ireland supported a varied cold-climate fauna, not that any precise animal population can be calculated for 31,802 BCE.

Before the Greatest Ice Advance

This was before the fullest known expansion of the last British–Irish Ice Sheet, generally placed much later, around 26,000–21,000 years ago, with regional advances and retreats varying considerably. Research on southern Ireland, the Irish Sea and the Atlantic shelf has transformed older assumptions that

large southern areas escaped the last glaciation. Much of the island was eventually affected by ice, although the timing, thickness and behaviour of that ice differed from place to place and remain subjects of active study.

At the horizon considered here, the Derryvree and Greenagho evidence indicates ice-free conditions in parts of north-central Ireland during at least part of the interval. Cave faunas in Cork likewise show that southern landscapes were accessible to large mammals. It would be unsafe, however, to turn those local records into a definitive map of an entirely ice-free Ireland. The growing ice sheet, its margins and the exposed land beyond them changed through time. Sea level was lower than today, but the exact character of routes between Ireland, Britain and continental Europe cannot be reduced to a single assertion of a permanent land bridge or an uncomplicated crossing.

The Castlepook Human Question

The possibility of people in Ireland gives this period unusual significance. A reindeer femur from Castlepook Cave has been identified by zooarchaeologist Ruth Carden as bearing a deep mark consistent with cutting or chopping by a sharp stone tool during carcass processing. County Cork heritage material presents the bone as approximately 31,000 BCE and as potential evidence of very early human activity. If that reading is confirmed, it would push evidence for people in Ireland far earlier than the securely documented terminal Palaeolithic occupation of the island.

It is nevertheless a possibility, not a licence to invent a population. The bone comes from an old cave collection, not a modern excavation with a fully recorded activity surface. Castlepook's deposits have experienced disturbance, and the cave accumulated animal remains through several mechanisms. Surface modifications must be distinguished from carnivore damage, sediment abrasion, weathering, excavation damage and later handling. Nor is there a securely associated hearth, stone-tool assemblage, dwelling, burial or series of occupation layers from the cave that would demonstrate a settled group.

Even should the mark prove anthropogenic, the most that can safely be inferred is a brief human encounter with a reindeer carcass in Ireland during a broad part of the Ice Age. Hunters might have travelled through a low-sea-level landscape from Britain or the European mainland; they might have butchered an animal locally, or a bone could have moved after processing. The evidence cannot identify their language, social organisation, beliefs, place of origin or the duration of any visit. It is equally unable to establish a continuous ancestral community.

Society Without a Chronicle

Accordingly, there are no evidenced political affairs, diplomatic relations, chiefs, territories or wars to narrate for Ireland in 31,802 BCE. If people did reach the island, their economy would have depended on knowledge of animals, weather, shelter and movement through a dangerous cold-country environment. That is an inference from the ecological setting and the wider Upper Palaeolithic world, rather than a fact demonstrated by an Irish camp. There is no direct Irish evidence here for houses, clothing, boats, exchange networks, ritual practice, art, formal learning or organised conflict.

The caves themselves should not be casually called human homes. For the animals represented at Castlepook, they could be dens, traps, refuges or places into which bones were washed. For people, if present at all, caves may have been landmarks or temporary shelters, but no archaeological floor permits that conclusion. The distinction matters. Absence of evidence does not prove that no person ever crossed the landscape; it does mean that claims about an Irish society at this date exceed what the record can bear.

An Archive of Change

The most meaningful history of Ireland around 31,802 BCE is therefore environmental. Derryvree's silts preserve sedges, mosses, insects and freshwater conditions between glacial advances. Greenagho, Hollymount and Aghnadarragh extend the record of unstable cold-stage landscapes in the north. Castlepook's bones provide a separate southern archive of animals moving through open country and using cave systems across a long span. Together they reveal a land in transition, inhabited certainly by cold-adapted fauna and perhaps visited briefly by people, before later ice profoundly remade its surface.

That restraint is not a deficiency. It is the achievement of prehistoric research to recover a credible Irish past from minute organic traces, fractured bones and layers beneath the till—while keeping clear the boundary between what the evidence establishes and what remains an enticing, unanswered question.

Chapter 100 of 100

31801 BCE

Fermanagh's Moss-and-Sedge Archive



Modern calendar-year precision is not available for Ireland in 31,801 BCE. The number is a retrospective conversion, not a date that anyone living then could have recognised or recorded. It corresponds approximately to 33,750 years before AD 1950, the reference point conventionally used for “before present” (BP) dating. At this depth of time, archaeologists and Quaternary scientists work with broad calibrated ranges, sediment sequences and changing environmental phases rather than events fixed to a single year. The most responsible setting is the later part of Marine Isotope Stage 3 (MIS 3), a long and climatically unstable interval of the Late Pleistocene.

Ireland at this point was not a country of kingdoms, parishes, farms or written memories. There is no evidence for political institutions, diplomacy, trade routes, religious monuments, named communities, or a resident human population. Yet it was not an empty abstraction. Fossil plants, insects, animal bones, cave deposits and glacial sediments show that parts of the island supported life during intervals between advances of ice. They allow a limited but vivid reconstruction of an Irish landscape undergoing profound environmental change.

A Date Within Ranges

The distinction between radiocarbon and calendar time matters especially here. A radiocarbon measurement is not itself a calendar date: variations in atmospheric carbon-14 must be corrected through calibration, and uncertainty expands markedly at great antiquity. IntCal20, the current internationally compiled Northern Hemisphere calibration curve, reaches back to 55,000 calibrated years BP, but its authors stress that older determinations may produce wide or more than one possible calendar range. A numbered BCE year can therefore only be used as a convenient point within a much broader archaeological timescale.

The closest securely dated environmental sequence relevant to this date comes from Derryvree, near Maguiresbridge in County Fermanagh. Road works in 1969 exposed a drumlin in section. Beneath a later till, or glacial deposit, investigators found freshwater silts and fine sands rich in organic material; below them lay another till. The position of the deposit is crucial. It records a period when local conditions allowed freshwater sediment, vegetation and insects to persist between two episodes of ice advance, rather than a single unbroken “Ice Age” landscape. The original radiocarbon result was 30,500 radiocarbon years BP, with a substantial uncertainty; published calibrations place it broadly around 36,900–31,700 cal BP. Thus 31,801 BCE lies near the younger end of the wide period that the deposit may illuminate, rather than being a precisely dated moment within it.

Fresh Water Under Later Ice

Derryvree’s evidence is modest in scale but unusually valuable. The organic beds contained freshwater mosses and sedges, poorly preserved pollen dominated by herbs, and insects indicative of cold northern conditions. Taken together, these remains support the conclusion that the locality held open tundra vegetation and a periglacial climate: cold, seasonal ground affected by freezing and thawing, rather than temperate woodland. The vegetation was likely sparse in drier places, while wetter hollows supported mosses, sedges and standing or slow-moving water. This was an ecological patchwork, not a featureless snowfield.

The same Fermanagh region preserves other inter-till deposits at Hollymount and Greenagho. They demonstrate that cold but non-glacial conditions occurred in parts of the north-west during the Midlandian, the regional name often used for the last glacial cycle in Ireland. Their chronologies remain imperfect. Greenagho’s radiocarbon determination of 32,460 BP is treated cautiously as a minimum age, while the deposits cannot simply be assumed to be exactly contemporary with Derryvree. This qualification is important: a locality may offer a window onto a broad climatic phase without recording conditions across all Ireland at the same instant.

The environmental evidence nevertheless rules out familiar modern images of the island. There were no Atlantic oakwoods, enclosed fields, peat-cuttings or settled shores. The rivers and wetlands of places such as Fermanagh lay within a colder world, and the coast was radically altered by lower global sea level. Exposed shelves and changing ice margins reshaped the distances and possible routes between Ireland, Britain and continental Europe. Precisely how accessible every part of Ireland was at any particular millennial phase remains debated; the evidence does not justify imagining a permanent land bridge or an easy migration corridor at this specific date.

Castlepook’s Animal Record

Far to the south, Castlepook Cave near Doneraile in north County Cork offers the most substantial animal archive for Ireland before the Last Glacial Maximum. Excavations undertaken mainly between 1904 and 1918 recovered more than 2,000 bones from a complex limestone cave system. Later re-dating has shown that its fauna spans a long and mixed interval, with individual specimens dating between roughly 45,700 and 19,950 BP. The cave was a repository, not a neatly preserved camp floor: water disturbance, carnivore activity and antiquarian excavation have all complicated the original relationships between bones and sediments.

Even so, the assemblage establishes that a striking range of mammals entered or used Irish landscapes during MIS 3. Castlepook has yielded woolly mammoth, giant deer, reindeer, brown bear and spotted hyaena, alongside later cold-adapted animals including Arctic fox, wolf, Norwegian lemming and collared lemming. These remains should not be treated as a single herd encountered on one day. They were accumulated across many thousands of years and by more than one process. But they show that Ireland contained, at different times and in different combinations, grazers and browsers, predators, scavengers and small mammals adapted to severe northern environments.

For everyday life in the strictly ecological sense, this meant movement, risk and seasonality. Reindeer and mammoth required extensive feeding grounds; hyaenas could drag carcass parts into caves; wolves, bears and foxes occupied different predatory or scavenging niches. The preservation of bones in a cave is therefore evidence both of living animal communities and of death, transport and disturbance after death. Predation and scavenging are real forms of conflict visible in the record, but they are not evidence for warfare, territorial states or human hunting parties.

The Reindeer Bone Question

A single Castlepook reindeer femur has given this period exceptional archaeological importance. It has been reported as approximately 33,000 years old and bears a deep mark which zooarchaeologist Ruth Carden has interpreted as having been made by a sharp stone tool during carcass processing. County Cork heritage material presents the specimen as potential evidence for Palaeolithic hunters handling reindeer in the Doneraile area. If that interpretation is confirmed, it would indicate a human visit to Ireland vastly earlier than the long-established post-glacial record.

The qualification is as important as the possibility. The radiocarbon date establishes when the reindeer died, not independently when the mark was made, where the animal was killed, or how long people may have stayed. The bone comes from an old cave collection, not a modern excavation of an intact occupation surface. No securely associated hearth, stone-tool assemblage, dwelling floor, burial, art object or human bone has yet established a 32nd-millennium BCE settlement in Ireland. Castlepook's hyaenas and water-disturbed deposits are reminders that caves mix histories. The mark may be highly significant, but it cannot by itself reveal the number, identity, language, beliefs or descendants of any people involved.

Accordingly, society can be discussed only conditionally. If humans processed the reindeer, they probably possessed a sharp lithic edge and knowledge of animal carcass handling. That would be evidence for a brief Upper Palaeolithic incursion or activity episode, perhaps linked to mobile hunting across the wider north-west European zone. It would not prove a permanent Irish population, a village, social hierarchy, regular seasonal return, or continuity with Ireland's much later inhabitants. Such possibilities remain questions for future excavation, especially if undisturbed deposits or associated artefacts can be recovered and published.

Before the Great Expansion of Ice

The wider glacial chronology explains why this evidence is so fragmentary. The final British–Irish Ice Sheet did not grow and retreat everywhere at once. Large-scale reconstruction places the greatest ice volume at about 23,000 BP, while the timing of maximum extent varied between sectors from about 30,000 to 22,000 BP. Around the broad timespan represented by 31,801 BCE, Ireland was therefore approaching major late-glacial ice expansion, but local landscapes could differ sharply according to altitude, latitude, ice flow and climate. Later ice also eroded or buried much of the older terrestrial record.

The chief historical development appropriate to this date is consequently environmental, not political. Ireland contained pockets of cold open ground and freshwater habitat during a volatile phase of the Pleistocene. Fermanagh's mosses, sedges and insects record one such landscape; Castlepook's bones record a wider animal world in which mammoth, reindeer and hyaena could occur. The marked reindeer femur poses the tantalising possibility of human action, but not yet a settled human history. For 31,801 BCE, the honest account is one of calibrated ranges, surviving traces and carefully bounded interpretation.




About the Author

Gerard J. Hannan is an Irish author, historian, journalist and broadcaster with a lifelong interest in the people, places and events that have shaped Ireland's past. Based in Limerick, he spent more than twenty-five years working in journalism and broadcasting, developing a particular interest in local history, social change and the preservation of historical memory.

He is the founder and curator of Emerald Archives, an expanding digital historical collection dedicated to preserving, restoring and sharing material connected with Ireland's social, cultural and political history. Through the archive and its associated publishing projects, he aims to make historical information accessible to both general readers and serious researchers.

Hannan holds a BA in History and Media, a Master of Business Studies in International Entrepreneurship Management, and an MA in Teaching English to Speakers of Other Languages. His academic background complements decades of practical experience in writing, research, broadcasting and historical documentation.

He is also the author of several books and long-form historical projects exploring Irish life, identity and memory. As creator of Emerald Gazette, Hannan continues to develop a growing chronological collection designed to bring Ireland's extraordinary historical record to a broad international readership.



End of Issue 002 of 340

Frozen Wilds

31900–31801 BCE

Next Issue: Ireland 31800–31701 BCE



Discover Ireland Through the Pages of Emerald Gazette

Step into the remarkable world of Emerald Gazette, a publication series created for readers who want to experience Ireland's past through vivid storytelling, striking imagery and carefully researched historical features.

Every volume opens a window onto a particular era, revealing the individuals, communities, discoveries, struggles and achievements that helped shape the country we recognise today. From distant centuries to comparatively recent times, the series captures both celebrated landmarks of Irish history and lesser-known stories that deserve to be remembered.

Produced from the extensive resources of Emerald Archives, each edition is designed to be both informative and enjoyable, making it equally suitable for dedicated history enthusiasts, students, researchers, family historians and curious readers discovering Irish history for the first time.

Rather than being a publication to read once and set aside, Emerald Gazette is intended to become part of a growing historical library. Every new volume adds another piece to an extraordinary national record, creating a collection that can be explored, revisited and shared.

Whether your interest lies in ancient Ireland, medieval society, revolution, culture, local communities or the changing face of modern life, there is always another story waiting to be discovered.

Open the book. Enter the period. Discover Ireland.

Compiled & Edited by Gerard J. Hannan BA MBS MA